



2021

13th Edition

OEM ATF AND CONVERSION CHART



FOR THE RIGHT FLUID AND THE RIGHT SOLUTIONS



HOW TO USE THIS CHART

Are you new to LUBEGARD® or trying to determine which product to use?

ALL Lubegard conversion products & whole fluids have the benefits of our protectants built right into their formulations, so no matter which option you choose, they will all help with shifting issues, lowering operating temperatures, conditioning the seals & O-rings, extending the life of the fluid, improving anti-wear properties, and solving or preventing frictional issues resulting from additive depletion.

OPTION 1

Do you need to fix a shifting problem, or just want to protect your transmission and make it last longer? If so, follow the **Option 1** section of this chart:

If you're looking to protect the current fluid or you're servicing the fluid using the OEM recommended fluid, then Option 1 is what you need. Option 1 is also the best choice if you're experiencing torque converter shudder, hard shifting and sticking valve bodies/solenoids. Option 1 is perfect for preventative maintenance by lowering the operating temperature, reducing wear, and extending the life of the fluid. Lubegard also lubricates seals, making them pliable without shrinking or swelling them.

To get the best results with LUBEGARD® we recommend adding it to fresh fluid, but it can be added at any time.



SUGGESTED RECOMMENDATION:

For total transmission care, flush out old degraded fluid and unwanted by-products safely with the use of LUBEGARD Automatic Transmission Flush PN/95001. For Automatic, manual, CVT & DCT units.

OPTION 2

Are you changing the fluid and looking for an alternative to the OEM (Original Equipment Manufacturer) fluid? You have more than one option here!

Choose **Option 2** When servicing the transmission and need an OEM fluid alternative. This option is perfect for when the OEM fluid is not readily available, or when using the OEM fluid becomes cost prohibitive.

Determine which base fluid you need and one of the appropriate supplements to use in the option 2 section of this chart. Note that appropriate viscosity base fluid/and color is required to meet minimum tolerance specifications (our recommended fluids are best suited for this).

OPTION 2 (as an OEM fluid alternative)



OPTION 3

Option 3 is our **COMPLETE™** line of whole fluids: **COMPLETE ATF**, **COMPLETE CVT**, & **COMPLETE DCT** fluids are your whole fluid solutions with LUBEGARD technology built right into the formulation.


OPTION 3 (whole fluid option) LUBEGARD **COMPLETE** fluids contain all the same proprietary ingredients as our additives and offer the same performance & protection you'd expect from a LUBEGARD product with no measuring or mixing required. That's what we call a "**COMPLETE** Solution".

Determine if one of the LUBEGARD **COMPLETE** Fluids is appropriate for your vehicle using the option 3 section of this chart.

Small But Mighty

NOT SURE IF YOUR ISSUE IS EVEN FLUID RELATED?

You should start here, it's the fastest way to find out. Our Instant Shudder Fixx will help you determine whether you have a fluid or mechanical issue and should only take a few miles to kick in. Anywhere our **ATF Protectant**, p/n **60902**, is compatible in the option 1 column, our **Instant Shudder Fixx** is also compatible, and can be used alone, or with p/n 60902, 63010 and 69032 (except in CVT units).



See Video

TO LEARN MORE ABOUT ME, VISIT WWW.SHUDDERMAN.COM ...WHAMMO!


PRODUCT OPTIONS



60902
Synthetic ATF Protectant:

It works in all automatic transmissions & OEM fluids (except CVT, DCT & Type-F fluid)

This is for option 1 use only.



61910
Highly Friction Modified ATF Supplement:

Is used to enhance DEXRON III, VI / MERCON, V into a highly friction modified type of ATF.

This is for option 2 use only.



62005
M-V ATF Supplement:

Is used to enhance DEXRON III, MERCON into a MERCON V ATF.

This is for Option 2 use only



63010
Platinum® High Performance ATF Protectant:


Eliminates all ATF confusion.
Use as a Multi-Vehicle ATF Conversion supplement, or use as an ATF Protectant with any OEM recommended ATF. (except CVT, DCT & Type-F fluid)

This can be used in either option 1 or 2 where recommended.



19610 / 19689 / 19680
Instant Shudder Fixx™

A concentrated friction modifier formulated specifically for eliminating torque converter shudder problems — instantly.



67010
CVT Recharge & Protect™

It works in all CVTs. It revitalizes worn-out fluid, reduces noise, and enhances anti-shudder performance.

This is for option 1 use. This can also be added/mixed with our COMPLETE CVT Fluid when it is recommended in option 3



68112 / 68115

COMPLETE CVT Fluid

Can be used in both belt and chain driven CVTs. Meets or exceeds OEM fluid requirements. Eliminates the need to stock multiple fluids

This is for option 3 use only.



56032 / 56125

COMPLETE Multi-Vehicle Dual Clutch Fluid

The service solution for over 99% of all wet clutch applications

This is for option 3 use only.



69032 / 69125
COMPLETE Full Synthetic Automatic Transmission Fluid

No mixing required – Just pour it in.

Works in all transmissions requiring low viscosity ATF.

This is for option 3 use only.



95001

Transmission Flush

For use with or without a flush machine to safely flush out old degraded fluid and unwanted by-products in automatic, CVT, DCT and standard transmissions.



Amazing on their own. Even better together.

CVT Recharge & Protect™


A CONDITIONER FOR USE
IN ALL CVT TRANSMISSIONS

For new or used fluid

Reduces noise

Enhances anti-shudder performance

Provides superior
metal-to-metal protection



SCAN THIS QR CODE OR SEARCH
“LUBEGARD RESOURCES” TO
DOWNLOAD THE APP NOW



Complete™ CVT Fluid

ELIMINATE THE NEED TO STOCK
OVER 60 DIFFERENT CVT FLUIDS
WITH THIS MULTI-VEHICLE FORMULA

Longer anti-shudder performance

Minimizes friction

Excellent cold

weather performance



INTERNATIONAL LUBRICANTS, INC.
PH 1-800-333-LUBE (5823)
WWW.LUBEGARD.COM

TECH TIP: The GM 8-Speed TCC Shudder Solution

General Motors has issued several technical service bulletins pertaining to torque converter clutch shudder issues in two of their 8-Speed transmissions; 8L45 & the 8L90. This problem currently affects 11 different models across 3 different OEM manufacturers between the model years 2015 and 2019. GM's solution to this problem is lengthy & complicated, requiring 20 liters of ATF be flushed through the system to replace as much fluid as possible, yet still has not corrected the issue in some cases. With these vehicles approaching the end of their limited powertrain warranties, you can expect to see an increase of these vehicles in your shop.

We're here today to offer you a better, less complicated, and less expensive way to service these transmissions successfully with fewer comebacks and customer complaints.


We used our state-of-the-art Fallex Multispecimen testing platform to develop conditions that caused shud-

der to occur between an automatic transmission friction plate and steel plate when lubricated with GM's recommended ATF specified in their technical service bulletins. We then eliminated the shudder under the same conditions by adding Lubegard Platinum High-Performance ATF Protectant to the test ATF at the treat rate of 2 fluid ounces per quart. An added advantage of the Lubegard Platinum High-Performance ATF Protectant was control and stabilization of the friction at a constant level throughout the tests.

When your customer is suffering from TCC shudder and/or slippage, you can help them avoid the expensive replacement of their OEM ATF by simply adding 2 bottles of Lubegard Platinum ATF Protectant, or, if the customer insists on replacement, you can avoid recurrence of the TCC shudder with the addition of 2 fluid ounces per quart of Lubegard Platinum High-Performance ATF Protectant.



FRICTION PLATE SHUDDER TEST: OEM ATF Shudder Test With and Without Lubegard Platinum




RECOMMENDATIONS: Lubegard Platinum ATF Protectant when used at 2 oz-per-quart treat rate (2 bottles per transmissions) extends frictional durability and reduces slippage in GM 8-Speed transmissions.

*Note that LUBEGARD PLATINUM is compatible with GM recommended ATF and can be added at the time of service or as a top off to eliminate shudder and slippage

MODEL	MAKE	YEARS	TRANSMISSION	TOTAL FILL QUARTS	RECOMMENDED AMOUNT OF LUBEGARD PLATINUM
CADILLAC	ATS	16-19	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	ATS	16-19	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	CTS	16-18	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	CTS	16-18	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	CT6	16-18	8L45/8L90	10.9	2 bottles (20 ounces)
CADILLAC	CT6	16-18	8L45/8L90 w/ cooler	11.4	2 bottles (20 ounces)
CADILLAC	Escalade	15-16	8L90	10.9	2 bottles (20 ounces)
CADILLAC	Escalade	15-16	8L90 w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Camaro	16-19	8L45	10.9	2 bottles (20 ounces)
CHEVY	Camaro	16-19	8L45w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Colorado	17-19	8L45	10.9	2 bottles (20 ounces)
CHEVY	Colorado	17-19	8L45w/cooler	11.4	2 bottles (20 ounces)
CHEVY	Corvette	15-19	8L90	10.9	2 bottles (20 ounces)
CHEVY	Silverado	15-18	8L90	10.9	2 bottles (20 ounces)
GMC	Canyon	17-19	8L45	10.9	2 bottles (20 ounces)
GMC	Canyon	17-19	8L45w/cooler	11.4	2 bottles (20 ounces)
GMC	Sierra	15-18	8L90	10.9	2 bottles (20 ounces)
GMC	Yukon	15-17	8L90	10.9	2 bottles (20 ounces)

THE UNIQUE DIFFERENCE



YEARS AGO, Sperm whale oil and its derivatives were used as lubricant additives in virtually every automotive application. It was so effective, that over 30 million pounds of whale oil per year was used in lubricants alone! In 1972, the Endangered Species Act outlawed the killing of whales and the use of whale oil. Afterward, no suitable replacement for whale oil was available. This resulted in a dramatic drop in lubricant performance. Transmission failures skyrocketed from just under one million to over EIGHT million by 1975.

Then, International Lubricants, Inc. with renowned research chemist Dr. Philip Landis developed and patented the first and only high temperature synthetic sperm whale oil replacement - LUBEGARD's Liquid Wax Ester Technology. LXE® is proven to actually outperform the sperm whale oil additives by reducing component wear by at least 50%, reducing oxygen uptake (oxidation) by 30%, and reduced pentane insolubles (sludge) by 60%, when added to GM® factory fill. (The reference oil for DEXRON® approval).



OEM ATF AND CONVERSION CHART INDEX

ACURA	PG 1
ALFA ROMEO	PG 1
ALLISON	PGS 1-2
AUDI	PG 2
BUICK	PGS 2-3
BMW	PGS 3-4
CADILLAC	PG 4
CHEVROLET	PG 5
CHEVY TRUCK/ GMC TRUCKS & VANS	PGS 5-7
CHRYSLER	PG 7
DODGE	PG 7
RAM/DODGE TRUCKS & VANS	PGS 7-8
FIAT	PG 8
FORD	PG 8
FORD TRUCKS & VANS	PGS 8-10
GENESIS	PG 10
GEO	PG 10
HONDA	PG 10
HUMMER	PG 10
HYUNDAI	PG 11
INFINITI	PG 11
ISUZU	PG 12
JAGUAR	PG 12
JEEP	PG 12
KIA	PGS 12-13
LAND ROVER	PG 13
LEXUS	PG 13-14
LINCOLN	PG 14
MAZDA	PGS 14-15
MERCEDES BENZ	PGS 15-17
MERCURY	PG 17
MINI COOPER	PGS 17-18
MITSUBISHI	PG 18
NISSAN	PGS 18-19
OLDSMOBILE	PG 19
PLYMOUTH	PG 19
PONTIAC	PG 19
PORSCHE	PG 19
RAM - SEE DODGE	
SAAB	PG 19
SATURN	PG 19-20
SCION	PG 20
SMART	PG 20
SUBARU	PG 20
SUZUKI	PG 20
TOYOTA	PGS 21-22
VOLKSWAGEN	PG 22
VOLVO	PG 23



OEM ATF and Conversion Chart

A
OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)


OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)


OPTION 3 (whole fluid option)

- LUBEGARD CVT Fluid
- LUBEGARD Dual Clutch Transmission Fluid
- LUBEGARD Synthetic ATF

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
ACURA																	
CL	01-03	V6	3.2L	BGFA, MGFA	7.6/7.2	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
ILX	13-15	L4	2.0L, 2.4L	M9DA	6.7/6.4	2.6/2.5	Honda Genuine ATF DW-1				DVI, MLV						
Integra	16-20	L4	2.4L	M4JA	7.7/7.3	4.3/4.1	Acura ATF Type 2.0	USE	OEM		DM, DVI, MV						
	96-01	L4	1.8L	SKWA	6.2/5.9	2.9/2.7	Honda Genuine ATF Z-1				DVI, MLV						
	01-02	V6	3.2L	BGHA, MGHA	8.9/8.5	4/3.8	Honda Genuine ATF Z-1				DM, DVI, MV						
	03-06	V6	3.2L	MDKA, BDKA	7.7/7.3	2.9/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
MDX	07-13	V6	3.7L (J37A1)	BYFA	8.3/7.9	3/2.8	Honda Genuine ATF Z-1				DM, DVI, MV						
	14-15	V6	3.7L (J37A1)	BYFA	8.5/8.0	3.3/3.1	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	BYFA	8.5/8.0	3.3/3.1	Honda Genuine ATF DW-1				DVI, MLV						
MDX HYBRID	16-20	V6	3.5L	ZF 9HP	8.5/8.0	3.3/3.1	Honda Type 3.1				LG 8, MULV						
	17-20	V6	3.0L	DCT 7	7.7/7.3	3.5/3.3	Honda Genuine ATF DW-1				DVI, MLV						
NSX	91-05	V6	3.0L	MR9A	7.4/7.0	3.1/23.0	Honda Genuine ATF Z-1				DM, DVI, MV						
	17-20	V6	3.5L	Dual Clutch	4.8/4.5 7.9/7.5	2.8/2.6 4.9/4.6	DW-1/Acura GO Type 2.0	USE	OEM		DVI, MLV						
RL	96-04	V6	3.5L	M5DA	9.1/8.6	3.2	Honda Genuine ATF Z-1				DM, DVI, MV						
	05-08	V6	3.5L (35A8)	MJBA	7.6/7.2	2.9/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-10	V6	3.7L (J37A2)	MJBA	8.1/7.7	3.0/2.8	Honda Genuine ATF Z-1				DM, DVI, MV						
	11-12	V6	3.7L (J37A2)	MJBA	8.2/7.8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
RDX	07-09	L4	2.3L (K23A1)	BWEA	8.2/7.8	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-12	L4	2.3L (K23A1)	BT3A, BWEA	8.8/8.3, 8.2/7.8	3/2.8, 3.1/2.9	Honda Genuine ATF DW-1				DVI						
	13-18	V6	3.5L	M9RA	7.4/7.0	3.3/3.1	Honda Genuine ATF DW-1				DVI, MLV						
	19-20	L4	2.0L	10-speed	8.8/8.3	4.5/4.3	Honda Type 2.0	USE	OEM		DVI, MLV						
RLX Hybrid	14	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5	Honda Genuine ATF DW-1				DVI						
	16-20	V6	3.5L	DC M9TF	4.8/4.5	3.7/3.5	Honda Genuine ATF DW-1				DVI, MLV						
	18-20	V6	3.5L	10-speed	8.8/8.3	4.5/4.3	Honda Type 2.0	USE	OEM		DVI, MLV						
RSX	02-07	L4	2.0L	MRMA	6.9/6.5	2.9/2.7, 3/1.2.9	Honda Genuine ATF Z-1				DM, DVI, MV						
	00	V6	3.2L	M7VA	7.6/7.2	2.8/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
TL	01-03	V6	3.2L	B7WA	7.6/7.2	2.8/2.7	Honda Genuine ATF Z-1				DM, DVI, MV						
	04-08	V6	3.2L	BDGA	9.2/8.7	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV						
	09-14	V6	3.5 (35Z6), 3.7L (37A4)	BK3A, BK4A	7.9/7.5, 8.1/7.7	3/2.8, 3.5/3.3	Honda Genuine ATF DW-1				DVI						
TLX	15-16	L4	2.4L	MDSA	4.1/4.3	7.3/7.7	Acura ATF Type 2.0	USE	OEM		DVI						
	17-20	L4	2.4L	MDSA	3.9/4.1	7.3/7.7	Acura ATF Type 2.0	USE	OEM		DVI, MLV						
	15-20	V6	3.5	Q5J4, Q5L9	3.3/3.5, 3.3/3.5	6.2/6.6, 7.2/7.6	Acura ATF Type 3.0				LG 8, MULV						
TSX	04-08	L4	2.4L (K24AZ)	MCTA	6.9/6.5	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV						
	09	L4	2.4L (K24Z3)	MM7A	6.9/6.5	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV						
	10-14	L4	3.5L (J35Z6)	MM2A	7.9/7.5	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV						
ZDX	10-14	V6	3.7L (J37A5)	M7PA	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI						
ALFA ROMEO																	
4C	15-20	V-6	1.75L	DA1-C635	1.5/1.4 2.0/1.9	N/A	DDCT 75W Fluid/ 75-85 GL-4 GO	USE	OEM		FLUID						
Giulia	17-20	L4	2.0L	8HP50	9.9/9.4/	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
	17-20	V6	2.9L	8HP75	9.5/9	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
Stelvio	18-20	V4	2.0L	8HP50	9.9/9.4/	N/A	Mopar 8&9 speed ATF				LG 8, MULV						
ALLISON																	
Series 1000 / 2000 / 2400	Various	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF Alternative Abbreviations and Symbols**

- | | | | |
|------|------------------|-----|--|
| DM | DEXRON®/MERCON® | LG6 | Lifeguard® 6 |
| DVI | DEXRON® VI | LG8 | Lifeguard® 8 |
| DULV | Dexron Ultra LV | DHP | Dexron® HP |
| MV | MERCON® V | * | Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. |
| MLV | MERCON® LV | SYN | The use of a synthetic base fluid is required. |
| MULV | MERCON® Ultra LV | | |



OEM ATF and Conversion Chart

A

ALLISON cont.		Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Series MD / HD B 300	Various	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						
Series B 400 / B 500	Various	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						
Series AT 500 / MT 600	Various	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						
Series HT 700 / V 700	Various	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Allison Transynd (TES-295)				SYN DM, MV						
AUDI																			
A3, Quattro, Cabriolet	05-11	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	DSG, 02E	7.6/7.2	5.8/5.5	G 052 182 A2 (DSG)						LUBEGARD DCTF						
	06-09	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	AWTF60SM	7.4/7	2.9/2.7	G 055 025 A2						*DM, MV						
	06-13	L4, V6	2.0 (CBFA) (CCTA), 3.2L (CBRA)	09E	11/10.4	10.6/10	G 055 005 A2						DVI, MLV						
A3	15-16	L4	1.8	OD9	7.3/6.9	5.4/5.2	G 052 182 A2 (DSG)						SYN DVI, DHP						
	17-20	L4	2.0L	0GC	N/A	6.3/6	G 055 529 A2						LUBEGARD DCTF						
A3 e-tron	16-20	L4	1.4L	ODD 6-speed e-tron		6.3/6.0	G 052 182 A2 (DSG)	USE	OEM	FLUID									
A3, Quattro	15-20	L4	2.0L	OD9	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)						LUBEGARD DCTF						
A4 Avant	95-07	L4, V6	2.4L, 2.6, 2.8L	ZF 5HP19	9.5/9	2.7/2.6	Esso Type LT 71141						SYN DM, MV						
A4, Cabriolet, S4, RS4	04-09	L4, V6	1.8, 3.0L (CCAA)	01J (CVT)	7.9/7.5	4.7/4.5	G 052 180 A2 (CVT)						LUBEGARD CVT						
	10-11	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	7.9/7.5	5.3/5	G 052 180 A2 (CVT)						LUBEGARD CVT						
	12-13	L4, V6	2.0 (CAEB), 3.2L (CALA)	01J (CVT)	8.5/8	6.3/6	G 052 516 A2 (CVT)						LUBEGARD CVT						
	10-16	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	7.4/7	6.3/6	G 052 516 A2 (CVT)						LUBEGARD CVT						
	17-19			OCK-OCL (Auto)		3.7/3.5	G 055 529 A2						LUBEGARD DCTF						
	17-19			OCK-OCL (Manual)		4/3.8	G 052 549 A2	USE	OEM	FLUID									
	04-08	L4, V6	1.8, 3.0L (CCAA)	01V	9.5/9	3.4/3	G 052 162 A2						*DM, DVI, MV						
	06-09	L4, V6	2.0 (BWT), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8	G 060 162 A2						DVI, MLV						
	08-10	L4, V6	2.0 (BWT), 3.2L (BKH)	0B6	11/10.4	N/A	G 060 162 A2						DVI, MLV						
	08-10	L4, V6	2.0 (CAEB), 3.2L (CALA)	0AW (CVT)	8.5/8	5.3/4.8	G 052 516 A2 (CVT)						LUBEGARD CVT						
A5 Quattro	10-12	L4, V6	2.0 (BWT), 3.0L (CCAA)	0AW (CVT)	8.5/8	6.3/6	G 052 516 A2 (CVT)						LUBEGARD CVT						
	08-09	V6, V8	3.2 (CALA), 4.2L (CAUA)	OB6	11/10.4	7/6.7	G 055 005 A2						DVI, MLV						
	10-15	L4, V6, V8	2.0L, 3.2L, 4.2L	0AW (CVT)	8.5/8	6.3/6	G 052 516 A2 (CVT)						LUBEGARD CVT						
A6 Quattro	16-18	L4, V6, V8	2.0L, 3.2L, 4.2L	OCL	4.6/4.4	3.6/3.5	G 052 529 A2						LUBEGARD DCTF						
	19-20	L4, V6	2.0L, 2.9L, 3.0L	OCL	4.6/4.4	3.6/3.5	G 052 529 A2						LUBEGARD DCTF						
	98-04	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141						SYN DM, MV						
	98-04	V6	2.8L	ZF 5HP18	9.5/9	2.7/2.6	Esso Type LT 71141						SYN DM, MV						
	05-07	V6, V8	3.2, 4.2L	ZF 6HP26 (09E)	9.5/9	4.2/4	G 055 005 A2						DVI, MLV						
A8	10-15	V6, V8	3.2, 4.2L	09L, 09E	10.4/9.8	8.5/8	G 060 162 A2						DVI, MLV						
	16-18	V6, V8	3.2, 4.2L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2						DVI, MLV						
	19-20	V6	2.0L, 3.0L	OCH	4.6/4.4	3.6/3.5	G 052 529 A2						LUBEGARD DCTF						
S3	04-09	V8, V12	4.2 (BVJ), 6.0L (BSB)	09E	11/10.4	10.6/10	G 055 005 A2						DVI, MLV						
	05-10	V6, V8	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	09L	10.4/9.8	8.5/8	G 060 162 A2						DVI, MLV						
	10-11	V8	4.2L (BVJ)	OBK	9/1.8	4.5/4	G 060 162 A2						DVI, MLV						
S4	15-16	L4	2.0L	OGC	N/A	N/A	G 052 529 A2						LUBEGARD DCTF						
	17-20	L4	2.0L	ODL	7.4/7.1	5.8/5.5	G 52 182 A2						LUBEGARD DCTF						
S5	18-19	V6	3.0L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2						DVI, MLV						
	08-12	V6, V8	3.2 (CALA), 4.2L (CAUA)	OB6	11/10.4	7/6.7	G 055 005 A2						DVI, MLV						
S5 Quattro	10	L4	2.0L (BWT)	0AW (CVT)	8.5/8	6/5.5	G 052 516 A2 (CVT)						LUBEGARD CVT						
	10-15	V8	4.2L (BVJ)	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2						LUBEGARD DCTF						
	16-18	V6	3.3L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2						LUBEGARD DCTF						
S6	19-20	V6	3.0L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2						DVI, MLV						
	10-12	V8	4.2L (BVJ)	09E (6 SPD)	11/10.4	10.6/10	G 055 005 A2						DVI, MLV						
S6 Quattro	16-18	V8	4.2L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2						LUBEGARD DCTF						
	02-03	V8	4.2L	ZF 5HP24	9.5/9	4.2/4	Esso Type LT 71141						SYN DM, MV						
S7	16-18	V8	4.0L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2						LUBEGARD DCTF						
	13-15	V8	4.0L	OB5 (7 SPD)	7.9/7.5	7/6.7	G 052 529 A2						LUBEGARD DCTF						
S7 Quattro	16-18	V8	4.0L	OBK	9/8.6	4.2/4	G 060 162 A2						DVI, MLV						
	13-17	V8	4.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2						DVI, MLV						
S8	12-15	V6	3.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2						DVI, MLV						
	16-18	V6	3.3L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2						DVI, MLV						
A7 Quattro	19-20	V6	3.0L	OH1	4.6/4.4	3.6/3.5	G 052 529 A2						LUBEGARD DCTF						

A
B

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
A8 Quattro	99-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV						
	04-07	V8	4.2L	ZF 6HP26 (09E)	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	04-07	W12	6.0L	ZF 6HP32	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	11-19	W12	6.0L	OBK (8 SPD)	9/8.6	4.2/4	G 060 162 A2				DVI, MLV						
R8	07-13	V8, V10	4.2 (BYH), 5.2L (BSM)	R TRONIC 086 (6SPD)	4.2/4	3.7/3.5	G 052 171 A2 (R Tronic)				SYN DM, D6, MV						
	14-15	V6, V8	3.0, 4.0L	Tiptronic 7-speed	11/10.5	8.4/8	G 052 529 A2				LUBEGARD DCTF						
	17-19	V10	5.2L	Tiptronic 7-speed	12.4/11.8	11/10.5	G 052 529 A2				LUBEGARD DCTF						
S8	01-03	V8	4.2L	ZF 5HP24	9.5/9	2.7/2.6	Esso Type LT 71141				SYN DM, MV						
	07-10	V10	5.2L (BSM)	ZF 6HP26	11/10.4	N/A	G 055 005 A2				DVI, MLV						
	13-18	V8	4.0L	OBK	9/0.8.6	4.2/4	G 060 162 A2				DVI, MLV						
Cabriolet	94-02	V6	2.8L		97	5.7/5.4	Esso Type LT 71141				SYN DM, MV						
	03-07	L4, V6	1.8, 3.0L	AWTF60SM	7.4/7	2.9/2.7	G 055 025 A2				*DM, MV						
	07-10	L4	2.0L (BPY) (CDMA) (CCTA)	DSG, 02E	7.3/6.9	5.8/5.5	G 052 182 A2 (DSG)				LUBEGARD DCTF						
TT	08-17	V6	3.2L (CBRA)	DSG, 02E	7.3/6.9	5.8/5.5	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	04-09	L4, V6	2.0 (BPY), 3.2L (CBRA)	09E	9.5/9	4.2/4	G 055 005 A2				DVI, MLV						
	08-17	L4, V6	2.0 (BPY), 3.2L (CBRA)	09G (6 SPD)	7.4/7	N/A	G 055 025 A2				*DM, MV						
TT Quattro	18-19	L5	2.5L	ODL	7.5/7.1	5.8/5.5	G 52 182 A2				LUBEGARD DCTF						
	15-19	L4	2.0L	09M	7.4/7	N/A	G 055 025 A2				DVI, MLV						
	09-10	V6	3.2L (CBRA)	0B6	11/10.4	7/6.7	G 060 162 A2				DVI, MLV						
Q5	11-12	V6	3.2L (CBRA)	0B6	11/10.4	7/6.7	G 060 162 A2				DVI, MLV						
	09-10	L4, V6	3.0 (CCAA), 3.2 (BKH), 4.2L (BVJ)	0B5	7.9/7.5	N/A	G 052 529 A2				LUBEGARD DCTF						
	11-19	V6	3.2L (CBRA)	OBK/OBL (8 SPD)	9.5/9	4.2/4	G 055 145 A2				DVI, MLV						
Q3, Q3 Quattro	11-12	L4	2.0L	0B6	11/10.4	4.2/4	G 060 162 A2				DVI, MLV						
	07-10	V8	3.0 (CCAA), 3.6, 4.2L (BVJ)	OAT	9.1/8.6	N/A	G 060 162 A2				DVI, MLV						
	07-10	V6, V8	4.2L (BAR)	09D	9.5/9	N/A	G 055 025 A2				*DM, MV						
Q7	11-16	V6	3.0L Diesel	OC8 8 SPD	13.5/12.8	N/A	G 055 540 A2				DVI, MLV						
	17-19	V6	3.0L	OD5	9/8.6	4.2/4	G 060 162 A2				DVI, MLV						
	17-20	L5	2.5L	ODL	7.4/7.1	5.8/5.5	G 52 182 A2				LUBEGARD DCTF						
RS3	16-18	V8	4.0L	OBK	9.0/8.6	4.2/4	G 060 162 A2				DVI, MLV						
	18-19	L5	2.5L	OD5	9.0/8.6	4.2/4.0	G 060 162 A2				DVI, MLV						
	14-17	V6	3.0L	OBK/OBL (8 SPD)	9.5/9	4.2/4	G 060 162 A2				DVI, MLV						
SQ5	18-19	V6	3.0L	OCJ	4.5/4.3	3.6/3.5	G 052 529 A2				LUBEGARD DCTF						
	18-19	V6	3.0L	OD5	9.0/8.6	4.2/4	G 060 162 A2				DVI, MLV						

BUICK

Allure	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	06-09	V6	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
	10	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
Cascada	16-20	L4	1.6L	6T45	9/8.5	4.2/4	DEXRON VI				MLV						
	94-05	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	95-02	V6	3.1L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Enclave	08-19	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	20	V6	3.6L (LLT)	9T50/9T60	10/9.0	6.3/5.3	DEXRON VI				MLV						
	13-20	L4	1.4L	6T40	9/8.5	6.3/6.0	DEXRON VI				MLV						
Encore	16-17	L4	2.0L, 2.5L	6T50, 6T45	4.0/4.2	8.5/9	DEXRON VI				MLV						
	95-03	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	05	V6	3.8L	4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
LaCrosse (Allure)	06-09	V6, V8	3.8 (L26), 5.3L (LS4)	4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
	10-16	L4, V6	2.4 (LE5), 3.0 (LF1), 3.6L (LLT)	6T70 (MH2/4), 6T75 (MH7/8)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	17	V6	3.6L	AF50-8	NA	7.1/7.5	GM 19256039 (AW-1)				SYN DM, DVI, MV						
LaCrosse	18-20	L4, V6	2.5L/3.6L	6T45/6T50	9/0.8.5	6.3/6.0	DEXRON VI				MLV						
	19	L4, V6	2.5L/3.6L	9T50/9T60	10/9.0	6.3/5.3	DEXRON VI				MLV						
LeSabre	95-05	V6	3.8L	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

B

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)

- Motorcraft Synthetic Fluid (68112)
- Motorcraft DCT (56032)
- Motorcraft ATF (69032)

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Lucerne	06-11	V6	3.8(L26)(L67), 3.9L(LGD)(LZ9)	4T65-E(M15)	13.4/12.7	7.4/7	DEXRON VI				MLV						
	06-11	V8	4.6L(LD8)(L37)	4T80-E(MH1)	15/14.2	7.4/7	DEXRON VI				MLV						
Park Avenue	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/ 9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
Ranier	91-03	V6	3.8L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	02-07	V6, V8	4.2, 5.3L	4T65-E AWD	10.4/9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
Regal	04-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7	DEXRON III, VI				DM, DVI						
	06-07	L6	4.2L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
Rendezvous	95-02	V6	3.8, 3.1, 3L & SC	4T60-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	11-17	L4, V6	2.0(LHU), 2.4(LAF), 3.6L	6T45(MH7)	8.5/8	4.2-6.3/4-6	DEXRON VI				MLV						
Terraza	11-17	L4, V6	2.0(LHU), 2.4(LAF), 3.6L	AF40-6(MDK)(M36)	8.45/8	N/A	GM 19256039 (AW-1)				SYN DM, DVI, MV						
	18-20	V-6	3.6L	AW45-8	7.5/7.1	N/A	AW-1 ATF				SYN DM, DVI, MV						
Verano	18-20	L4, V6	2.4L/3.6L	9T50/9T60	10/9.5	6.3/6.0	DEXRON VI				MLV						
	02	V6	3.4L	4T65-E FWD	10/9.5	7.4/7	DEXRON III				DM, DVI						
BMW	02-05	V6	3.5L	4T60-E, 4T65-E	10/9.5	7.8/7.4	DEXRON III				DM, DVI						
	02-07	V6	3.4, 3.6L	4T65-E AWD	10/9.8	7.8/7.4	DEXRON III, VI				DM, DVI						
Terraza	06-07	V6	3.5L	4T65-E	10/9.5	7.8/7.4	DEXRON VI				MLV						
	05	V6	3.5L	4T65-E	10/9.5	7.8/7.4	DEXRON III				DM, DVI						
Verano	06-07	V6	3.5L	4T65-E	10/9.9	7.8/7.4	DEXRON VI				MLV						
	12-17	L4	2.0(LE5), 2.4L(LF1)	6T70(MH2)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
BMW																	
128i	08-13	L6	3.0L(N51), 3.0L(N52K)	6L45R/6L50	10/9.5	6.5/6.2	Dexron VI				LV						
	135i	08-10	L6	3.0L(N54)	GA6HP19Z	9.4/8.9	4.2/4	Shell M-1375.4				DVI, LG6					
135i/is	11-13	L6	3.0L	GS7D36SG	8.2/7.8	N/A	BMW 83222148578				LUBEGARD DCTF						
	228i, ix, 230i, ix	14-20	L4	2.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108(P/N8322 2152426)				DEX HP, LG8					
228i, ix, 230i, ix	14-18	L4	2.0L	GS7D36SG	8.9/8.4	N/A	BMW 83222148578				DCT						
	92-00	ALL	ALL	4L30-E	9.3/8.8	3.2/3	DEXRON III				DM, DVI						
3 SERIES	98-06	ALL	ALL	5L40-E	9.5/9	4.2/4	Texaco ETL-7045 E / DEXRON III				DM, DVI						
	00-06	ALL	2.5L	ZF5HP-19	9.4/8.9	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
335is, M3	00-06	ALL	3.0L	ZF5HP-19	9.2/8.7	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
	06-13	ALL	ALL	6HP19Z, 6HP26Z	10.5/10	4.2/4	Shell M-1375.4				DVI, LG6						
328i	11-13	L6	3.0L(N54), 3.0L(M57Y)	GS7D36SG	8.2/7.8	N/A	BMW 83222148578				LUBEGARD DCTF						
	11-13	L6	3.0L(N51), 3.0L(N52)	GA6L45R	10/9.5	6.5/6.2	Dexron VI				MLV						
3 SERIES	12-16	ALL	ALL	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
	12-18	ALL	ALL	GA8HP70Z	9.0/8.5	4.9/4.6	P/N83222152426				DEX HP, LG8						
428i, xi,	19-20	ALL	ALL	GA8HP51Z, GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83222289720)				DM, DVI, MV						
	14-16	L4	2.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
435i, xi,	14-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
	95-03	ALL	ALL	ZF5HP24	10.2/9.7	4.2/4	Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV						
5 SERIES	97-03	ALL	ALL	ZF5HP-19	9.4/8.9		Esso Type LT 71141				SYN DM, DVI, MV						
	00-01	ALL	ALL	GM5L40-E	9.5/9	4.2/4	Texaco ETL-7045 E / DEXRON III				SYN DM, DVI, MV						
5 SERIES	04-10	ALL	ALL	GAZFH-19Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
	04-10	ALL	ALL	GAZFH-26Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
5 SERIES	11-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
	11-16	ALL	ALL	GA8HP70H	N/A	4.9/4.6	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
640i, ix	15-18	ALL	ALL	GS7D36SG	9.3/8.8	N/A	BMW 83222148578				LUBEGARD DCTF						
	14-20	ALL	ALL	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						
640i, ix	12-16	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83222152426)				DEX HP, LG8						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
645Ci	04-05	V8	4.4L	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
650Ci	06	V8	4.4L	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
650ix	12-19	ALL	ALL	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
650i, M6	06-10	V8	4.8L (N62TU) (N62N)	GA6HP26Z	9.5/9	4.5/4	Shell M-1375.4				DVI, LG6						
7 SERIES	92-01	V8, V12	4.0L 5.4L	ZF5HP-30	13.8/13.1	5.8/5.5	BMW 83 22 2 148 578				LUBEGARD DCTF						
740i	97-01	V8	4.4L	ZF5HP-24	10.2/9.7	4.2/4	Esso Type LT 71141				SYN DM, MV						
740i, Li	11, 13	V6	3.0L	ZF6HP19Z	9.5/9	4.2/4	Esso Type LT 71141				SYN DM, MV						
745, 750	02-12	V8, V12	4.4L, 4.8L, 6.0L	GA 6HP26Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6						
760	02-12	V12	6.0L	GA 6HP26Z	11.8/11.2	4.2/4	Shell M-1375.4				DVI, LG6						
	11-16	ALL	ALL	GA 8HP45Z, GA 8HP50Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	11-16	ALL	ALL	GA 8HP70H	N/A	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
7 SERIES	11-16	ALL	ALL	GA8H-P70Z, GA8HP75Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	11-16	ALL	ALL	GA8HP90Z	10.5/10	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	17-20	ALL	ALL	GA8HP50Z, GA8HP75Z, GA8HP75HZ	9.2/8.7	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
	17-20	ALL	ALL	GA8HP95Z	N/A	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M235i, ix	14-16	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M240i, x	17-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A											
I3	14-20		electric	single speed gear box		1.0/5	BOT 448 (PN 83 22 2 295 532)	USE	OEM	FLUID							
I8	14-17, 19		electric	single speed gear box		1.3/0.65	BMW I ATF (P/N83 22 2 365 760)	USE	OEM	FLUID							
M2	16-20	L6	3.0L	GA8HP45Z, GA8HP50Z	9.3/8.8	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
M3	06-13	V8	4.0L (S65B40), 4.4L (S65B44)	SMG GS7S47BG	9.5/9	N/A	BMW 83 22 0 440 214				LUBEGARD DCTF						
M3	11-13	V8	4.0L (S65B40), 4.4L (S65B44)	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M4	14-16	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M5	15-20	L6	3.0L (S55B30T0)	GS7D36SG	8.9/8.4	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M6	13-16	V10	5.0L (S85)	GS7D36SG	9.3/8.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
M6	06-10	V10	4.8L (N62TU) (N62N)	SMG GS7S47BG	9.5/9	N/A	BMW 83 22 0 440 214				LUBEGARD DCTF						
M6	12-19	V10	ALL	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				LUBEGARD DCTF						
X1	13-20	L4, L6	2.0L, 3.0L	GA 6HP19Z	10/9.5	N/A	Shell M-1375.4				D6, LG6						
X1	13-20	L4, L6	2.0L, 3.0L	GA 8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
X2	18-20	L4, L6	2.0L, 3.0L	GA8F22AW	7.4/7.0	N/A	BMW ATF6 (83 22 2 355 599)				DEX HP, LG8						
X3	04-06	L6	2.5, 3.0	5L40-E	9.5/9	4.2/4	BMW 83 22 9 407 765				SYN DM, DVI, MV						
X3	07-10	L6	3.0L (N52K)	6L45R/6L50	10/9.5	N/A	BMW 83 22 0 403 249				DVI, LG6						
X3	11-15	L4, L6	2.0L, 3.0L (N52K)	GA8HP45Z	9/8.5	N/A	BMW 83 22 2 152 426				DEX HP, LG8						
X3 M	16-20	L4, L6	2.0L, 3.0L (N52K)	GA8F22AW	7.4/7	N/A	BMW 83 22 2 355 599				DEX HP, LG8						
X3 M	20	L6	3.0L	GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83 22 2 289 720)				ZF LG8, MULV						
X4	15-20	ALL	ALL	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8						
X4	16-20	ALL	ALL	GA8F22AW	7.4/7	N/A	BMW ATF6 (83 22 2 355 599)				DEX HP, LG8						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

B
C

OPTION 1 (when using the OEM recommended ATF)										OPTION 2 (as an OEM fluid alternative)					OPTION 3 (whole fluid option)				
BMW cont.	Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
X5	99-03	V8	4.4, 4.6L	ZF 5HP24	10.2/9.7	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV								
	01-06	V8	3.0L	5L40-E	9.5/9	4.2/4	Texaco ETL-7045				SYN DM, DVI, MV								
	04-11	V8	4.4L, 4.8L	GA6HP26Z	10.6/9.5	N/A	Shell M-1375.4				DVI, LG6								
	07-11	L6	3.0L	GA6HP19Z	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6								
	11-20	L6, V8	3.0L, 4.4L	GA8HP45Z, GA8HP70Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8								
X5 Diesel	09-13	L6	3.0L Diesel	GA6HP26Z	10.6/9.5	N/A	Shell M-1375.4				DVI, LG6								
	11-18	L4, L6	2.0L Diesel, 3.0L Diesel	GA8HP75H, GA8HP75Z	9.2/8.7	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8								
X6	08-10	L6, V8	3.0 (N54), 4.4L (N63)	ZF 6HP19, ZF 6HP21	9.5/9	4.2/4	Shell M-1375.4				DVI, LG6								
	08-11	L6, V8	3.0 (N54), 3.5 (M57), 4.4L (N63)	ZF 6HP26, ZF 6HP28	10.6/10	4.5/4.2	Shell M-1375.4				DVI, LG6								
	11-20	V8	4.4L (N63)	ZF 8HP45, ZF 8HP70	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8								
X6 (HYBRID)	10-11	V8	4.4L (N63)	GA7AHSCD	12.7/12		DEXRON VI				MLV								
X7	19-20	V6, V8	3.0L, 4.4L	GA8HP51Z, GA8HP76Z	9.9/9.4	N/A	BMW ATF3+ (P/N83 22 2 289 720)				ZF LG8, MULV								
Z3	96-00	L4, L6	1.9, 2.8L	4L30-E	9.3/8.8	3.2/3	Esso Type LT 71141				SYN DM, DVI, MV								
	01-02	L4, L6	1.9, 2.8L	5L40-E	9.5/9	4.5/4.2	Esso Type LT 71141				SYN DM, DVI, MV								
Z4	03-05	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	ZF 5HP-19	9.4/8.9	4.5/4.2	Esso Type LT 71141				SYN DM, DVI, MV								
	06-13	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA6HP19Z	9.4/8.9	4.2/4	Shell M-1375.4				SYN DM, DVI, MV								
	11-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GS7D36SG	8.2/7.8	N/A	BMW 83 22 2 148 578				DIVI, LG6								
	12-16	L4, L6	2.0L, 2.2L, 2.5L, 3.0L, 3.2L	GA8HP45Z	9/8.5	N/A	Shell M-L 12108 (P/N83 22 2 152 426)				DEX HP, LG8								
	19-20	L4, L6	2.0L, 3.0L	GA8HP51Z	9.6/9.1	N/A	BMW ATF3+ (P/N83 22 2 289 720)				ZF LG8, MULV								
CADILLAC																			
ATS	13-15	L4	2.0L, 2.5	6L45	6.0/6.3	10.3/10.9	DEXRON VI				MLV								
ATS-V	16-17	L4	2.0L, 2.5	8L45, 8L90	10.3/10.9	7/7.4	DEXRON HP				SYN DVI, LG6								
Catera	16-19	V-6	3.6L	8L45, 8L90	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6								
CTS/CTS-V	97-01	V6	3.0L	4L30-E	7/6.6	N/A	DEXRON III				DM, DVI								
	02-07	V6	3.2, 3.6L	5L40-E	7/6.4	N/A	DEXRON III, VI				DM, DVI								
	03-04	V6, V8	2.6 (L49), 3.2 (LA3), 3.6 (LY7), 5.7L	5L40-E (M82)	12.6/12	5/4.7	DEXRON III				DM, DVI								
	05	V6, V8	2.8 (LP1), 3.6 (LY7), 5.7L (LS6)	5L40-E (M82)	12.6/12	5/4.7	DEXRON VI				MLV								
	06-07	V6, V8	2.8 (LP1), 3.6 (LY7), 6.0L (LS2)	5L50-E	12.6/12	5/4.7	DEXRON VI				MLV								
	08	V6	3.6L (LLT)	6L50 (MYB)	11/10.5	6.7/6.3	DEXRON VI				MLV								
	08-13	V6	3.0 (LF1)	6L45 (MYA)	11/10.5	6.7/6.3	DEXRON VI				MLV								
	08-13	V6	3.6L (LLT)	6L50 (MYB)	11.4/10.8	6.7/6.3	DEXRON VI				MLV								
	08-13	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	10.9/10.3	6.7/6.3	DEXRON VI				MLV								
	08-13	V8	6.2L (LSA)	6L90 (MYD)	14/13.2	6.7/6.3	DEXRON VI				MLV								
CT5	14-15	L4	2.0L	6L45	10.5/11.1	6.3/6.7	DEXRON VI				MLV								
	14	V6	3.6L	6L45	10.5/11.1	6.3/6.7	DEXRON VI				MLV								
	16-19	L4	2.0L	8L45	10.3/10.9	7/7.4	DEXRON HP				SYN DVI, LG6								
	20	L4, V6	2.0L/3.0L	10L80/10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV								
CT6	16-18		2.0L/3.0L	8L45, 8L90	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6								
DTS	19-20	V6/V8	3.6L/4.2L	10L80/10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV								
DeVille	06-11	V8	4.6L (LD8) (L37)	4T80-E (MH1)	15/14.2	7.4/7	DEXRON VI				MLV								
Eldorado	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III, VI				DM, DVI								
ELR	96-02	V8	4.6L	4T80-E	15/14.2	8/7.6	DEXRON III				DM, DVI								
Escalade	14-16	L4	1.4L	4E750	N/A	8.5/9	DEXRON VI				MLV								
	99-05	V8	5.3, 5.7, 6.0L	4L60-E HD	13.5/12.8	7.7/7.3	DEXRON III, VI				MLV								
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7	DEXRON VI				MLV								
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7	DEXRON VI				MLV								
	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI				MLV								

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Escalade 2WD	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7	DEXRON III, VI				DM, DVI						
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-10	V8	6.2L (L92)(L9H)(L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
	13-15	V8	5.3, 6.2L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	16-17	V8	6.2L	8L90	11.4/10.8	7.4/7	DEXRON HP				SYN DVI, LG6						
	99-05	V8	5.3, 5.7, 6.0L	4L60-E	11/10.6	5/4.7	DEXRON III, VI				DM, DVI						
Escalade 4WD	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L65-E, 4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-10	V8	6.2L (L92) (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-14	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
	15-17	V8	6.2L (L92) (L9H) (L94)	8L90	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6						
	18-20	V8	6.2L (L92) (L9H) (L94)	10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
	06	V8	4.8 (LR4), 5.3L (LM7) (L59)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	06	V8	6.0 (LQ4) (L09), 8.1L (L18)	4L80-E, 4L85-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
Escalade ESV	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	4L80-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	09-10	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L90 (MYD)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-17	V8	5.3, 6.2L	6L80, 8L90	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-17	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
	18-20	V8	6.2L	10L90	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
Escalade EXT	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-12	V8	6.2L (L92) (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
Livery/Hearse/Limo	97-01	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
Seville	96-05	V8	4.6L	4T80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
SLS	08-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L40-E (M82), 6L50 (M22)	9.4/8.9, 10.7/10.1	5.0/4.7, 7.25/6.8	DEXRON VI				MLV						
SRX	04-05	V6, V8	3.6, 4.6L	5L40-E, 5L50-E	12.6/12	6.3/6	DEXRON III				DM, DVI						
	06	V6	3.6L	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	6L50	N/A	7.3-6.9	DEXRON VI				MLV						
	07-09	V6, V8	3.6 (LY7), 4.6L (LH2)	5L50-E	9/8.5	7.4/6	DEXRON VI				MLV						
	10-16	V6	2.8 (LAU), 3.0L (LF1)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
	10-16	V6	2.8 (LAU), 3.0L (LF1)	AF 40-6 (MXE)	N/A	8.0/7.3	AW-1 19256039				SYN DM, DVI, MV						
	93-04	V8	4.6L	4T80-E	15/14.2	8/7.6	DEXRON III				DM, DVI						
STS	05-09	V6	3.6 (LLT) (LY7), 2.8L (LP1)	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	06-07	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-09	V8	4.4 (LC3), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3	DEXRON VI				MLV						
	08-11	V6, V8	3.0 (LF1), 3.6 (LLT), 4.6L (LH2)	6L50 (MYB), 6L45 (MYA)	11.4/10.8	6.7/6.3	DEXRON VI				MLV						
	08-11	V8	4.4 (LC3), 4.6L (LH2)	6L90 (MYD)	14/13.2	6.7/6.3	DEXRON VI				MLV						
	04-06	V8	4.6L	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
	06-09	V8	4.4 (LC3), 4.6L (LH2)	6L80 (MYC)	10/9.5	6.5/6.2	DEXRON VI				MLV						
XTS	13	V6	3.6L	6T70/6T75	9.5/9	6.3/6	AW-1 19256039				SYN DM, DVI, MV						
	14-19	V6	3.6L	6T70/6T75	9.5/9	4.2/4.0	DEXRON VI				MLV						
	17-20	V6	3.6L	AF50-8	7.5/7.1	N/A	AW-1 19256039				SYN DVI, LG6						
	19-20	L4	2.0L	9T50	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
XT4	20	L4	2.0L	9T65	10.0/9.5	6.3/6.0	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

C

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)

- Lubegard CVT Fluid
- Lubegard Dual Clutch Transmission Fluid
- Lubegard Full Synthetic ATF

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
CHEVROLET																	
Astro	92-05	V6	4.3L	4L60-E	11.5/10.8	5/4.7	DEXRON III				DM, DVI						
Avalanche	02-05	V8	5.3, 8.1L	4L60-E, 4L80-E	11/10.4, 6.3/6	5/4.7, 6/5.7	DEXRON III				DM, DVI						
	06-07	V8	5.3, 6.0, 8.1L	4L60-E, 4L80-E	11/10.4, 6.3/6	5/4.7, 6/5.7	DEXRON VI				MLV						
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
Avalanche	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
	08-12	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H/4)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
Aveo	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
	11-12	V8	5.3 (LMG), 6.0 (L96)	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	11-12	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV						
Aveo	04-11	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
Bolt	17-20	N/A	N/A	1ET25 (E-CVT)	3.1/2.9	2.7/2.6	DEXRON HP				SYN DVI, LG6						
	97-02	V6	3.4, 3.8L	4L60-E	8.8/8.3	5/4.7	DEXRON III				DM, DVI						
	97-02	V8	5.7L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
Camaro	10-12	V6, V8	3.6 (LLT), 6.2L (LS3)	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2	DEXRON VI				MLV						
	14-15	V8	6.2L	6L90 (MYD)	14.5/13.5	6.7/6.3	DEXRON VI				MLV						
	16-20	V6, V8	3.6L, 2.0L	8L45/8L90	11.4/10.8	7.4/7	DEXRON HP				SYN DVI, LG6						
	17-20	V8	6.2L	10L90	13.6/12.8	8.7/8.2	DEXRON HP				SYN DVI, LG6						
Caprice PPV	13-17	V6, V8	3.6 (LLT), 6.2L (LS3)	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3	DEXRON VI				MLV						
	09-10	V6, L4	2.0, 2.4, 3.2, 3.6L	AF33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
Captiva (Export)	09-10	V6, L4	2.0, 2.4, 3.2, 3.6L	6T40 (MH8)	8.5/8	5.3/5	DEXRON VI				MLV						
	06-08	L4, V6	2.0, 2.4, 3.2L	55-51LE	7.5/7.1	N/A	JWS 3309				*DM, MV						
Cavalier	95-05	L4	2.2, 2.3, 2.4L	4T40-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
Cobalt	05-08	L4	2.0 (LSJ), 2.2 (L61), 2.4L (LE5)	4T40-E, 4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	09-10	L4	2.0L (LAP) (LNF)	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	97-05	V8	5.7L	4L60-E	10.8/10.2	5/4.7	DEXRON III, VI				DM, DVI						
Corvette	06-08	V8	6.0 (LS2), 7.0L (LS7)	6L80 (MYC)	13.2/12.5	6.5/6.2	DEXRON VI				MLV						
	08-14	V8	6.2 (LS3) (LS9), 7.0L (LS7)	6L80 (MYC)	13.2/12.5	6.5/6.2	DEXRON VI				MLV						
	15-19	V8	6.2L	8L90	11.8/11.2	7.4/7	DEXRON HP				SYN DVI, LG6						
	10-12	L4	2.0 (LLW), 1.6L (LXT) (LXV)	6T30 (MH9)	8.5/8	5.3/5	DEXRON VI				MLV						
Cruze	10-16	L4	2.0 (LLW), 1.6L (LXT) (LXV)	6T40 (MH8), 6T45 (MH7)	9/8.5	6.3/6	DEXRON VI				MLV						
	17-19	L4	1.4L	6T35	9/8.5	4.2/4	DEXRON VI				MLV						
	06-08	L4	1.8 (LDA), 2.0 (LBM), 2.5L (LBK)	55-51E (M98)	7.5/7.1	N/A	JWS 3309				*DM, MV						
Epica (Export)	08-10	L4	2.0 (LBM), 2.5L (LBK)	6T40 (MH8), 6T45 (MH7)	8.5/8	5.3/5	DEXRON VI				MLV						
Equinox	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
	08-10	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
Equinox	10	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV						
HHR	05-11	L4	2.0 (LNF), 2.2 (LE8), 2.4L (LE9)	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	05-09	V6, V8	3.5, 3.8, 3.9, 5.3L	4T65-E (M15), 4T65-E HD (MN7)	13.4/12.7	7.4/7	DEXRON VI				MLV						
Impala	10-11	V6	3.5 (LZ4) (LZE), 3.9L (LG9)	4T65-E (M15)	13.4/12.7	7.4/7	DEXRON VI				MLV						
	15-20	V6	2.5L/3.6L (LY7)	6T40/6T70 (MH2)	9/8.5	6.3/6	DEXRON VI				MLV						
Impala Limited	14-16	V6	3.6L	6T70 (MH2)	9/8.5	6.3/6	DEXRON VI				MLV						
Lumina	95-05	V6	3.1, 3.4, 3.8L	4T60/65E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
	06-09	V6, V8	3.0, 3.6, 6.0, 6.2L	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
Lumina (Export)	06-10	V6, V8	3.0, 3.6, 6.0, 6.2L	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	06-10	V6, V8	3.0, 3.6, 6.0, 6.2L	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2	DEXRON VI				MLV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Malibu (Classic)	97-02	L4, V6	2.4, 3.1L	4T40-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
	03-05	L4, V6	2.2, 3.5L	4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T45-E (M5N)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	06-08	L4, V6	2.2 (L61), 3.5 (LZ4), 3.9L (LZ9)	4T65-E (M15)	13.4/12.7	7.4/7	DEXRON VI				MLV						
Malibu	08-11	L4, V6	2.4, 3.5, 3.6L	6T70 (MH2)	9.5/7.4	6.3/6	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E (M5N)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-11	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV						
Malibu Hybrid	11-15	L4	2.0 (LNF), 2.5L	6T40 (MH8), 6T70 (MH2)	9.0/8.5, 9.5/9	6.3/6	DEXRON VI				MLV						
	16-17	L4	1.5L, 2.0L	6T40/9T50	9/8.5, 9.5/10	6.3/6	DEXRON VI				MLV						
Malibu MAXX	16-20	L4	1.8L	5ET50 (E-CVT)	7/1.6/7	3.4/3.2	DEXRON VI				MLV						
Monte Carlo	05	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
	06-07	V6	3.5, 3.9L	4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
Omega (Export)	93-05	V6	3.1, 3.4, 3.8L	4T60/65-E	11/10.4, 13.4/12.7	6/5.7, 7.4/7	DEXRON III				DM, DVI						
	06-07	V6	3.1, 3.4, 3.8L	4T60/65-E	13.4/12.7	N/A	DEXRON VI				MLV						
Optra (Export)	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	4L60-E, 4L65-E	11/10.6	5/4.7	DEXRON VI				MLV						
	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	6L50 (MYB), 6L80 (MYC)	11.4/10.8, 10/9.5	6.7/6.3, 6.5/6.2	DEXRON VI				MLV						
Safari	07-10	V6, V8	3.0, 3.6, 6.0, 6.2L	5L50-E	12.6/12	6.3/6	DEXRON VI				MLV						
	04-10	L4	1.6 (LXT), 2.0L (LMN)	81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
Sonic	07-10	L4	1.6 (LXT), 2.0L (LMN)	55-51LE (M98)	7.5/7.1	N/A	JWS 3309				*DM, MV						
	04-10	L4	1.6 (LXT), 2.0L (LMN)	ZF 4HP16 (MFA)	7.3/6.9	4.2/4	Esso Type LT 71141				SYN DM, DVI, MV						
Spark (Export)	92-03	V6	4.3L	4L60-E	11.5/10.8	5/4.7	DEXRON III				DM, DVI						
	12-20	L4	1.4 (LUV), 1.8L (LUW)	6T30 (MH9)	8/7.5	5.8/5.5	DEXRON VI				MLV						
Spark EV	08-10	L4	1.0 (LMT), 1.2L (LMU)	JF405-E (MFL)	6.2/5.8	N/A	JWS 3314				DVI, MLV						
	13-20	L4	1.2L (LMU)	Jatco CVT	6.5/6.2	N/A	AC Delco CVT				LUBEGARD CVT						
SS	16	N/A	N/A	IET35	4.4/4.2	N/A	DEXRON VI				MLV						
	14-17	V8	6.2L (LS3)	6L80 (MYC)	11/10.4	6.7/6.3	DEXRON VI				MLV						
Trax	15-20	L4	1.4 (LUV)	6T30 (MH9)	8/7.5	5.8/5.5	DEXRON VI				MLV						
	05-06	V6	3.5 (LX9), 3.9L (LZD)	4T65-E (M15) (M76)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Uplander	07-09	V6	3.9L (LZ9) (LGD)	4T65-E (M15)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
	11-15	L4	1.4 (LUV)	4ET50	8.9/8.5	7.4/7	DEXRON VI				MLV						
Volt	16-19	L4	1.4 (LUV)	5ET50 (E-CVT)	7.1/6.7	3.4/3.2	DEXRON VI				MLV						

CHEVY/GMC TRUCKS AND VANS

CHEVY/GMC TRUCKS AND VANS	95-02	V8	6.0, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
	95-02	V8	6.5L	4L80-E	13/12.3	5/4.7	DEXRON III				DM, DVI						
	98-00	L4	1.6, 2.0L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III				DM, DVI						
	98-00	V6	2.5L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
CHEVY/GMC TRUCKS AND VANS	01-07	L4	1.6, 2.0L	03-72LE (A44DE)	7.2/6.8	2.7/2.6	DEXRON III				DM, DVI						
	01-07	V6	2.5L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
Acadia (GMC)	92-05	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3	DEXRON III				DM, DVI						
	06-08	V8	5.3, 5.7L	4L60, 60-E, 80-E	11/10.6, 13.5/12.8	5/4.7, 7.7/7.3	DEXRON VI				MLV						
Acadia (GMC) Limited	08-19	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	20	L4, V6	2.0L/2.5L/3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
Blazer/TrailBlazer/Jimmy	92-05	L4, V6	2.2, 4.2, 4.3L	4L60-E	11/10.6	5/4.7	DEXRON III				DM, DVI						
Blazer/TrailBlazer	19-20	L4, V6	2.0L/2.5L/3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
Canyon	19-20	L4, V6	2.5L/2.8L/3.6L	8L45	11.4/10.8	7.4/7.0	DEXRON HP				SYN DVI, LG6						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative Abbreviations and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

C

CHEVY GMC TRUCKS & VANS cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1 (when using the OEM recommended ATF)			OPTION 2 (as an OEM fluid alternative)			OPTION 3 (whole fluid option)		
								60902	63010	67010	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Captiva Sport	12-15	L4	2.4L	AF 33-5 (M98)	8.2/7.8	4.3/4.1	TIV				DM, DVI					
	12-15	V6	3.2L	6T45 (MH7) (MHC)	9.5/9	4.3/4	DEXRON VI				MLV					
City Express	15-17	L4	2.0L	Jatco CVT	7.8/7.4	N/A	ACDelco CVT 19260800				LUBEGARD CVT					
	95-05	V8	4.3, 4.8, 5.0, 5.3, 5.7, 6.0L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI					
	95-05	V8	5.0, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI					
	01-05	V8	8.1, 6.6L	Allison 1000	13/12.3	N/A	DEXRON III				DM, DVI					
	05-08	V8	8.1 (L18), 6.6L (LMM) (LBZ)	Allison LCT 1000 (LW7)	13/12.3	7.4/7	DEXRON VI				MLV					
	05-08	V8	5.7, 6.0L (LQ4)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV					
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV					
	06-07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV					
C, K Series PU 1500-3500	07	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV					
	07-08	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV					
	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV					
	09-12	V8	6.0L (L96) (LY6)	6L90 (MYD)	12.4/11.7	6.0/5.7	DEXRON VI				MLV					
	09-12	V8	6.6L (LMM)	Allison LCT 1000 (LW7), 2000	13/12.3	7.4/7	DEXRON VI				MLV					
	10	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV					
	10-12	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI				MLV					
	03-07	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI					
	06-08	L4, V6	2.8, 3.5L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV					
Colorado, Canyon	08-14	L4, L5, V8	2.9 (LLV), 3.7 (LLR) (LH8), 5.3L (LH9)	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV					
	15-16	L4, V6	2.5, 3.6L	6L50	11.2/10.6	6.7/6.3	DEXRON VI				MLV					
	17-20	L4, V6	2.5, 3.6L	8L45	11.4/10.8	7.4/7	DEXRON HP				SYN DVI, LG6					
	99-00	V8	5.7L	4L80-E	13.5/12.8	5/4.7	DEXRON III				DM, DVI					
	01-05	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI					
	06-09	V8	5.3, 5.7, 6.0L	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV					
	10-14	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV					
Trailblazer/ Envoy	99-05	L4, V6	2.2, 4.3L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, D6					
	06-09	L6, V8	4.2 (LL8), 5.3 (LH6), 6.0L (LS2)	4L60-E, 4L70E	11.2/10.6	5/4.7	DEXRON VI				LV					
	05-09	V6	3.4 (LNU), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV					
	08-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV					
	10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV					
	13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV					
	17-18	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV					
	19-20	L4, V6	1.5L/1.6L/2.0L	9T45/9T50	10.0/9.0	6.3/6.0	DEXRON VI				MLV					
Express/Savana	03-07	V6, V8	4.3, 4.8, 5.3L	4L60-E	11.4/10.8, 11/10.4	8.4/7.9, 6.3/6	DEXRON III				DM, DVI					
	03-07	V8	6.0L	4L80-E	11/10.4	6.3/6	DEXRON III				DM, DVI					
	06-09	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 4L80/85E	11/10.4	8.4/7.9, 6.3/6	DEXRON VI				MLV					
	10	V6, V8	4.3, 4.8, 5.3, 6.0, 6.6L	4L60-E, 6L80	11.2/10.6, 12.4/11.7	5/4.7, 6.0/5.7	DEXRON VI				MLV					
	96-12	V6	4.3L	4L60-E	11/10.4	5/4.7	DEXRON III				SYN DVI, LG6					
	96-09	V8	5.0, 5.7L, 6.0L, 6.6L	4L80-E, 4L85E	13.5/12.8	7.7/7.3	DEXRON III				SYN DVI, LG6					
	10-20	V8	5.3, 6.0, 6.6L	6L90 (MYD)	12.4/11.7	6.3/6	DEXRON VI				MLV					
	15-20	V8	5.3, 6.0, 6.6L	8L90	11.4/10.8	7.4/7	DEXRON HP				Syn D6, LG6					
	02	V6, V8	4.3, 4.8, 6, 8.1L	4L60-E, 4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI					
	97-01	V8	5.7, 7.4, 8.1L	4L60-E, 4L80-E	11.4/10.8	5/4.7	DEXRON III				DM, DVI					
	97-01	V8	6.5L	4L60-E, 4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI					
	97-02	V6	4.3L	4L80-E	13/12.3	7.7/7.3	DEXRON III				DM, DVI					
	02	V8	6.6L	Allison 1000	13/12.3	7.7/7.3	DEXRON III				DM, DVI					
Sierra HD	01-15	V8	6.0L, 6.6L, 8.1L	4L80-E	13.5/12.8	5/4.7	DEXRON VI				MLV					

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)

- LUBEGARD CVT Fluid
- LUBEGARD DCT Fluid
- LUBEGARD ATF



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sierra LD	00-15	V6, V8	4.3L, 4.8L, 5.3L	4L60-E, 4L80-E	11.2/10.6, 13.5/12.8	5/4.7	DEXRON VI				MLV						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	6L80	12.2/11.7	6.0/5.7	DEXRON VI				MLV						
Sierra 1500	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	8L90	10.9/10.3	7.4/7.0	DEXRON HP				SYN DVI, LG6						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				MULV						
Sierra LD 4WD	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	15-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				Syn DVI, LG6						
Silverado HD	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
	19-20	V8	6.0L, 6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
Silverado LD	15-18	V6, V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	6L80	12.2/11.7	6.0/5.7	DEXRON VI				MLV						
Silverado 1500	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	8L90	10.9/10.3	7.4/7.0	DEXRON HP				SYN DVI, LG6						
	19-20	V6, V8	2.7L/4.3L/5.3L/6.0L/6.6L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
Silverado LD 4WD	00-14	V6, V8	4.3L, 4.8L, 5.3L	4L80, 4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
	15-19	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
SSR	92-05	L4, V6	2.2, 4.3L	4L60, 4L60-E	11.4/10.8	5/4.7	DEXRON III				DM, DVI						
	03-07	V8	5.3L	4L60-E	11.4/10.8	N/A	DEXRON III, VI				DM, DVI						
Suburban	06	V8	5.3L	4L60-E	11.4/10.8	N/A	DEXRON VI				MLV						
	92-05	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7	DEXRON III				DM, DVI						
Suburban	06-08	V8	4.8, 5.0, 5.3L	4L60-E	11.5/10.9	5/4.7	DEXRON VI				MLV						
	06-08	V8	6.0, 6.5, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
Suburban	10-18	V8	6.0, 6.5, 7.4, 8.1L	4L85-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	19-20	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6	DEXRON VI				MLV						
Suburban 4WD	06-07	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	06-07	V8	4.8 (LY2), 5.3L (LY5) (LMG)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
Suburban 4WD	07	V8	6.2L (L92)	4L80-E	13.5/12.8	7.7/7.3	DEXRON VI				MLV						
	07-08	V8	4.8 (LR4), 5.3 (LY5), 6.2L (L92)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV						
Suburban 4WD	08-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
	15-17	V8	5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
2500	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
	96-05	V8	5.7, 6.0, 7.4, 8.1L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
Tahoe/Yukon	95-05	V8	6.5, 6.6L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
	92-05	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
Tahoe/Yukon 2WD	06-08	V8	4.8, 5.3, 5.7L	4L60-E	11/10.4	5/4.7	DEXRON VI				MLV						
	06-09	V8	5.3 (LMG), 6.0 (L96), 6.2L (L9H) (L94)	4L60-E, 4L65-E, 4L70-E	11/10.6	5/4.7	DEXRON VI				MLV						
Tahoe/Yukon 4WD	10-14	V8	5.3 (LMG), 6.2L (L9H) (L94)	6L80 (MYC), 6L90 (MYD)	12.4/11.7	6/5.7, 6.3/6	DEXRON VI				MLV						
	15-18	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
Tahoe/Yukon 4WD	16-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				SYN DVI, LG6						
	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
Tracker	08-10	V8	6.0L (LFA)	2ML70 (M99)	13/12.3	11.5/10.9	DEXRON VI				MLV						
	15-17	V6, V8	4.3L, 4.8L, 5.3L	6L80	12.4/11.7	6/5.7	DEXRON VI				MLV						
Terrain	15-18	V8	6.2L	8L90	10.9/10.3	7.4/7	DEXRON HP				Syn DVI, LG6						
	19-20	V8	5.3L, 6.2L	10L80	12.1/11.4	8.1/7.7	DEXRON ULV				SYN DVI, LG6						
Terrain	98-02	L4	1.6L	3L30	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
	03-07	V6	2.5L	4L60-E	7.4/7	3/2.8	DEXRON III, VI				DM, DVI						
Terrain	10-12	L4, V6	2.4 (LAF), 3.0L (LF1)	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV						
	13-16	L4, V6	2.4 (LAF), 3.6L	6T70 (MH4) (MHz)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
Terrain	17	L4	1.5L	6T45 (MH7) (MHC)	8.5/8	5.3/5	DEXRON VI				MLV						
	18-20	L4	1.5L, 2.0L	9T45/9T50	10.0/9.5	6.3/6.0	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

C
D

CHEVY/GMC TRUCKS AND VANS cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Traverse	09-16	V6	3.6L (LLT)	6T75 (MY9) (MH6)	9.5/9	4.2-6.3/4-6	DEXRON VI				MLV						
	17-19	L4, V6	2.0L, 3.6L	9T65	10/9.5	6.3/6.0	DEXRON HP				Syn DVI, LG6						
	20	L4, V6	2.0L, 3.6L	9T50/9T60	10.0/9.5	6.3/6.0	DEXRON VI				MLV						
	Venture APV	00-05	V6	3.4L	4T65-E	10/9.5	7.4/7	DEXRON III				DM, DVI					

CHRYSLER

200	11-14	L4	2.4L, 3.6L	40TES, 62TE	9.1/8.6	4/3.8, 5.5/5.2	Mopar ATF+4				*DM, MV						
	15-17	L4	2.4L, 3.6L	948TE	N/A	6.4/6	Mopar ZF 8&9 ATF				ZF LG8, MULV						
	05-12	V8	5.7, 6.1L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	05-12	L4, V6	2.4, 2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
300	11-13	V8	5.7, 6.4	ZF 8HP45 8 (SPD)	9.5/9	N/A	Shell L 12108				DVI, MLV						
	14-20	V6, V8	3.0, 3.6, 5.7, 6.2	ZF 8HP45 8 (SPD)	9.5/9	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
	18-20	V6, V8	3.0, 3.6, 5.7, 6.2	ZF 8HP70/8HP90	9.2/8.7	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
300M	99-04	V6	3.5L	42LE	9.2/8.8	4.5/4.3	Mopar ATF+4				*DM, MV						
	03-09	V6	4.7, 5.7L	545RFE	15.5/15	6.5/6.2	Mopar ATF+4				*DM, MV						
Aspen	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11	DEXRON VI				MLV						
Cirrus	95-00	L4	2.4, 2.0L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	95-00	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Concord	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/8.8	4.5/4.2	Mopar ATF+4				*DM, MV						
Crossfire	04-08	V6	3.2L	NAG 1	8.2/7.7	5.3/5	MB 236.10				SYN DM, MV						
LHS/300M	99-04	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/9.4	4.5/4.3	Mopar ATF+4				*DM, MV						
New Yorker	02-07	V6	2.7, 3.2, 3.3, 3.5L	42LE	9.9/8.8	4.5/4.2	Mopar ATF+4				*DM, MV						
Pacifica	04-08	V6	3.5, 3.8L	41TE	9.7/9.2	4/3.8	Mopar ATF+4				*DM, MV						
	07-08	V6	4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	17-20	V6	3.6L	948TE	N/A	6.4/6.0	Mopar ZF 8&9 ATF				ZF LG8, MULV						
PT Cruiser	00	L4	2.0L	31TH	9/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	01-10	L4	2.0, 2.4L	41TE, 40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
Sebring	95-05	L4	2.4, 2.0L	41TE, F4AC1	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	95-05	V6	2.5, 2.7L	41TE, F4AC1	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	07-08	V6	2.4, 2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Convertible	99-06	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	99-06	V6	2.5, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Coupe	01-07	L4	2.7L	41TE	8.9/8.4	5.8/5.5	Mopar ATF+4				*DM, MV						
Coupe	04-10	L4	2.0, 2.4L	40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
Sebring (cont.)	95-10	V6	2.7, 3.0L	41TE	8.6/8.1	5.8/5.5	Mopar ATF+4				*DM, MV						
Town & Country & Voyager	90-10	V6	3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	08-16	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Voyager	20	V6	3.6L	948TE	N/A	6.4/6.0	Mopar ZF 8&9 ATF				ZF LG8, MULV						

DODGE

Avenger	95-00	L4	2.0L, V6 2.5L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	07-14	L4	2.4L	40TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	07-14	L4	2.4, 2.7L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
Caliber	07-14	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	07-12	L4	2.0, 2.4L	CVT2	8.6/8.1	7.4/7	Mopar CVT+4 (VTF)				LUBEGARD CVT						
	95-01	L4	2.4, V6 3.0L	31TH	8.5/8	4/3.8	Mopar ATF+4				*DM, MV						
Caravan/Grand Caravan	95-01	L4	3.3, 3.8L	41TE, 41AE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	95-06	L4, V6	2.4, 3.0, 3.3, 3.8L	31TH, 41TE, 41AE	8.6/9.1	3.8/4	Mopar ATF+4				*DM, MV						
	00-10	L4, V6	2.4, 3.0, 3.3, 3.4, 3.8L	41TE	8.6/8.1	4/3.8	Mopar ATF+4				*DM, MV						
	08-20	V6	2.8, 3.3, 3.8, 4.0L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)

OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)

OPTION 3 (whole fluid option)


Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Challenger (Includes SRT)	09-10	V6, V8	3.5, 5.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	08-14	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	15-20	V6, V8	3.5, 5.7, 6.1L	845RE, 8HP70, 8HP90	9.7/9.2	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
Charger (Includes SRT)	05-12	V6, V8	2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	05-12	V6, V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV						
Dart	12-20	V6, V8	3.5, 5.7, 6.1L	845RE, 8HP70, 8HP90	9.5/9.0	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
Durango	13-16	L4	2.0, 2.4L	6F24	7.5/7	5/4.7	ATF SPIV				DVI, MV						
Journey	11-13	V6, V8	3.6L, 5.7L	545RFE, 65RFE	16.9/16.0	8.5/8.2	Mopar ATF+4				*DM, MV						
Intrepid	14-20	V6, V8	3.6L, 5.7L, 6.2L, 6.4L	8HP45, 8HP50, 8HP70	9.5/9.0	N/A	Mopar ZF 8&9 ATF				ZF LG8, MULV						
	93-01	V6	N/A	42LE	9.9/9.4	4.5/4.3	Mopar ATF+4				*DM, MV						
Journey	09-12	L4	2.4, 2.7L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
	09-12	V6	2.7, 3.5L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Magnum	11-19	L4, V6	2.0, 3.6L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	05-09	V6	2.7, 3.5L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	05-09	V8	3.5, 5.7, 6.1L	NAG 1	8.2/7.7	5.3/5	Mopar ATF+4				*DM, MV						
RAM/DODGE TRUCKS & VANS																	
Dakota	95-02	V6, V8	3.9, 5.2, 5.9L	42RH, RE/44RE/46RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV						
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
	04-11	V6, V8	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	04-11	L6, V8	3.7, 4.7L	45RFE, 545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV						
	94-01	V6	3.9L	42RH, 42RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV						
	96-02	V8	5.9L	46RE	10.5/9.9	4/3.8	Mopar ATF+4				*DM, MV						
	98-06	V6, V8	3.9, V8 5.2L	42/44RE, 45RFE	14/13.3	5.5/5.2	Mopar ATF+4				*DM, MV						
	00-03	L6, V8	3.9, 4.7, 5.2L	42RE, 46RE, 545RFE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
	00-05	V8	4.7, 5.7L	5-45RFE	14/13.3	5/4.7	Mopar ATF+4				*DM, MV						
	00-07	V6	3.7L	44RE, 46RE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
Durango	04-09	L6, V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV						
	09	V8	5.7L	EVT-ASH-T (2 MODE HYBRID)	13.2/12.5	11.6/11	DEXRON VI				MLV						
	04-09	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	11-12	V8	3.6, 5.7L	NAG 1	8/1.77	5.3/5	Mopar ATF+4				*DM, MV						
	11-15	V6, V8	3.6, 5.7L	545RFE, 65RFE	14.8/14, 16.9/6	5.5/5.2, 6.5/6.2	Mopar ATF+4				*DM, MV						
	16-17			8HP45, 8HP70	9/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						
Promaster 1500, 2500, 3500	14-20	V6	3.0, 3.6L	62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
Promaster City	15-20	V6	3.0, 3.6L	948TE	N/A	6.3/6	ZF 8&9 speed ATF				LG8, MULV						
Ram 1500-3500, Includes HD	95-02	V8	5.2, 5.9L	46RH	10.9/10.3	4/3.8	Mopar ATF+4				*DM, MV						
	96-00	V6, V8	3.7, 5.2L	42RE	11/10.4	4/3.8	Mopar ATF+4				*DM, MV						
	96-02	L6	5.9L Diesel	47RE	16.6/15.7	4/3.8	Mopar ATF+4				*DM, MV						
	98-00	V8	5.2, 5.9L	46RE	11.5/10.9	4/3.8	Mopar ATF+4				*DM, MV						
	01-03	V8	5.2, 5.9L	46RE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
	03	L6	5.9L	47RE	16.6/15.7	4/3.8	Mopar ATF+4				*DM, MV						
	03-08	V6, V8	3.7, 4.7, 5.7L	A45RFE, 5-45RFE	14.5/14	6.5/6.2	Mopar ATF+4				*DM, MV						
	04-10	V8	4.7, 5.7L	545RFE	16.8/13.3	6.5/6.2	Mopar ATF+4				*DM, MV						
	04-08	V8	5.7, 5.9, 6.7L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4				*DM, MV						
	09-12	V6	3.7L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4				*DM, MV						
	11-12	V8	5.7	65RFE, 66RFE	14.8/14, 16.9/16	5.5/5.2, 6.5/6.2	Mopar ATF+4				*DM, MV						
	12-13	V6	3.6L	68RFE	16.6/15.6	6.5/6.2	Mopar ATF+4				*DM, MV						
	13-18	V6, V8	3.6, 4.7, 5.7L	545RFE	16.9/16	5.5/5.2	Mopar ATF+4				*DM, MV						
	13-18	V6, V8	3.6, 5.7L	65RFE, 66RFE	12/11.4	5/4.7	Mopar ATF+4				*DM, MV						
	16-17	V6, V8	3.0L, 3.6, 5.7L	8HP45, 8HP70	9/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative Abbreviations and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

D
F

RAM/DODGE TRUCKS & VANS cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
2500	05-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4				*DM, MV						
	05-12	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2	Mopar ATF+4				*DM, MV						
	07-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC				SYN DM, DVI, MV						
	12	V8	5.7L	68RFE	17/16	6.5/6.2	Mopar ATF+4				*DM, MV						
	13-20	V8	5.7, 6.4, 6.7L	AS66RC, AS69RC	13.7/13	7.8/7.2	Mopar AS 68RC				SYN DM, DVI, MV						
	18-20	V8	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						
3500 (D1, DH, DC BODY)	04-09	V8	5.9L	48RE	16/14, 17/14.8	4/3.8	Mopar ATF+4				*DM, MV						
	07-10	L6	6.7L	68RFE	17/16	6.5/6.2	Mopar ATF+4				*DM, MV						
	07-10	V8	5.7, 5.9L	545RFE	14.5/14	6.5/6.2	Mopar ATF+4				*DM, MV						
	07-12	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC				SYN DM, DVI, MV						
	11-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4				*DM, MV						
	13-17	V8, L6	5.7, 6.4, 6.7L	66RFE, 68RFE	12/11.4	5/4.7	Mopar ATF+4				*DM, MV						
3500	13-20	V8, L6	5.7, 6.4, 6.7L	AS69RC	13.7/13	7.2/6.8	Mopar AS 68RC				SYN DM, DVI, MV						
	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						
4500	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC				SYN DM, DVI, MV						
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4				*DM, MV						
5500	13-20	V8, L6	5.7, 6.4, 6.7L	66RFE, 8HP45, 8HP70	12/11.4	5/4.7	Mopar ATF+4				*DM, MV						
	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						
Ram Van	08-10	L6	6.7L	AS68RC	13.7/13	7.2/6.8	Mopar AS 68RC				SYN DM, DVI, MV						
	10-12	L6	6.7L	68RFE	17.5/16.6	N/A	Mopar ATF+4				*DM, MV						
Sprinter Van	13-20	L6	6.4, 6.7L	66RFE	12/11.4	5/4.7	Mopar ATF+4				*DM, MV						
	18-20	V8, L6	5.7, 6.4, 6.7L	8HP45, 8HP70	9.0/8.5	N/A	ZF 8&9 speed ATF				LG8, MULV						
Van/Wagon	99-02	V6	3.9, V8 5.2L	36RH	6.8/6.4	4/3.8	Mopar ATF+4				SYN DM, DVI						
	03-06	L5	2.7L	NAG 1	8.1/7.7	5.3/5	Mopar 05127382AA				SYN DM, DVI, MV						
Cargo Van	07-09	V6	3.0, 3.5L	NAG 1	8.1/7.7	5.3/5	Mopar 05127382AA				SYN DM, MV						
	99-02	V8	5.2, 5.9L	46RH, 46RE	10/9.5	4/3.8	Mopar ATF+4				*DM, MV						
Voyager(Grand)	13-15			62TE	9/8.5	5.5/5.2	Mopar ATF+4				*DM, MV						
	89-01	L4, V6	2.4, 3.0, 3.3L	31TH	8.9/8.4	4/3.8	Mopar ATF+4				*DM, MV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



FORD

	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
500	05-07	V6	3.0L	AF21-B	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
C-Max	13-18	L4	1.6L	HF35	4.8/4.5	N/A	MERCON LV				DVI						
Contour	95-00	L4	2.0L	CD4E	9.8/5	4/3.8	MERCON				DM, MV						
Crown Victoria	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON				DM, MV						
96-07	V8	4.6L	4R70W		13.9/13.2	5/4.7	MERCON V				*DM						
Edge	07-11	V8	4.6L (2V)	4R70-E/4R75-E	13.9/13.3	5/4.7	MERCON LV				DVI						
Escort	07-14	L4, V6	2.0, 3.5, 3.7L	6F50	11/10.4	N/A	MERCON LV				DVI						
Fiesta	15-20	L4, V6	2.0, 2.7, 3.7L	6F35, 6F50, 6F55	11/10.4	N/A	MERCON LV				DVI						
Flex	97-02	L4	1.8, 1.9, 2.0L	4EAT-F	5.7/5.4	N/A	MERCON				DM, MV						
	11-19	L4	1.6L	DPS6 DCT	1.8/1.7	N/A	XT-M5-QS	USE	OEM	FLUID	Use OEM Fluid						
	09-19	V6	3.5L	6F50	11/10.4	N/A	MERCON LV				DVI						
	00-03	L4	2.0L	4F27E	6.9/6.6	N/A	MERCON V				*DM						
	04-05	L4	2.0L	4F27E	6.9/6.6	N/A	MERCON V				*DM						
	06-07	L4	2.0L	4F27E	7.1/6.7	N/A	MERCON V				*DM						
	08-11	L4	2.0L	4F27E	6.9/6.6	5/4.7	MERCON LV				DVI						
	11-18	L4	1.0L, 2.0L, 2.3L	DPS6 DCT	1.8/1.7	N/A	XT-M5-QS	USE	OEM	FLUID	Use OEM Fluid						
	06-10	L4	2.3L	AW21/F21	7.4/7	N/A	TIV				*DM						
	14-18	L4	1.0L, 2.0L, 2.3L	6F15	9.2/8.6	1.9/1.8	MERCON LV				DVI						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Focus Electric	12-18			CVT	1.3/1.2	N/A	MERCON LV				DVI						
	03-05	V6	3.9, 4.2L	CVT	N/A	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
Freestar	04-07	V6	3.9, 4.2L	AX4N	13.7/13	N/A	MERCON V				*DM						
	06-07	V6	3.8, 3.9, 4.2L	AX4N	12.3/11.6	N/A	MERCON V				*DM						
Freestyle	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	05-07	V6	3.0L	AF21-B	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
Fusion	05-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Mazda ATF M-V				*DM, DVI, MV						
	05-08	V6	3.0L	AWGA-EL	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	13-17	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
	13-16	L4	2.0, 2.5L	F650	11.6/11	N/A	MERCON LV				DVI						
	14-17		1.5, 1.6L	6F35	9/8.5	N/A	MERCON LV				DVI						
	17-20	V6	2.7L	6F35, 6F50, 6F55	11.6/11	N/A	MERCON LV				DVI						
	06-10	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	AW21/F21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Fusion Hybrid	17-20	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
Lightning Truck	00-05	V8	5.4L	ZF 6HP26	13.9/13.2	N/A	MERCON SP				DVI						
Mustang	96-05	V6	3.8L	AOD-E, AODE-W	13.9/13.2	5/4.7	MERCON V				*DM						
	96-05	V8	4.6L	4R70W	12.8/12.1	5/4.7	MERCON V				*DM						
	05-12	V6, V8	4.0, 4.6, 5.4L	5R55S	11.9/11.2	N/A	MERCON V				*DM						
	11-14	V8	4.0, 4.6, 5.4L	6R80	11.8/11.2	N/A	MERCON LV				DVI						
	15-17	V6, V8	2.3, 3.7, 5.0L	6R80	12/11.4	N/A	MERCON LV				DVI						
	18-20	V6, V8	2.3, 3.7, 5.0L	10R80	12.7/12.0	N/A	MERCON ULV				DULV						
Taurus	99-03	V6	3.0, 3.2, 3.8L	AX4N	13.6/12.8	N/A	MERCON V				*DM						
	97-04	V6	3.0, 3.2, 3.8L	AX4S	12.3/11.6	N/A	MERCON V				*DM						
	04-05	V6, V8	3.0, 3.4L	AX4N	13.4/12.7	N/A	MERCON V				*DM						
	06-07	V6, V8	3.0, 3.4L	AX4N	13.7/13	N/A	MERCON V				*DM						
	08-09	V6	3.5L	6F50	10/9.5	N/A	MERCON V				*DM						
	10-12	V6	3.5L	6F50, 6F55	10.9/10.3, 11.6/11	N/A	MERCON LV				DVI						
Taurus X	08-19	V6	3.5L	6F55	11.6/11	N/A	MERCON LV				DVI						
	08-09	V6	3.5L	6F50	10/9.5	N/A	MERCON LV				DVI						
Thunderbird	08-17	V6	3.5L	6F55	11.6/11	N/A	MERCON LV				DVI						
Transit Connect	10-13	L4	2.0L	4F27E	7/6.7L	N/A	MERCON LV				DM, MV						
	10-20	L4	1.6, 2.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
Windstar	97-00	V6	3.0, 3.8L	AX4S, AX4N	12.3/11.6	N/A	MERCON				DM, MV						
	01-07	V6	3.0, 3.8L	AX4S, AX4N	13.7/12.9	N/A	MERCON, MERCON V				DM, MV						
FORD TRUCKS & VANS																	
Bronco II	96-07	V6	4.2L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	96-07	V8	4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	98-05	V8	5.4L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-10	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5	MERCON LV				DVI						
E-150	05-10	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	06-08	V8	4.6, 5.4, 6.8L	4R70/75E-W	13.9/13.1	5/4.7	MERCON V				*DM						
	09-14	V8	4.6L, 5.4	4R70/75E-W	13.9/13.1	5/4.7	MERCON LV				DVI						
Econoline 250 including S.Duty	97-05	V6	4.2, V8 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-08	V8	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	05-08	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5.7/5	MERCON V				*DM						
	05-08	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
	09-12	V8	4.6, 5.4, 6.0, 6.8L	4R75-E	13.9/13.2	5/4.7	MERCON LV				DVI						
	09-12	V8	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1	MERCON LV				DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		




OEM ATF and Conversion Chart

F

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



FORD TRUCKS & VANS cont. Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type				Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
								60902	63010	67010							
E-250	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON LV				DVI						
	15-19	V8	5.4, 6.2, 6.8L	6R140W	17.2/16.3	10/9.5	MERCON LV				DVI						
Econoline 350 including S.Duty	99-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
E-350	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5	MERCON LV				DVI						
E-350 GAS & DIESEL	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON SP				DVI, LG 6						
	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI						
E-350 Diesel	11-12	V8	6.0, 6.4	6R140	18/17	10/9.5	MERCON LV				DVI						
	99-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
	06-08	V8	6.0, 6.8L	5R110W	18.8/17.7	N/A	MERCON SP				DVI						
Econoline 450	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON LV				DVI						
	00-04	V6, V8	4.2, 4.6, 5.4, 6.8, 7.3L	4R70W	17.7/16.7	6.4/6.1	MERCON LV				DVI						
	05-12	V8	4.6, 5.4, 6.0, 6.8L	4R75W	13.9/13.2	5.7/5	MERCON LV				DVI						
	05-12	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6						
E-450	06-14	V8	4.6, 5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.3/7	MERCON LV				DVI						
	15-19	V8	5.4, 6.8,	6R140W	17.2/16.3	10/9.5	MERCON LV				DVI						
EcoSport	18-20	L4	1.0L	6F15	9.1/8.6	N/A	MERCON ULV				DULV						
	18-20	L4	2.0L	6F35	9.0/8.5	N/A	MERCON LV				DVI						
Escape	01-04	L4, V6	2.0, 2.3, 3.0L	CD4E	9.8/5	3.9/3.7	MERCON V				*DM						
	04-06	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7	MERCON V				*DM						
	07-08	L4, V6	2.0, 2.3, 3.0L	CD4E	10/9.5	3.9/3.7	MERCON V				*DM						
	09-13	L4, V6	2.5, 3.0L	6F30	9.8/8.5	N/A	MERCON LV				DVI						
	13-19	L4	1.5, 2.0, 2.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	20	L4	1.5, 2.0, 2.5L	8F35/8F40	11.6/11.0	N/A	MERCON ULV				DULV						
Escape	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Escape Hybrid	08-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
	20	L4	2.5L	HF45/eCVT	5.0/4.7	4.7/4.5	MERCON ULV				DULV						
Excursion	99-04	V8	5.4, 7.3L	4R100	17.1/16.1	6.5/6.1	MERCON				DM, MV						
	05-06	V8	5.4, 7.3L	5R110W	19.2/18	7.3/7	MERCON SP				DVI, LG 6						
Excursion 4X4 DIESEL	04-05	V8	6.0L	5R110W	18.8/17.7	N/A	MERCON SP				DVI, LG 6						
	97-04	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	98-05	V8	5.4L	4R100	17.6/16.7	6.4/6.1	MERCON LV				DVI						
	98-05	V8	4.6L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-05	V8	5.4L	4R100, E40D	17.1/16.1	6.5/6.1	MERCON				DM, MV						
	05-06	V8	5.4L	4R75-E	13.9/13.2	5/4.7	MERCON V				*DM						
	05-08	V8	5.4L	ZF 6HP26	9.5/9	5/4.7	MERCON SP				DVI, LG 6						
	07-08	V8	5.4L	6R75	11/10.5	3.5/3	MERCON SP				DVI, LG 6						
	09-17	V8	5.4L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	99-04	V6	4.0L	5R55W	10/9.5	3.9/3.7	MERCON V				*DM						
	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A	MERCON V				*DM						
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7	MERCON SP				DVI, LG 6						
	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	11-19	V6, V8	2.5, 3.5, 3.7L	6F50, 6F55, 6F35	12.7/12, 11.6/11, 9/8.5	N/A	MERCON LV				DVI						
	20	L4, V6	2.3L, 3.0L, 3.3L	10R60/10R80	12.9/12.2, 13.7/13.0	12.6/11.9	MERCON ULV				DULV						
Explorer Police Utility	13-19	V6	3.5, 3.7L	6F50, 6F55, 6F35	11.6/11	N/A	MERCON LV				DVI						
	20	V6	3.5, 3.7L	10R80	14.8/14.0	12.6/12.9	MERCON ULV				DULV						
Flex	09	V6	3.5L	6F50/6F55	9.4/8.9	N/A	MERCON LV				DVI						
	10-12	V6	3.5L	6F35, 6F50/6F55	9/8.5, 11/10.4, 11.6/11	N/A	MERCON LV				DVI						
F150 4WD	98-04	V8	5.4L	4R100	17.6/16.7	6.5/6.1	MERCON				DM, MV						
	04-05	V8	4.6, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON				DM, MV						
	04-09	V6, V8	4.2, 4.6, 5.4L	4R70-E/4R75-E	13.9/13.2	5/4.7	MERCON V				*DM						
	09-10	V8	3.7, 4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
	11-13	V6, V8	2.7, 3.5, 3.7, 5.0, 6.2L	6R80	13.1/12.4	3.5/3.3	MERCON LV				DVI						
	17-20	V6	3.6L	10R80	13.1/12.4	N/A	MERCON ULV				DULV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF		
F250 including S.Duty	98-05	V6, V8	4.2, 4.6, 5.0, 5.4L	4R70W	13.9/13.2	5/4.7	MERCON, MERCON V				*DM								
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	98-07	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	07-10	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	11-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6								
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI								
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV								
F250 including S.Duty Diesel	11-12	V8	6.0, 6.4	6R140	18/17	16.7/15.8	10/9.5	MERCON LV				DVI							
F350 including S. Duty	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	04-08	V8, V10	5.4, 6.0, 6.8L	5R110W	18.8/17.7	7.5/7.1	MERCON SP				DVI, LG 6								
	09-10	V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6								
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6								
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI								
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI								
	17	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV								
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
F350 including S. Duty	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	04-08	V8	6.0L PS	5R110W	19.2/18	7.3/7	MERCON SP				DVI								
	05-08	V8	5.4, 7.3L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI								
	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	04-08	V8	6.0L PS DIESEL	5R110W	19.2/18	7.3/7	MERCON SP				DVI, LG 6								
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	09-10	V8	5.4, 6.4, 6.8L	5R110W	18.8/17.7	7.5/7	MERCON SP				DVI, LG 6								
F450 including S. Duty	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI, LG 6								
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI								
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV								
	98-05	V8	5.4, 7.3L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
	04-08	V8	5.4, 6.0, 6.8L	5R110W	19.2/18	7.5/7	MERCON SP				DVI, LG 6								
	04-08	V8, V10	5.4, 6.8L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	09-10	V8	5.4, 6.4, 6.8L	5R110W	19.2/18	7.5/7	MERCON SP				DVI, LG 6								
F550 including S. Duty	11-12	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI								
	11-12	V8	6.0, 6.4	6R140	18/17	16.7/15.8	10/9.5	MERCON LV				DVI							
	13-17	V8	5.4, 6.0, 6.4, 6.7, 6.8L	5R110W	17.5/16.6	7.5/7	MERCON SP				DVI								
	11-17	V8	5.4, 6.0, 6.8L	6R140	19/18	10/9.5	MERCON LV				DVI								
	17-20	V8	6.2, 6.7L	6R100	16.7/15.8	6.5/6.2	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	6R140	17.0/16.4	8.2/7.8	MERCON LV				DVI								
	17-20	V8	5.4, 6.0, 6.8L	10R140	18.2/17.2	6.0/5.6	MERCON ULV				DULV								
	04-08	V8	6.0L	5R110W	19.2/18	7.5/7.1	MERCON SP				DVI, LG 6								
	98-05	V10	6.8L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV								
F650/F750	09-12	V8	CAT 3126, CUMMINGS 1SB	ALLISON 2000/2400	14.8/14 (STD PAN)	10.6/10 (STD PAN)	Allison Transynd (TES-295)				SYN DM, MV								
Lightning Truck	00-05	V8	4.6L	ZF 6HP26	13.2/13.9	N/A	MERCON SP				DVI, LG 6								
Ranger	99-07	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	4/3.8	MERCON V				*DM								
	07-08	L4, V6	2.3, 3.0, 4.0L	5R44-E/5R55-E	10/9.5	N/A	MERCON V				*DM								
	09-11	L4, V6	2.3, 4.0L	5R44-E/5R55-E	10/9.5	N/A	MERCON V				*DM								
	19-20	L4	2.3L	10R80	12.8/12.1	5.0/4.8	MERCON ULV				DULV								
Transit	15-20	V6	3.5L	6R80	13.1/12.4	3.5/3.3	MERCON LV				DVI								

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

F
G
H

FORD TRUCKS & VANS cont.							Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1 (when using the OEM recommended ATF)			OPTION 2 (as an OEM fluid alternative)			OPTION 3 (whole fluid option)		
60902	63010	67010	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF															
Transit Connect	10-13	L4	2.0L	4F27E	7/6.7L	N/A	MERCON LV						DVI										
	15-20	L4	1.6, 2.5L	6F35	9/8.5	N/A	MERCON LV						DVI										
GENESIS																							
G70	19-20	L4, V6	2.0L/3.3L	A8LR1-1/ A8TR1-1	9.7/9.2	N/A	SP-IV RR						SYN DVI, DHP										
G80	17-20	V6, V8	3.3L, 5.0L	A8LR1	11.1/10.5	N/A	SP-IV RR						SYN DVI, DHP										
G90	17-20	V6, V8	3.3L, 5.0L	A8LR1	9.7/9.2	N/A	SP-IV RR						SYN DVI, DHP										
GEO																							
Metro	85-02	L3, L4	1.0, 1.3L	MX17, A210	5.2/4.9	2/1.9	DEXRON III						DM, DVI										
Prizm	85-02	L4	1.6L	A131L, MX1	6.7/6.3	2.5/2.4	DEXRON III						DM, DVI										
	93-02	L4	1.6, 1.8L	A245E, MS7	8/7.6	3.3/3.1	DEXRON III						DM, DVI										
Tracker	89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8	DEXRON III						DM, DVI										
	96-02	L4	1.6L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III						DM, DVI										
HONDA																							
Accord	98-00	L4	2.3L	BAXA	6.4/6.1	2.9/2.7	Honda Genuine ATF Z-1						DM, DVI, MV										
	98-00	V6	3.0L	B7XA	7.6/7.2	3.1/2.9	Honda Genuine ATF Z-1						DM, DVI, MV										
	01-02	L4	2.3L	MAXA	7.5/7.1	2.6/2.5	Honda Genuine ATF Z-1						DM, DVI, MV										
	01-02	V6	3.0L	B7XA	7.5/7.1	3.1/2.9	Honda Genuine ATF Z-1						DM, DVI, MV										
	03-08	L4	2.4L (K24A8)	BCLA, MCLA	6.9/6.5	3.2/9	Honda Genuine ATF Z-1						DM, DVI, MV										
	03-08	V6	3.0L (J30A5)	BAYA, MAYA	7.4/7	3.2/3	Honda Genuine ATF Z-1						DM, DVI, MV										
	05-07	V6	3.0L (J30A5)	MURA (HYBRID)	6.9/6.5	3.1/2.9	Honda Genuine ATF Z-1						DM, DVI, MV										
	08-10	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5	Honda Genuine ATF Z-1						DM, DVI, MV										
	08-10	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3	Honda Genuine ATF Z-1						DM, DVI, MV										
	11-12	L4	2.4L (K24Z3)	B90A	6.9/6.5	2.6/2.5	Honda Genuine ATF DW-1						DVI										
Accord CrossTour	11-12	V6	3.5L (J35Z2) (J35Z3)	B97A	7.9/7.5	3.5/3.3	Honda Genuine ATF DW-1						DVI										
	13-15	L4	2.4L (K24Z3)		6.5/6.1	2.6/2.5	Honda Genuine ATF DW-1						DVI										
	13-15	V6	3.5L (J35Z2) (J35Z3)		8.5/8	3.3/3.1	Honda Genuine ATF DW-1						DVI										
	13-17	L4	2.4L	CVT	8/7.6	3.9/3.7	HCF-2 CVT Fluid						LUBEGARD CVT Fluid										
	18-20	L4	1.5L, 2.0L	CVT	8/7.6	3.9/3.7	HCF-2 CVT Fluid						LUBEGARD CVT Fluid										
	18-20	L4	2.0L	10-speed	8.8/8.3	4.7/4.5	Honda Type 2.0	USE	OEM	FLUID			DM, DVI, MV										
	10	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1						DVI										
	11-13	V6	3.5L (J35Z2)	BBSA, BBTA	8.3/7.9	3.5/3.3	Honda Genuine ATF DW-1						DVI										
	14-15	L4	2.4L		6.5/6.1	2.6/2.5	Honda Genuine ATF DW-1						DVI										
	14-15	V6	3.5L		8.5/8	3.3/3.1	Honda Genuine ATF DW-1						DVI										
Accord Hybrid	13-17	L4	2.0L	CVT	4/3.8	2.5/2.4	Honda Genuine ATF DW-1						DVI										
	18-20	L4	2.0L	E-CVT	3.3/3.2	2.5/2.4	Honda Genuine ATF DW-1						DVI										
	96-00	L4	1.6L	CVT, M4VA	6.8/6.4	4.1/3.9	Honda Genuine CVT						LUBEGARD CVT										
	97-00	L4	1.6L	B4RA, B46A, M4RA	6.3/5.7	2.9/2.7	Honda Genuine ATF Z-1						DM, DVI, MV										
	01-05	L4	1.7L	BMXA, SLXA	6.3/6	2.9/2.7	Honda Genuine ATF Z-1						DM, DVI, MV										
	01-05	L4	1.7L	SLYA (CVT)	5.9/5.6	3.3/3.1	Honda Genuine CVT						LUBEGARD CVT										
	06-10	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF Z-1						DM, DVI, MV										
	08-10	L4	2.0L (K20Z3)	SPCA, MPC4	6.2/5.9	2.5/2.4	Honda Genuine ATF Z-1						DM, DVI, MV										
	11-12	L4	1.8L (R18A4) (R18A1)	SPCA	6.2/5.9	2.5/2.4	Honda Genuine ATF DW-1						DVI										
	11-15	L4	2.0L (K20Z3)	SPCA, MPC4	6.2/5.9	2.5/2.4	Honda Genuine ATF DW-1						DVI										
Civic/Hybrid	16-20	L4	1.5L	CVT	8/7.6	3.9/3.7	HCF-2 CVT						LUBEGARD CVT										
	16-20	L4	2.0L	CVT	6.1/5.8	3.7/3.5	HCF-2 CVT						LUBEGARD CVT										
	03-12	L4	1.3L (LDAZ)	SZCA	5.9/5.6	3.3/3.1	Honda Genuine CVT						LUBEGARD CVT										
	06-13	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8	Honda Genuine CVT						LUBEGARD CVT										
	14-15	L4	1.3L (LDAZ)		5.6/5.3	3/2.8	HCF-2 CVT						LUBEGARD CVT										
CR-V	97-01	L4	2.0, 2.4L	M4TA, MDLA	6.2/5.9	3/2.8	Honda Genuine ATF Z-1						DM, DVI, MV										
	02-04	L4	2.0, 2.4L	M4TA, MDMA, MRVA, MDLA, MCVA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1	Honda Genuine ATF Z-1						DM, DVI, MV										
	02-07	V6	2.3L		7.6/7.2	3.2/3.1	Honda Genuine ATF Z-1						DM, DVI, MV										
	05-07	L4	2.4L	MKYA, MKZA, GPLA, GPPA	6.8/6.5, 7.6/7.2	3.1/2.9, 3.3/3.1	Honda Genuine ATF Z-1						DM, DVI, MV										

H

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
CR-V	08-09	L4	2.4L (K24Z1) (K24Z6)	BZJA, BZHA, MZJA, MZHA	7.5/7.3	2.7/2.6	Honda Genuine ATF Z-1				DM, DVI, MV							
	10-16	L4	2.4L (K24Z1) (K24Z6)	M16A, M17A, BZJA, BZHA, MZJA, MZHA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV							
CRZ	15-16	L4	2.4	CVT	8.9/8.4	4.5/4.3	HCF-2 CVT				LUBEGARD CVT							
	17-20	L4	1.5L/2.0L	CVT	8.9/8.4	4.5/4.3	HCF-2 CVT				LUBEGARD CV							
Element 2WD	11-16	L4	1.3L (LDAZ)	SPSA (CVT)	5.4/5.1	3/2.8	Honda Genuine CVT				LUBEGARD CVT							
	03-04	L4	2.4L	BZKA	6.9/6.5	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV							
Fit	03-06	L4	2.4L	MZKA	7.6/7.2	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV							
	05-06	L4	2.4L	BZKA	7.2/6.8	3.4/3.2	Honda Genuine ATF Z-1				DM, DVI, MV							
HR-V	07-08	L4	2.4L (K24A8)	BZNA, MZKA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV							
	09-11	L4	2.4L (K24A8)	MNZA	7.4/7	2.7/2.6	Honda Genuine ATF Z-1				DM, DVI, MV							
Insight Hybrid	09-11	L4	2.4L (K24A8)	MKZA	7.6/7.2	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV							
	07-08	L4	1.5L (L15A7)	SMMA	6.3/6	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV							
Insight Hybrid	09	L4	1.5L (L15A7)	SPAA	6.2/5.9	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV							
	10	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5	Honda Genuine ATF Z-1				DM, DVI, MV							
Insight	11-13	L4	1.5L (L15A7)	SP5A, MP5A	6.2/5.9	2.6/2.5	Honda Genuine ATF DW-1				DVI							
	15-20	L4	1.5L	CVT	6/5.7	3.6/3.4	HCF-2 CVT				LUBEGARD CVT							
Odyssey	16-20	L4	1.8L	CVT	7.2/6.8	4.2/4	HCF-2 CVT				LUBEGARD CVT							
	99-01	V6	2.2, 2.3L	B7YA, B7TA	7.5/7.1	3.1/2.9	Honda Genuine ATF Z-1				DM, DVI, MV							
Pilot	02-04	V6	3.2, 3.5L	BYBA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV							
	04-06	V6	1.0L	CVT (MHTA)	5.8/5.5	3.5/3.3	Honda Genuine CVT				LUBEGARD CVT							
Passport	05-06	V6	3.2, 3.5L	BGRA	8.3/7.9	3.5/3.3	Honda Genuine ATF Z-1				DM, DVI, MV							
	07-10	V6	3.5L (J35A6) (J35A7)	P36A	8/7.6	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV							
Pilot 2WD	10-14	L4	1.3L (LDA3)	SBLA (CVT)	5.5/5.2	2.8/3	Honda Genuine CVT				LUBEGARD CVT							
	11-14	V6	3.5L (J35A6) (J35A7)	P36A, P5FA	8/7.6	3.3/3.1	Honda Genuine ATF DW-1				DVI							
Pilot 4WD	19-20	L4	1.5L	CVT	3.4/3.2	2.1/2.0	Honda Genuine CVT				LUBEGARD CVT Fluid							
	00-10	V6	3.5L	BYBA	8.5/8	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV							
Pilot	11-13	V6	3.5L	5-speed	8/7.6	3.3/3.1	Honda Genuine ATF DW-1				DVI							
	11-13	V6	3.5L	6-speed	7.4/7	3.6/3.4	Honda Genuine ATF DW-1				DVI							
Prelude	14-17	V6	3.5L	6-speed	7.4/7	3.3/3.1	Honda Genuine ATF DW-1				DVI							
	18-20	V6	3.5L	9-speed	7.7/7.3	3.5/3.3	Honda ATF Type 3.1				ZF LG8, MULV							
Ridgeline	18-20	V6	3.5L	10-speed	9.0/8.5	4.8/4.5	Honda ATF Type 2.0	USE	OEM	FLUID								
	94-04	L4	2.6, V6 3.2L	4L30-E	9.1/8.6	4/3.8	DEXRON III				DM, D6							
Ridgeline	03-04	V6	3.5L	BVGA	8.2/7.8	3.2/3	Honda Genuine ATF Z-1				DM, DVI, MV							
	05-07	V6	3.5L (J35Z4)	BVLA, BVGA	8.7/8.3	3.9/3.7	Honda Genuine ATF Z-1				DM, DVI, MV							
S2000	08-10	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4	Honda Genuine ATF Z-1				DM, DVI, MV							
	11-12	V6	3.5L (J35Z4)	PN4A	8.6/8.1	3.6/3.4	Honda Genuine ATF DW-1				DVI							
S2000	11-12	V6	3.5L (J35Z4)	PN3A	8.6/8.1	3.6/3.4	Honda Genuine ATF Z-1				DVI							
	16-20	V6	3.5L	6-speed	7.4/7	3.6/3.4	Honda Genuine ATF DW-1				DVI							
S2000	16-20	V6	3.5L	9-speed	7.7/7.3	3.5/3.3	Honda ATF Type 3.1				ZF LG8, MULV							
	92-02	L4	2.2, 2.3L	MP1A, M6HA	6.3/6	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV							
S2000	05-08	V6	3.5L (J35A9)	MJFA, BJFA	8.5/8	3.3/3.1	Honda Genuine ATF Z-1				DM, DVI, MV							
	09-14	V6	3.5L (J35Z5)	P5FA	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI							
S2000	15-17	V6	3.5L (J35Z5)	6-speed	8.5/8	3.3/3.1	Honda Genuine ATF DW-1				DVI							
	17-19	V6	3.5L	6-speed	8.7/8.2	3.3/3.1	Honda Genuine ATF DW-1				DVI							
S2000	20	V6	3.5L	9-speed	8.1/7.7	N/A	Honda ATF Type 3.1				ZF LG8, MULV							
HUMMER																		
H3	06-10	V6, V8	2.8 (LVC), 3.7 (LLR), 5.3L (LH9) (LH8)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV							
	03-08	V8	6.0L (LQ4)	4L65-E	11/10.6	5/4.7	DEXRON VI				MLV							
H2	08-09	V8	6.2L (LH9)	6L80 (MYC)	12.4/11.7	6/5.7	DEXRON VI				MLV							

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

H
OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)


OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)


OPTION 3 (whole fluid option)

- LUBEGARD CVT FLUID
- LUBEGARD DUAL CLUTCH FLUID
- LUBEGARD FULL SYNTHETIC ATF

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
HYUNDAI																	
Accent	95-01	L4	1.5, 1.6L	A4AF1/2/3	6.5/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent	95-08	L4	1.5, 1.6L	A4AF2, F4A32	6.5/6.1, 6.9/6.5	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent LC	00-05	L4	1.5 (G4EB), 1.6L (G4ED)	A4AF3	6.3/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent MC	06-12	L4	1.6L (G4ED)	A4AF3	6.4/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
Accent	12-19	L4	1.6	A6GF1	7.7/7.3	N/A	Hyundai SP-IV				DVI, MLV						
Accent	20	L4	1.6	COGF1	6.8/6.5	N/A	Kia IVTF SP-CVT1				LUBEGARD CVT						
Azera	06-10	V6	3.8 (G4DA), 3.3L (G4DB)	A5HF1-2, A5HF1	11.5/10.9	N/A	Hyundai SP-III				*DM, DVI, MV						
	11-13	L4, V6	2.4, 3.0L	A6LF1	8.2/7.8	N/A	Hyundai SP-IV				DVI, MLV						
	14-17	L4, V6	2.4, 3.0L	A6F12	8.2/7.8	N/A	Hyundai SP-IV				DVI, MLV						
Elantra	96-00	L4	1.8, 2.0L	A4BF1, A4BF3	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra	01-06	L4	2.0L	F4A42	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra HD	07-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra FD	09-13	L4	2.0L (G4GC)	A4CF2	6.9/6.6	N/A	Hyundai SP-III				*DM, DVI, MV						
Elantra	14-17	L4	1.8, 2.0L	A6GF1	7.7/7.3	N/A	Hyundai SP-IV				DVI, MLV						
Elantra	17-20	L4	1.4L/1.6L	D7UF1 DCT	2.1/2.0	N/A	70W GL-4	USE	OEM	FLUID	LUBEGARD CVT						
Elantra	19-20	L4	1.4L/1.6L	COGF1	6.8/6.5	N/A	Kia IVTF SP-CVT1				*DM, DVI, MV						
Entourage	07-10	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Hyundai SP-III				DVI, MLV						
	11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Hyundai SP-III				DVI, MLV						
Equus	11	V6, V8	3.8L, 5.0L	6HP26	10/9.5	N/A	Hyundai ATF RED 1K				DVI, MLV						
Genesis Coupe BK	10-12	L4, V6	2.0 (G4KD), 3.8L (G6DA)	A55R, ZF6HP19	10.6/10	N/A	Hyundai ATF RED 1K				DVI, MLV						
Genesis BH	09-12	V6, V8	4.6 (G8BA), 3.8 (G6DA), 3.3L (G6DB)	ZF 6HP26, TB60N, TB65N	9.7/9.2	N/A	Hyundai ATF RED 1K				DVI, MLV						
Genesis Sedan	12-16	V6, V8	3.8, 5.0L	A8R1	11.1/10.5	7.4/7	Hyundai SP-IV				DVI, MLV						
Genesis Coupe	13-16	V6, V8	3.8, 5.0L	A8TR1	10.1/9.6	N/A	Hyundai SP-IV				DVI, MLV						
Ioniq	17-20	L4	1.6L	D6KF1	1.8/1.7	N/A	70W GL-4	USE	OEM	FLUID							
	17-21	L4	1.6L	D6KF2	1.8/1.8	N/A	70W GL-5	USE	OEM	FLUID							
	17-22	L4	1.6L	D6KF3	1.8/1.9	N/A	70W GL-6	USE	OEM	FLUID							
	17-23	L4	1.6L	D6KF4	1.8/1.10	N/A	70W GL-7	USE	OEM	FLUID							
Santa Fe	01-02	L4, V6	2.4, 2.7L	F4A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	03-04	L4	2.4L	F4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	03	V6	2.7L	F4A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	04	V6	3.5L	F5A51	11/10.4	N/A	Hyundai SP-III				*DM, DVI, MV						
	04	V6	2.7L	F4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	05-08	V6	3.5L	F5A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
Santa Fe CM	07-09	L4, V6	2.7 (G4EA), 3.3L (G6DB)	F4A51-3, A5HF1	9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	10-11	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Hyundai SP IV				DVI, MLV						
Santa Fe	11-17	L4	2.0L, 2.4L	A6LF1, A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	11-18	V6	3.3, 3.5L	A6LF2, A6MF2	8.2/7.8	N/A	Hyundai SP IV				DVI, MLV						
	19-20	L4	2.0L, 2.4L	A8LF1, A8MF1	7.4/7.0	N/A	Hyundai SP IV				DVI, MLV						
Sonata	94-05	V6	3.0L	F4A33-1	6.4/6.1	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	99-05	L4, V6	2.4L, 2.7L	F4A42	8.2/7.8	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	06-10	L4	2.4L (G4KE)	F4A42-2, A5GF1	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
	06-10	V6	3.3L (G6DB)	A5HF1	11.5/10.9	N/A	Hyundai SP-III				*DM, DVI, MV						
	11-18	L4	2.0, 2.4L	A6MF2	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	19-20	L4	1.6L, 2.5L	A6MF2, A8MF1	7.5/7.1, 6.9/6.5	N/A	Hyundai SP IV				DVI, MLV						
Sonata Hybrid	15-17	L4	1.6L	A6MF2	7.0/6.6	N/A	Hyundai SP IV				DVI, MLV						
	18-19	L4	1.6L, 2.5L	A8LF1	6.3/6.0	N/A	Hyundai SP IV				DVI, MLV						
	14-18	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID	DVI, MLV						
	11-13	L4	2.0, 2.4L	A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
Tucson	14-20	L4	2.0L	A6LF2, A6MF2	7.7/7.3	N/A	Hyundai SP IV				DVI, MLV						
	18-20	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Tiburon	97-08	L4, V6	2.0L, 2.7L	AFBF1,F4A32	8.2/7.8	4.2/4	Hyundai SP-III				*DM, DVI, MV						
	05-09	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42-2, F4A51, W4A51	8.2/7.8	N/A	Hyundai SP-III				*DM, DVI, MV						
	10	L4	2.0 (G4KD), 2.4L (G4KE)	A6MF1	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
Veloster	13-15	L4	1.6L	A6MF2	7.5/7.1	N/A	Hyundai SP IV				DVI, MLV						
	12-18	L4	1.6L	A6GF1 DCT	2.0/1.9	N/A	75W-85 GL-4	USE	OEM	FLUID							
	19-20	L4	1.6L	D7UF1 DCT	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID							
Venue	20	L4	1.6L	ICVT	6.3/6.5	N/A	Kia IVTF SP-CVT1				LUBEGARD CVT						
	07-10	V6	3.0L, 3.8L (G6DA)	F21	7.4/7	N/A	Toyota Type T-IV				*DM, MV						
	11-12	V6	3.0L, 3.8L (G6DA)	A6MF2, A6MF2H	7.7/7.3	N/A	Hyundai SP IV				DVI, MLV						
XG300, XG350	99-05	V6	3.0, 3.5L	F5A51	8.9/8.5	N/A	Hyundai SP-III				*DM, DVI, MV						
INFINITI																	
FX35	08-12	V6	3.5L (VQ35HR)	RE5R05A	10.9/10.3	N/A	Nissan Matic-S				DVI, MLV						
	09-12	V6, V8	3.5, 4.5L	RE7R01A, RE7R01B	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
FX35/50	09-13	V6	3.5L (VQ35HR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
	09-13	V8	5.0L (VK50VE)	RE7R01B	12/11.3	N/A	Nissan Matic-S				DVI, MLV						
FX45	03-08	V6, V8	3.5, 4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	G20	L4	2.0L	RL4F03A/V	7.3/6.9	N/A	Nissan Matic-D				*DM, DVI, MV						
	G25	V6	2.5L (VQ25HR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
G35 & Coupe	03-08	V6	3.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	G37	V6	3.7L (VQ37VVR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
I30/I35	95-05	V6	3.0L	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
I35	04	V6	3.5L	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
JX35	13	V6	3.5	CVT	10.7/10.2	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
M35	06-08	V6	3.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
M35H	09-10	V6, V8	3.5 (VQ35HR), 4.5L (VQ45DE)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
M37	12-13	V8	4.5L (VQ45DE)	RE701H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
M45	03-08	V8	4.5L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
M56	11-13	V8	5.5L (VK56VD)	RE7R01B	10.5/10	N/A	Nissan Matic-S				DVI, MLV						
Q45	94-01	V8	4.1L	RE5R01A	11.1/10.5	N/A	Nissan Matic-D				*DM, DVI, MV						
Q45	02	V8	4.5L	RE4R05A	10.7/10.1	N/A	Nissan Matic-J				SYN DM, DVI, MV						
Q45	02-06	V8	4.5L	RE5R05A	10.8/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
Q45	03-06	V8	4.5L	RE4R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
Q50	14-18	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q50	16-20	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q50 Hybrid	17-20	V6	3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q50 Hybrid	16-17	V6	3.4L	RE7R01H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
Q60	14-15	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q70	16-17	L4, V6	2.0, 3.0L	RE7R01A	10.7/10.1	N/A	Nissan Matic-S				DVI, MLV						
Q70 Hybrid	15-17	V6, V8	3.7, 5.6L	RE7R01A	10.5/10	N/A	Nissan Matic-S				DVI, MLV						
QX4	14-19	V6	3.4L	RE7R01H	7.4/7	N/A	Nissan Matic-S				DVI, MLV						
QX4	97-03	V6	3.3L	RE4R01A	9/8.5	N/A	DEXRON III				DM, DVI						
QX50	14-17	L4, V6	2.0, 3.0L	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
QX50	19-20	L4, V6	2.0, 3.0L	GEOF10A CVT	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX56	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
QX60	11-13	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
QX60	14-17	V6	3.5L	REOF10E	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX60 Hybrid	19-20	V6	3.0L	REOF10	9.3/8.8	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX70	14-17	L4	2.5L	REOF02H	6.2/5.9	N/A	NS-3 CVT Fluid				LUBEGARD CVT						
QX70	14-17	V6, V8	3.7, 5.6L	RE7R01B	12/11.3	N/A	Nissan Matic-S				DVI, MLV						
QX70 Hybrid	14-17	V6	3.7L	RE7R01H	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
QX80	14-20	V8	5.6L	RE7R01B	10.6/10	N/A	Nissan Matic-S				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- | | | | |
|------|--|------|--|
| DM | DEXRON®/MERCON® | LG6 | Lifeguard® 6 |
| DVI | DEXRON® VI | LG8 | Lifeguard® 8 |
| DULV | Dexron Ultra LV | DHP | Dexron® HP |
| MV | MERCON® V | * | Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. |
| MLV | MERCON® LV | MLUV | MERCON® Ultra LV |
| SYN | The use of a synthetic base fluid is required. | | |



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt./Liter	Service Fill Qt./Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
ISUZU																	
1280, 1350	06	N/A	N/A	4L65-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
1290, 1370	07-08	L6, I5	2.9, 3.7L	4L60-E	11.2/10.6	5/4.7	DEXRON VI				MLV						
Amigo	99-02	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A	DEXRON III				DM, DVI						
Ascender	03-08	V6, V8	4.2, 5.3L	4L60-E	11.2/10.6	5/4.7	DEXRON III				DM, DVI						
Axiom	99-04	V6	3.2, 3.5L	4L30-E	9.1/8.6	N/A	DEXRON III				DM, DVI						
Hombre	96-00	L4	2.2, V6 4.3L	4L60-E	8.8/8.3	5/4.7	DEXRON III				DM, DVI						
Oasis	96-02	L4	2.2, 2.3, 2.4, 2.5L	MPJA	6.6, 6/6.3	2.5/2.4	Honda Genuine ATF Z-1				DM, DVI, MV						
Rodeo	91-02	All	N/A	4L30-E	9.3/8.8	3.2/3	DEXRON III				DM, DVI						
Trooper	90-02	V6	3.2, 3.5L	4L30-E	8.7/9.2	N/A	Isuzu Genuine Fluid				SYN DM, DVI, MV						
Truck NPR	95-02	V8	5.7L	4L80-E	13.5/12.8	7.7/7.3	DEXRON III				DM, DVI						
JAGUAR																	
E-Pace	18-20	L4	2.0L	ZF 9HP48	6.9/6.5		Shell M-L12108				Syn DVI, DHP, LG 8						
F-Type	14-15	V6	5.0L	ZF 6HP28	10.7/10.1	N/A	Shell M-1375.4				DVI, MLV						
	16-20	V6, V8	3.0, 5.0L	ZF 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
F-Pace	17-20	V-6	3.0L	ZF 8HP45/ 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
S-Type	00-02	V6, V8	3.0, 4.0L	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
	03-06	V6	3.0L	ZF 6HP26	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
Vanden Plas	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
X-Type AWD	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	02-06	V6	3.0L	JF506K	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
XE	17-20	V6, V8	3.0, 5.0L	ZF 8HP45/ 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XF (X250)	09-10	V6, V8	2.7, 3.0, 4.2, 5.0L	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	11-15	V6, V8	3.0 (AJ27), 5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XF	16-20	V6, V8	3.0, 5.0L	ZF 8HP45/ 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XFR	10-12	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XFR-S	10-15	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XJ8/XJL	98-03	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
	04-06	V8	4.2L	ZF 6HP26	N/A	N/A	Jaguar Fluid 8342				DVI, MLV						
	98-03	V8	4.0L Schargd	ZF 5HP24	13.7/13	5.8/5.5	Shell 3403-M 115				SYN DM, D6, MV						
XJR	04-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10-16	V6, V8	4.2, 5.0L	ZF 6HP28	10.6/10	N/A	Shell M-1375.4				DVI, MLV						
	17-18	V6, V8	3.0, 5.0L	ZF 8HP45/ 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XJS & XJ12	93-02	V12	6.0L	4L80-E	13.5/12.8	5/4.7, 7.7/7.3	DEXRON III				DM, DVI						
	98-02	V8	4.0L Schargd	4L80-E	13.5/12.8	4.2/4	DEXRON III				DM, DVI						
XJ (X350)	04-09	V6, V8	2.7 (TD6V), 3.0 (AJ27), 4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10-16	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XJ (X351)	17-19	V6, V8	3.0, 5.0L	ZF 8HP45/ 8HP70	9.0/8.5	N/A	Shell M-L12108				Syn DVI, DHP, LG 8						
XJL	10-16	V6, V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
	97-00	V8	4.0L	ZF 5HP24	13.7/13	4.2/4	Esso Type LT 71141				SYN DM, MV						
XK8	01-02	V8	4.0L	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
	03-09	V8	4.2L (AJV8)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
	10	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Jaguar Fluid 8342				DVI, MLV						
XKR	03-09	V8	4.2L (AJV8)	5R55N	N/A	N/A	Esso Type LT 71141				SYN DM, MV						
	10-15	V8	5.0L (AJ133)	ZF 6HP26	10.6/10	6.4/6	Jaguar Fluid 8342				DVI, MLV						
XKR-S	10-15	V8	5.0L (AJ133)	ZF 6HP28	10.6/10	N/A	Shell M-1375.4				DVI, MLV						
JEEP																	
Cherokee	87-01	L4	2.5, L6 4.0L	A340F	8.5/8	4.2/4	DEXRON III				DM, DVI						
	95-01	L4	2.5, L6 4.0L	A904	8.2/7.8	2/1.9	Mopar ATF+4				*DM, MV						
	14-20	L4, V6	2.4, 3.2L	948TE	N/A	6.4/6.0	Mopar 8&9-speed ATF				LG8, MULV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Commander	06-10	V6	3.7L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4				*DM, MV						
	06-10	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4				*DM, MV						
Compass	07-17	L4	2.0, 2.4L	CVT2	8.6/8.1	4/3.8	Mopar CVT+4 (VTF)				LUBEGARD CVT						
	14-17	L4	2.0, 2.4L	6F24	7.4/7.0	4.3/4	SK ATF SPIV				DVI,MLV						
Gladiator	17-20	L4	2.4L	6F25	6.6/6.2	N/A	MOPAR AW-1										
	17-20	L4	2.4L	948TE	N/A	6.4/6.0	Mopar 8&9-speed ATF										
Grand Cherokee	20	V6	3.0L, 3.6L	8HP50	9.5/9.0	N/A	Mopar 8&9-speed ATF										
	98-01	V8	5.9, L6 4.0L	A500, 42, 44RE	12.2/11.6	4/3.8	Mopar ATF+4										
Grand Cherokee	98-04	V8	5.9L	A500, 42, 44RE	12.2	4/3.8	Mopar ATF+4										
	98-04	V8	5.2L	A518, 46RE	14.1/13.4	4/3.8	Mopar ATF+4										
Grand Cherokee	99-04	V8	4.7L	45RF-E	14/13.3	5/4.7	Mopar ATF+4										
	02-07	L6, V8	4.0, 5.9L	A500, 42, 44R-E	14.1/13.4	4/3.8	Mopar ATF+4										
Grand Cherokee	04-05	V6	3.7, 4.7L	545RFE 1	14/13.3	5.4/5.2	Mopar ATF+4										
	05-12	V8	4.7, 5.7L	545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4										
Liberty	06-10	V6, V8	3.0, 3.7L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4										
	06-12	V8	6.1L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4										
Liberty	13-20	V6, V8	3.0, 5.7L	8HP45/8HP70	9.8/5	9/8.5	Mopar 8&9-speed ATF										
	13-20	V8	6.1, 6.4L	8HP70, 8HP75	9/8.5	9/8.5	Mopar 8&9-speed ATF										
Liberty	18-20	V8	6.1L, 6.4L	8HP95	9.5/9.0	N/A	Mopar 8&9-speed ATF										
	02	L4, V6	2.4, 3.7L	45RFE	14/13.3	5/4.7	Mopar ATF+4										
Liberty	03-06	L4	2.8L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4										
	03-09	V6	3.7L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4										
Liberty	03-12	L4, V6	2.4, 3.7L	545RFE	16.9/16, 14.8/14	5/4.7	Mopar ATF+4										
	05-06	L4	2.8L	545RFE	14/13.3	5/4.7	Mopar ATF+4										
Liberty	06-07	L4	2.8L	545RFE	16.9/16, 14.8/14	5/4.7	Mopar ATF+4										
	08-12	L4	2.8L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4										
Patriot	07-17	L4	2.0, 2.4L	CVT	8.8/8.4	4/3.8	Mopar CVT+4 (VTF)										
	12-17	L4	2.0, 2.4L	6F24	7.4/7	4.3/4	SK ATF SPIV										
Renegade	15-20	L4	1.4, 2.4L	948TE/9HP48	N/A	6.4/6	Mopar 8&9-speed ATF										
	97-02	L4	2.5L	30RH, 32RH	8.5/8	4/3.8	Mopar ATF+4										
Wrangler	01	L6	4.0L	42RLE	12.3/11.7	4/3.8	Mopar ATF+4										
	02-03	L6	4.0L	42RLE	10/9.5	4/3.8	Mopar ATF+4										
Wrangler	04-08	L4	2.5L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4										
	07-11	V6	3.8L	42RLE	8.8/8.3	4/3.8	Mopar ATF+4										
Wrangler	07-12	L4	2.8L	45RFE, 545RFE	16.9/16, 14.8/14	6.5/6.2	Mopar ATF+4										
	12-17	V6	3.6L	NAG 1	8.1/7.7	5.3/5	Mopar ATF+4										
Wrangler	12-17	V6	3.6L	948TE/9HP48	6.4/6.0	2.7/2.5	Mopar 8&9-speed ATF										

KIA

Amanti	04-07	V6	3.5L	F5A51-3	8.5/9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Borrego (HM)	06-09	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Borrego (HM)	09-10	V8	4.6L (G8BA)	ZF 6HP26	10.6/10	6.4/6	Shell M-1374.5				DVI, MLV						
Cadenza	14-17	V6	3.3L	6AT	8.2/7.8	N/A	Kia ATF Red-1				DVI, MLV						
Entourage	17	V6	3.3L	8AT	7.4/7	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Forte	06-08	V6	3.8L	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				DVI, MLV						
	10-12	L4	2.0L (G4KD)	A4CF2	6.9/6.6	N/A	Kia Diamond SP-III				DVI, MLV						
Forte	10-12	V6	2.4L (G6KE)	A5CF2	8/7.6	N/A	Kia Diamond SP-III				DVI, MLV						
	15-20	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Forte Koupe	18-20	L4	2.0L	D7UFI	2.0/1.9	N/A	70W GL-4	USE	OEM	FLUID	DVI, MLV						
	17	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Forte5	17-18	L4	1.6,1.8, 2.0L	A6MF1/A6GF1	7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	19-20	L4	2.0L	COGF1	7.1/6.7	N/A	IVTF SP-CVT1				LUBEGARD CVT						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

K
L

KIA cont.							OPTION 1 (when using the OEM recommended ATF)			OPTION 2 (as an OEM fluid alternative)			OPTION 3 (whole fluid option)				
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
K900	15-18	V6, V8	3.8, 5.0L	8AT	10.1/9.6	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	19-20	V6, V8	3.3L, 3.8L, 5.0L	A8LR1, A8TR1-1	9.7/9.2	N/A	Kia SP IV RR				SYN DVI, MLV						
Niro	17-20	L4	1.6L	D6KF1	1.8/1.7	N/A	70W GL-4	USE	OEM	FLUID	*DM, DVI, MV						
Optima	01-07	L4, V6	2.4, 2.5, 2.6L	54A42	9.8/5	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	06-10	V6, L4	2.7 (G6EA), 2.4L (G4KE)	A5GF1	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	07-08	L4, V6	2.4,	F4A42	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	11-12	L4, V6	2.0L (G4KD), 2.4L (G6KE)	A6MF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	13-17	L4	2.0L (G4KD), 2.4L (G6KE)	A6LF2, A6MF2-1	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Optima Hybrid	16-20	L4	1.6L, 2.0L, 2.4L	D7UF1	2.1/2.0		70W GL-4	USE	OEM	FLUID	DVI, MLV						
	11	L4	2.4L	A6MF2H	5.3/5.0, 6.9/6.5	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	11-17	L4	2.0L	A6MF2H	6.3/6	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Rio, Rio 5	02-04	L4	1.5, 1.6L	F4A-EL	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	02-07	L4	1.5, 1.6L	F4E-K	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	05-11	L4	1.6L (G4ED)	A4AF3	6.4/6.1	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Rio Cinco	06-07	L4	1.6L	F4E-KL	6.2/5.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	12-19	L4	1.6L	A6GF1	7.7/7.3	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	20	L4	1.6L	A6GF1-2	6.8/6.5		IVTF SP-CVT1				LUBEGARD CVT						
Rondo	07-10	V6	2.7L (G6EA)	A5GFI	10/9.5	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	07-10	L4	2.4L (G4KC)	F4A42	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Sedona	02-05	V6	3.5L	F5A51	9/8.5	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	06-11	V6	3.8L (G6DA)	A5HF1	11.5/10.9	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP VI				DVI, MLV						
Sephia	14-20	V6	3.3L	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP VI				DVI, MLV						
	97-02	L4	1.8L	F4A-EL	5.7/5.4	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	03-04	V6	3.5L	A44DE	10.8/10.2	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Sorento	05-06	V6	3.5L (G6DC)	RE5R05A	10.6/10, 11.5/10.9	N/A	Kia ATF Red-1				DVI, MLV						
	07-10	V6	3.3 (G6DB), 3.8L (G6DA)	A5SR1 / A5SR2	10.6/10	N/A	Kia ATF Red-1				DVI, MLV						
	11-13	L4	2.4L (G4KE)	A6MF2	7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
Soul	11-13	V6	3.5L (G6DC)	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	14-17	L4, V6	2.0L, 2.4L, 3.3L	A6LF2	8.2/7.8	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	10-11	L4	1.6 (G4FC), 2.0L (G4GC)	A4CF1, A4CF2	6.9/6.6	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Soul Turbo	12-19	L4	1.6L	A6GF1	7.7/7.3	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	14-18	L4	2.0L	A6MF1	7.0/6.7	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	17-20	L4	2.0L	7-speed DCT	2.1/2.0		70W GL-4	USE	OEM	FLUID	DVI, MLV						
Soul EV	18-20			1-speed Reduction Gear	1.5/1.4	N/A	70W GL-4	USE	OEM	FLUID	DVI, MLV						
	00-07	L4	1.8L	F4A-EL	5.7/5.4	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	04-05	L4	2.0L	F4A-EL	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Spectra	06-09	L4	2.0L (G4GC)	A4CF2	6.5/6.2	N/A	Kia Diamond SP-III				*DM, DVI, MV						
	97-02	L4	2.0L	03-72LE (A44DE)	6.7/6.3	2.5/2.4	DEXRON III				DM, DVI						
	05-10	L4, V6	2.0 (G4GC), 2.7L (G6BA)	F4A42	8.2/7.8	N/A	Kia Diamond SP-III				*DM, DVI, MV						
Sportage	11-12	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	14-20	L4	2.0 (G4GC), 2.4L (G4KE)	A6MF1, A6LF2	8.2/7.8, 7.5/7.1	N/A	Kia Genuine ATF SP-IV				DVI, MLV						
	18-20	L4, V6	2.0L, 3.3L	A8R1-1, A8TR-1	9.7/9.2	N/A	Kia SP IV RR				SYN DVI, MLV						
Stinger	20	V6	3.8L	A8LF-1	7.4/7.0		Kia Genuine ATF SP-IV				DVI, MLV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)

- Lubegard Synthetic ATF (68112 CVT)
- Lubegard DCT ATF (56032 DCT)
- Lubegard ATF (69032 ATF)



LAND ROVER

Discovery	02-07	V8	4.6L	ZF 4HP22A/24A	10.2/9.7	N/A	Esso Type LT 71141				SYN DM, MV						
	17-20	L4	2.0L, 3.0L	ZF8HP	9.0/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Discovery Sport	15-17	L4	2.0L, 2.2L (Diesel)	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
	18-20	L4	2.0L, 3.0L	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Evoque	12-13	L4	2.0L, 2.2 L (Diesel)	AW21	7.4/7	N/A	Nippon AW-1 ATF				SYN DM, D6, MV						
	14-17	L4	2.0L, 2.2 L (Diesel)	ZF9HP	6.9/6.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Freelander	02-05	V6	2.5L	JF506-E	9/8.5	4.2/4	Texaco N402				SYN DM, MV						
LR2	07-15	L6	3.2L (SI6)	AW F21	7.4/7	N/A	LR002748				SYN DM, MV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
LR-3	05-09	V6, V8	2.7 (TDV6), 4.0, 4.4L (AJ41)	ZF 6HP26A	10.5/9.5	N/A	LRN13754				DVI, MLV						
LR-4	10-12	V6, V8	3.0 (TDV), 5.0L (AJ133)	ZF 6HP28	10.7/9.9	N/A	LRN13754				DVI, MLV						
	10-12	V6, V8	4.0, 5.0L (AJ133)	ZF 6HP26	10.5/9.5	N/A	LRN13754				DVI, MLV						
Range Rover	03-05	V8	4.4L	5-speed	10.4/9.9	N/A	Esso Type LT 71141				SYN DM, MV						
	06-10	V8	4.2, 4.4, 5.0L	ZF6HP26A	10/9.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
	11-17	V6, V8	3.0, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
	18-20	V6, V8	3.0, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
Velar	18-20	L4, V6, V8	2.0L, 3.0L, 5.0L	ZF8HP	9/8.5	N/A	Shell M-L12108				SYN DVI, DHP, LG 8						
LEXUS																	
CT200H	11-17	L4	1.8L	P410 HYBRID	3.6/3.4	N/A	Toyota Type WS				DVI, MLV						
ES300	99-01	V6	3.0L	U140-E	8.8/8.3	3.7/3.5	Toyota Type T-IV				*DM, MV						
	99-03	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
ES300H	13-18	V6	3.0L	P314	3.9/3.7	N/A	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.0L, 2.5L, 3.5L	P710, P711	4.1/3.9	N/A	Toyota Type WS				DVI, MLV						
ES330	03-07	V6	3.3L	A541-E	8.7/8.3	3.7/3.3	Toyota Type T-IV				*DM, MV						
	04-07	V6	3.3L	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV						
	07-08	V6	3.3L	A960-E	4.4/4.2	1.7/1.6	Toyota Type WS				DVI, MLV						
ES350	07-12	V6	3.5L (2GR)	U660-E, U660F	6.9/6.7	3/2.8	Toyota Type WS				DVI, MLV						
	07-08	V6	3.5L	A960-E	8.2/7.8	1.8/1.7	Toyota Type WS				DVI, MLV						
	09-18	V6	3.5L	U660-E, U660F	6.9/6.6	3/2.8	Toyota Type WS				DVI, MLV						
	19-20	V6	3.5L	UA80E	8.0/7.6	4.1/3.9	Toyota Type WS				DVI, MLV						
GS200T	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						
GS300	18-19	L6	3.0L	A760H	10.6/10.0	1.7/1.6	Toyota Type WS				DVI, MLV						
	00	L6	3.0, V8 4.0L	A341-E, A650-E	8.3/7.9, 8.7/8.3	2.5/2.4, 2.1/2	Toyota Type T-IV				*DM, MV						
GS300/GS400	02-07	L6	3.0, V8 4.0L	A350-E, A650-E	9.1/8.6, 8.7/8.2	2/1.9, 2.1/2	Toyota Type T-IV				*DM, MV						
	06-08	V6, V8	3.3, 4.0L	A761-E, A760H	11.5/10.9, 5/4.7	3.3/3, 1.7/1.6	Toyota Type WS				DVI, MLV						
	06-07	V6	3.5, 4.6L	A960-E	7.6/7.2	1.6/1.5	Toyota Type WS				DVI, MLV						
GS350	07-10	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6	Toyota Type WS				DVI, MLV						
	11	V6	3.5L (2GR)	A760-E, A760H	8.3/7.9	1.7/1.6	Toyota Type WS				DVI, MLV						
GS430	13-20	V6	3.5L (2GR)	A760-E, A760H	10/9.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	03-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV						
	07-10	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	N/A	Toyota Type WS				DVI, MLV						
GS450H	11	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7	Toyota Type WS				DVI, MLV						
	13-17	V8	4.6L (1UR)	L110 HYBRID CVT	11.4/10.8	6/5.7	Toyota Type WS				DVI, MLV						
GS460	08-10	V8	4.6L (1UR)	AA80-E	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
	11	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
GSF	16-20	V8	4.6L (1UR)	AA81E	11.8/11.2	3.9/3.7	Toyota Type WS				DVI, MLV						
GX460	10	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
GX470	11-20	V8	4.6L (1UR)	A760F	11.4/10.8	3.4/3.2	Toyota Type WS				DVI, MLV						
HS250H	03-09	V8	4.7L (2UZ)	A750, A750F	11.5/10.5	1.4/1.3	Toyota Type WS				DVI, MLV						
IS200T	10-12	L4	2.4L (2AZ)	P311 HYBRID	4.4/4.2	N/A	Toyota Type WS				DVI, MLV						
IS250, 350	16-17	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						
	06-12	V6	2.5 (4GR), 3.5L (2GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7	Toyota Type WS				DVI, MLV						
IS250C	10	V6	2.5L (4GR)	A760H, A960-E	8/7.5/6.5, 8.2/7.8/6.9	1.7/1.6, 1.8/1.7	Toyota Type WS				DVI, MLV						
	11-15	V6	2.5L (4GR)	A760H, A960-E	7.9/7.5, 9.9/9.4	1.9/1.8, 3/2.8	Toyota Type WS				DVI, MLV						
	04-05	V6	3.0L	A650E	8.5/8.0	2.5/2.4	Toyota Type T-IV				*DM, MV						
IS300	16-17	V6	3.5L	A760H	10.6/10	1.7/1.6	Toyota Type WS				DVI, MLV						
	18-20	V6	3.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

L

LEXUS cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	OPTION 1 (when using the OEM recommended ATF)			OPTION 2 (as an OEM fluid alternative)			OPTION 3 (whole fluid option)		
								60902	63010	67010	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
IS350C	06-10	V6	3.5L (2GR)	AS760-E, A7600H	8.3/7.9, 10.5/10	1.9/1.8, 3/2.8	Toyota Type WS				DVI, MLV					
	11-15	V6	3.5L		9.9/9.4, 7.9/7.5	3/2.8, 1.9/1.8	Toyota Type WS									
IS-F	16-20	V6	3.5L	A760H	10.6/10	1.7/1.6	Toyota Type WS				DVI, MLV					
	08-10	V8	5.0L (2UR)	AA80-E	11.6/11	3.4/3.2	Toyota Type WS				DVI, MLV					
LC500	11-14	V8	5.0L (2UR)	AA80F	11.6/11	3.6/3.4	Toyota Type WS				DVI, MLV					
	18-20	V8	5.0L	AA81E	9.5/8.8	3.7/3.6	Toyota Type WS				DVI, MLV					
LC500h	18-20			L310	7.2/6.8	1.7/1.6	Toyota Type WS				DVI, MLV					
	98-02	V8	4.0L	A650-E	8.8/8.3	2/1.9	Toyota Type T-IV				*DM, MV					
LS400	07	V8	4.6L	A761-E	10.5/9.9	3/2.8	Toyota Type WS				DVI, MLV					
	07-12	V8	4.6L (1UR)	AA80-E, AA80F	11.4/10.8, 10.9/10.3	3.4/3.2	Toyota Type WS				DVI, MLV					
LS430	04-06	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV					
	04-06	V8	4.3L	A761-E	11.5/10.9	3.2/3	Toyota Type WS				DVI, MLV					
LS460	08-17	V8	4.6L	AA80-E, AA80F	11.3/10.7	3.4/3.2	Toyota Type WS				DVI, MLV					
	18-20	V6	3.5L	L310F	7.2/6.8	1.7/1.6	Toyota Type WS				DVI, MLV					
LS500h	08-10	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	1.2/1.1	Toyota Type WS				DVI, MLV					
	08-16	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5	Toyota Type WS				DVI, MLV					
LS600H	11-12	V8	5.0L (2UR)	L110-F HYBRID	6/5.7	5.8/5.5	Toyota Type WS				DVI, MLV					
	98-02	V8	4.7L	A343F	12.3/11.7	2/1.9	DEXRON III				DM, DVI					
LX470	03	V8	4.7L	A750-E	11.2/10.6	3.1/3	Toyota Type T-IV				*DM, MV					
	04-07	V8	4.7L	A750-E/F	11.2/10.6	3.1/3	Toyota Type WS				DVI, MLV					
LS570	08-11	V8	5.0L (2UR)	AB60F	12.4/11.7	2.2/2	Toyota Type WS				DVI, MLV					
	13-20	V8	5.0L (2UR)	AB60F	12.6/11.9	2.2/2	Toyota Type WS				DVI, MLV					
NX200T	15-20	L4	2.0L	U661E, U661F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV					
NX300	15-20	L4	2.0L	U661E, U661F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV					
NX300H	15-20	L4	2.5L	P314, Q211	4/3.8	1.9/1.8	Toyota Type WS				DVI, MLV					
RC200T	16-20	L4	2.0L	AA81E	9.2/8.7	3.4/3.2	Toyota Type WS				DVI, MLV					
RC300	16-20	V6	3.5L	A760H	10.6/10	3.4/3.2	Toyota Type WS				DVI, MLV					
RC350	15-20	V6	3.5L	AA81E	10/9.5	3.4/3.2	Toyota Type WS				DVI, MLV					
RCF	15-20	V8	5.0L	A80F	11.8/11.2	3.9/3.7	Toyota Type WS				DVI, MLV					
RX300	98-02	V6	3.0L	A247E, 4140-E	8.7/8.2	3.5/3.3	Toyota Type T-IV				*DM, MV					
RX330	99-02	V6	3.0L	A540H, U140F	9.7/9.2	4.3/4.1	Toyota Type T-IV				*DM, MV					
RX350	04-06	V6	3.3L	U140E, U140F	N/A	3.7/3.5	Toyota Type T-IV				*DM, MV					
	07-09	V6	3.5L (2GR)	U151F	9.3/8.8	3.4/3.2	Toyota Type WS				DVI, MLV					
RX350	10-12	V6	3.5L (2GR)	U660-E, U660-F, U661E	6.7/6.5, 7/6.7	3/2.8	Toyota Type WS				DVI, MLV					
	13-17	V6	3.5L (2GR)	U661F, U880F, U881F	7.4/7	3.4/3.2	Toyota Type WS				DVI, MLV					
RX350L	13-20	V6	3.5L (2GR)	U661F, U880F, U881F	7.4/7	3.4/3.2	Toyota Type WS				DVI, MLV					
	19-20	V6	3.5L	U881F	7.2/6.8	3/2.8	Toyota Type WS				DVI, MLV					
RX400H	06-08	V6	3.3L (3MZ)	P310 HYBRID, Q211 HYBRID	N/A	4.1/3.9, 1.8/1.7	Toyota Type WS				DVI, MLV					
	10-20	V6	3.5L	P313	N/A	5.1/4.8										
RX450h	10-12	V6	3.5L (2GR)	P313 Hybrid, Q211 Hybrid	N/A	4.9/4.6, 1.9/1.8	Toyota Type WS				DVI, MLV					
	13-20	V6	3.5L (2GR)	P313 HYBRID, Q211 HYBRID	N/A	5.1/4.8, 1.9/1.8	Toyota Type WS				DVI, MLV					
SC	03-07	V8	4.3L	A650-E	9.4/8.9	1.9/1.8	Toyota Type T-IV				*DM, MV					
SC300	92-05	V6	3.0L	A340-E	7.6/7.2	2/1.9	Toyota Type T-IV				*DM, MV					
SC400	00-04	V8	4.0L	A350-E, A650-E	8.7/8.2	2.5/2.4	Toyota Type T-IV				*DM, MV					
SC430	04-06	V8	4.3L	A650-E, A761-E	9.4/8.9, 11.5/10.9	1.9/1, 3.3/3	Toyota Type WS				DVI, MLV					
	07-10	V8	4.3L (3UZ)	A761-E	9.1/8.6	1.4/1.3	Toyota Type WS				DVI, MLV					
UX200	19	L4	2.0L	P710/P711	4.0/3.8	N/A	Toyota Type WS				DVI, MLV					
UX250H	19	L4	2.0L	P710/P711			Toyota Type WS				DVI, MLV					

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
LINCOLN																	
Aviator	03-07 20-21	V8 V-6	4.6L 3.0L	5R55W 10R80	12.7/12 13.0/12.3	N/A 12.6/11.9	MERCON V MERCON ULV				*DM						
Blackwood	02-07	V8	5.4L	4R100	17.1/16.2	6.5/6.1	MERCON				DM, MV						
Continental	98-02 17-20 20-21	V8 V6 L4	4.6L 3.0L 2.0L	AX4N, AX4S 6F50/6F55 8F24	13.7/13 11.6/11 8.5/8.0	N/A N/A N/A	MERCON V MERCON LV MERCON ULV				*DM DVI DULV						
Corsair	20-21	L4	2.3L, 2.5L	8F35/8F40	11.6/11.0	N/A	MERCON ULV				DULV						
LS	00-06	V6, V8	3.8, V8 3.9L	5R55N	11.9/11.2	N/A	MERCON V				*DM						
MKC	15-19	L4	2.0, 2.3L	6F35	9/8.5	N/A	MERCON LV				DVI						
MKX	07-09 11-18	V6	3.5L 3.5L	6F50/6F55 6F50/6F55	9.4/8.9 11/10.4	N/A	MERCON V MERCON LV				*DM DVI						
MKZ	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
	07-08	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
	07-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Mazda ATF M-V				*DM, DVI, MV						
	11-16	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	13-16	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
MKZ Hybrid	17-20	L4	2.0L	HF35	5.7/5.4	N/A	MERCON LV				DVI						
MKS	09-15	V6	3.5, 3.7L	6F35/6F50/ 6F55	9.4/8.9, 11.6/11	N/A	MERCON LV				DVI						
MKT	10-19	V6	3.5, 3.7L	6F50/6F55	9.4/8.9	N/A	MERCON LV				DVI						
MARK LT	06-09	V8	4.6, 5.4, 6.2L	4R70W/75E	13.9/13.2	5/4.7	MERCON V				*DM						
Nautilus	09-10	V8	4.6, 5.4, 6.2L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
Navigator	19-20		2.0L, 2.7L, 3.7L	8F35, 8F57	13.2/12.5	N/A	MERCON ULV				DULV						
	98-04	V8	5.4L	4R100	13.9/13.2	5/4.7	MERCON V				*DM						
	05-08	V8	5.4L	ZF 6HP26	13.9/13.2	5/4.7	MERCON SP				DVI						
	07-08	V8	5.4L	6R75	11/10.5	3.5/3	MERCON SP				DVI						
	09-17	V8	5.4L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
Town Car	18-20	V6	3.5L	10R80	13.1/12.4	N/A	MERCON ULV				DULV						
	88-07	V8	5.0, 5.4, 4.6L	AOD-E/W, 4R70W	13.6/12.9	5/4.7	MERCON V				*DM						
Zephyr	08-10	V8	4.6L	4R70E/4R75E	13.9/13.2	5/4.7	MERCON V				*DM						
MAZDA																	
2	11-14	L4	1.5L	FN4A-EL (4F27E)	4.8/4.5	N/A	Mazda ATF M-V				*DM, DVI, MV						
	04	L4, V6	2.3, 3.0L	J5A-EL	9.7/9.2	N/A	MERCON V				*DM						
3	05-09	L4,	2.0 (LF), 2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	08-10	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	F55A-EL	8.6/8.1	3.2/2.6	Mazda ATF M-V				*DM, DVI, MV						
	11-12	L4	2.0 (LF), 2.5 (L5), 2.5L (L3)	FS5A-EL	8.5/8	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
5	13-20		2.0 (LF), 2.5 (L5)	FW6A-EL	8.2/7.8	3.5/3.3	Mazda ATF FZ				LG 6, DVI						
	04-07	L4	2.3L	4F27E	7.6/7.2	N/A	MERCON V				*DM						
	06-08	L4	2.3L (L3)	FN4A-EL (4F27E)	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	09-10	L4	2.3L (L3)	FN5A-EL	5.3/5	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
	12-15	L4	2.3L (L3)	FN5A-EL	8.5/8.1	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
6	03-05	L4	2.3L	FN4A-EL	7.6/7.2	N/A	Mazda ATF M-V				*DM, DVI, MV						
	06-07	L4	2.3L	FNR5	8.5/8	N/A	Mazda ATF M-V				*DM, DVI, MV						
	07-10	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7.4/7	Mazda JWS 3309				*DM, MV						
	07-11	L4, V6	2.5 (L5), 3.7L (MZ1)	FS5A-EL	8.6/8.1	3.2/2.6	Mazda ATF M-V				*DM, DVI, MV						
	11-12	L4, V6	2.5 (L5), 3.7L (MZ1)	AW6A-EL	N/A	7/6.6	Mazda JWS 3309				*DM, MV						
13-17	13-17	L4, V6	2.5 (L5), 3.7L (MZ1)	FW6A-EL	8.2/7.8	3.7/3.5	Mazda ATF FZ				LG 6, DVI						
	18-20	L4	2.5L	FW6A-EL, GW6AX-EL, GW6A-EL	8.4/8.0	3.5/3.3	Mazda ATF FZ				LG 6, DVI						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

- | | | | |
|------|------------------|-----|--|
| DM | DEXRON®/MERCON® | LG6 | Lifeguard® 6 |
| DVI | DEXRON® VI | LG8 | Lifeguard® 8 |
| DULV | Dexron Ultra LV | DHP | Dexron® HP |
| MV | MERCON® V | * | Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. |
| MLV | MERCON® LV | SYN | The use of a synthetic base fluid is required. |
| MULV | MERCON® Ultra LV | | |



OEM ATF and Conversion Chart

M

MAZDA cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
626/MX6	96-04	V6	2.5L	GF4-AEL	8.5/8	N/A	DEXRON III, MERCON				DM, DVI, MV						
	98-04	L4	2.0L	CD4E	9.2/8.7	N/A	MERCON				DM, DVI, MV						
CX3	16-20	L4	2.0L	FW6A-EL, FW6AX-EL	8.2/7.8	N/A	Mazda ATF FZ				LG 6, DVI						
CX5	13-20	L4	2.0, 2.5L	EW6A-EL, EW6AX-EL	8.2/7.8	N/A	Mazda ATF FZ				LG 6, DVI						
CX7	13-17	L4	2.3L (L3)	AW6A-EL, AW6A-XEL	7.4/7	N/A	Mazda JWS 3309				*DM, MV						
	13-18	L4	2.5L (L5)	FS5A-EL	5.3/5	3.2/3	Mazda ATF M-V				*DM, DVI, MV						
CX9	13-15	V6	3.5L (MZI), 3.7L (MZI)	AW6AX-EL, AW6A-EL	7.4/6.2	N/A	Mazda JWS 3309				*DM, MV						
	16-20	V6	3.7L (MZI)	GW6A-EL, GW6AX-EL	8.0/7.0	N/A	Mazda ATF FZ				LG 6, DVI						
CX30	20	L4	2.5L	ET6A-EL, EV6A-EL, EV6AX-EL	8.3/7.9	3.4/3.2	Mazda ATF FZ				LG 6, DVI						
Miata	00-07	L4	1.8L	A44DE	7.1/6.7	N/A	MERCON				DM, DVI, MV						
	06-19	L4	2.0L	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
Millenia	95-02	V6	2.3L Scharg	JF403E	7.8/7.4	N/A	MERCON				DM, DVI, MV						
	97-02	V6	2.5L	GF4A-EL	9.3/8.8	N/A	MERCON				DM, DVI, MV						
MPV	99-02	V6	3.0L	RE4R01A, R4A-EL	9/8.5	N/A	MERCON				DM, DVI, MV						
	00-01	V6	3.0L	GF4A-EL	8.5/8	N/A	MERCON				DM, DVI, MV						
	02-06	V6	3.0L	5F31J	9.7/9.2	N/A	MERCON				DM, DVI, MV						
MX5	06-10	L4	2.0L (LF)	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
	97-03	V6	4.0L	5R55-E	10/9.5	4/3.8	MERCON V				*DM						
	98-03	L4	2.5, V6 3.0L	4R44-E, 4R55-E	10.3/9.8	4/3.8	MERCON V				*DM						
PU	99-09	V6	3.0, 4.0L	4R44-E, 5R44-E	10/9.5, 10.3/9.8	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
	99-09	V6	3.0, 4.0L	5R55-E	10.3/9.8	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
	00-09	L4	2.3, 2.5L	4R44-E, 5R44-E	9.9/9.4, 9.8/9.3	3.9/3.7	Mazda ATF M-V				DM, DVI, MV						
Protege	95-00	L4	1.5, 1.8, 2.0L	F4A-EL	8.5/8	N/A	MERCON				DM, DVI, MV						
	00-03	L4	2.3L	4F27E	6.9/6.6	N/A	MERCON V				*DM						
RX8	04-06	Rotary	1.3L	RC4A-EL	9.2/8.7	N/A	MERCON				DM, DVI, MV						
	06-11	Rotary	1.3L (13B-MSP) (2RTR)	SJ6A-EL	7.8/7.4	N/A	Mazda JWS 3309				*DM, MV						
Tribute	03-04	L4, V6	2.0, 3.0L	CD4E	9/8.5, 10/2.9.6	3.9/3.7	MERCON V				*DM						
	03-07	L4, V6	2.3, 3.0L	CD4E	9/8.5, 10/2.9.6	3.9/3.7	MERCON V				*DM						
Tribute	08-11	L4, V6	2.5 (L3) 3.0L	6F35	9/8.5	N/A	Mazda ATF M-V				DM, DVI, MV						
	08-11	L4	2.5L (L3) (HYBRID)	ECVT (HYBRID)	5.3/5	N/A	Mazda ATF M-V				DM, DVI, MV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)

- Lubegard CVT Fluid (68112)
- Lubegard Dual Clutch Transmission Fluid (56032)
- Lubegard ATF (69032)



MERCEDES BENZ

	ALL 5 speed Automatic Trans	ALL	N/A	5-Speed/722.6	N/A	N/A	Shell 3403-M 115				SYN DM, MV						
	05-08	ALL	N/A	7-Speed/722.7	N/A	N/A	Fuchs ATF 3353				SYN DM, MV						
	05-08	ALL	N/A	7-Speed/722.9	N/A	N/A	Fuchs ATF 3353				SYN DM, MV						
A220	19-20	L4	2.0L	724.0 (DCT)	5.4/5.1	N/A	MB Sheet 236.21 (DCT fluid)				LUBEGARD DCTF						
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	700.402 (transmission) DCT	7.4/7.0	N/A	MB Sheet 236.25 (DCT fluid)	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	Transmission heat exchanger	1.7/0.8	N/A	MB Sheet 236.25	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	700.402 (gear set) DCT	3.1/2.9	N/A	MB Sheet 236.26 (75W-90 gear oil)	USE	OEM	FLUID							
AMG GT, GT C, GT R, GT S	16-20	V8	4.0L/6.2L	Gear set heat exchanger	1.73/0.82	N/A	MB Sheet 236.26	USE	OEM	FLUID							
2500, 3500 VAN (Sprinter)	10-12	i5	3.5L	722.6	7.5/7.1	5.8/5.5	Shell 3403-M 115				SYN DM, MV						
	09-11	V6	3.0L (272.9)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
4 MATIC	11-17	V6	3.0L (272.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
	11-17	V6	3.5L (272.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
	11-17	V8	5.5L (273.9)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
C 230	94-05	L4	2.3L	722.6	8.5/8.8	N/A	Shell 3403-M 115				SYN DM, MV						
	06-07	V6	2.5L	722.7	9/8.5	N/A	Fuchs ATF 3353				SYN DM, MV						
C 240	01-05	V6	2.6L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
C 250	12-15	L4	1.8L	722.9	9.5/9	N/A	MB A 001 989 78 03				DVI, MLV						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
C280	97-05	L6	2.8L	722.6	10/9.5	N/A	Shell 3403-M 115				SYN DM, MV						
	06-08	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
C300	08-10	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
C300, C 300 4Matic	11-17	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
C32 AMG	18-20	I4	2.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
C320	02-04	V6	3.2L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
	01-05	V6	2.6L	722.6	8.5/8	N/A	Shell 3403-M 115				SYN DM, MV						
	06-08	V6	3.2L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
C350	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-15	V6	3.0L (272.947)	722.9	9.5/9	N/A	MB A 001 989 78 03				DVI, MLV						
C36	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
C400	15	V6	3.0L	722.9	10.2/9.7	N/A	MB A 001 989 78 03				DVI, MLV						
C450 AMG	16	V6	3.0L	722.9	10.2/9.7	N/A	MB A 001 989 78 03				DVI, MLV						
C450 4Matic, C450 AMG	19-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				DVI, MLV						
C43/ C43 AMG	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				SYN DM, DIV, MV						
	17-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
C55 AMG	05-06	V8	5.5L	722.6	9.2/8.7	N/A	Shell 3403-M 115				SYN DM, MV						
	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
C63 AMG	11-18	V8	6.2L	722.9	7.5/7.1	N/A	MB Sheet 236.15				DVI, MLV						
	19-20	L4, V6	2.0L, 3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				DVI, MLV						
CABRIOLET	09-10	V6	3.5L (272.961)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
CL 500	05-07	V8	5.0L	722.9	9.1/8.6	N/A	Fuchs ATF 3353				SYN DM, MV						
	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
CL 55 AMG	01-03	V8	5.5L	722.6	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
CL 55/ CLK 55	04-06	V8	5.5L	722.6	9.1/8.6	N/A	MB Sheet 236.14				DVI, MLV						
CL 550	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	07-10	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V8	4.6, 5.5L	722.9	10.2/9.7	N/A	MB Sheet 236.15				DVI, MLV						
CL 600	98-02	V12	5.8, 6.0L	722.6	9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	03-06	V12	5.5L	722.6	8.1/7.7	N/A	MB Sheet 236.14				DVI, MLV						
	07-10	V12	5.5L	722.6	7.9/7.5	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	5.5L	722.6	8.5/8	N/A	MB Sheet 236.15				DVI, MLV						
CL 63 AMG	08-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-14	V8	6.2L	722.9	7.5/7.1	N/A	MB Sheet 236.15				DVI, MLV						
	05-10	V12	6.6L	722.6	8.1/7.7	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	6.6L	722.649	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
CLA 250	14-20	L4	2.0L	724	5.6/5.3	N/A	MB Sheet 236.21 (DCT fluid)				LUBEGARD DCTF						
CLA 45 AMG	14-19	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21 (DCT fluid)				LUBEGARD DCTF						
CLK 320	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 350	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
CLK 430	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
CLK 500	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 55 AMG	04-07	ALL	N/A	722.6	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
CLK 550	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
CLK 63 AMG	04-07	ALL	N/A	722.7	9.2/8.7	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 53 AMG	19-21	V-6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				DVI, MULV						
CLS 55 AMG	04-07	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 550	09-12	V8	5.5L (273.960)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	04-06	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
CLS 63 AMG	07-10	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V6	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				DVI, DHP						
CLS 63 AMG S	14-18	V8	5.5L	722.9	8.2/7.8	N/A	MB Sheet 236.15				DVI, DHP						
	19-20	L4, V6	2.0L, 3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				DVI, MULV						
CLS 400	15/17	V6	3.0L	722.9	10.2/9.7	N/A	MB Sheet 236.15				DVI, DHP						
CLS 450	19-21	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				DVI, MULV						
CLS 500	04-07	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

M

MERCEDES BENZ cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
CLS 550	04-06	ALL	N/A	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
	07-10	V8	5.5L	722.9	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
CLS 550 (7 speed) Includes 4Matic	11-17	V8	5.5L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
CLS 550 (9 speed)	11-19	V8	5.5L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
CLS 63 AMG	09-10	V8	6.3L (156.985)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
E250/Bluetec Excludes 4MATIC	11-12	V8	6.2L	722.9	7.5/7.1	N/A	MB 001 989 68 03-10				DVI, MLV						
E250/Bluetec Excludes 4MATIC	14-16	L4	2.1L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 300, E 300 4Matic	17-21	L4	2.0L	725.0	10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
E 320	01-06	V6	3.2L	722.6	8/7.5	N/A	Shell 3403-M 115				SYN DM, MV						
	07-10	V6	3.2L	722.7	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
E 350	06-10	V6	3.5L	722.7	9.7/9.2	N/A	MB Sheet 236.14				DVI, MLV						
E 400	11-16	V6	3.5L (272.980)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 400 HYBRID	15-17	V6	3.0L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP						
E 420	13-15	V6	3.5L	724.2	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
E 420	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
E 43 AMG	17-18	V6	3.0L	725.0	10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
E 430	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
E 430	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
E 450, E 450 4Matic	19-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
E 500	03-06	V8	5.0L	722.6	8/7.5	N/A	Shell 3403-M 115				SYN DM, MV						
	98-04	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				SYN DM, DIV, MV						
E 550	07-10	V8	5.5L	722.6	9.7/9.2	N/A	Fuchs ATF 3353				SYN DM, MV						
	11-17	V8	5.5L (273.971)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-12	V8	5.5L (273.971)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
E 550 AMG	01-06	V8	5.5L	722.6	8/7.5	N/A	Shell 3403-M 115				SYN DM, MV						
E 550 CABROLET	09-10	V8	5.5L (273.966)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
E 53 AMG	19-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
	07-10	V8	6.3L	722.9	9.3/8.8	N/A	MB 001 989 68 03-10				DVI, MLV						
E 63 AMG	11-16	V8	5.5L	722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
	11-12	V8	6.2L	722.9	7.5/7.1	N/A	MB 001 989 68 03-10				DVI, MLV						
	18-20	V6	3.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
G 55 AMG	03-11	V8	5.5L	722.6	9/8.5	N/A	Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15				DVI, MLV						
G 500	98-01	ALL	N/A	722.6	9.6/9.1	N/A	MB 001 989 21 03 10				SYN DM, DIV, MV						
	02-08	V8	5.0L	722.6	9/8.5	N/A	Shell 3403-M 115				SYN DM, MV						
G 550	09-17	V8	5.5L (273.963)	722.9	9.5/9	N/A	Up to 6/18/2010 production date - MB Sheet 236.14, From 6/21/2010 production date - MB Sheet 236.15				DVI, MLV						
	18-20	V8	4.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
G 63 AMG	13-17	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
G 65 AMG	18-20	V8	4.0L	725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
GL 320 CDI	16-18	V12	6.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GL 350	07-10	V6	3.2L	722.7	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-12	V6	3.5L (272.980)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
GL 350 BLUE TEC	09-10	V6	3.0L (642.820)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-13	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-16	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GL 450	07-10	V8	4.5L (273.923)	722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
	11-13	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-16	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GL 550	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-13	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-16	V8	5.5L	722.909	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
GL 63 AMG	13	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	14-16	V8	6.3L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF	
GLA 45 AMG	15-19	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF							
GLA 250	15-20	L4	2.1L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF							
GLC43 AMG	16-20	V6	3.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF							
GLC 300	16-20	L4	2.0L	724.0	5.6/5.3	N/A	MB Sheet 236.21				LUBEGARD DCTF							
GLE 43 AMG	16-19	V6	3.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV							
GLE63 AMG	16-20	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLE63 AMG S	16-20	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLE 350	16-18	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLE 400	16-19	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLE 450 AMG	16-17	V6	3.0L	725	10.5/10	N/A	MB Sheet 236.16				SYN DM							
	20	V6	3.0L	725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV							
GLE 550e	16-18	V6	3.0L	724.2	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLK 250	13-15	L4	2.1L	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP							
GLK 350	11-15	V6	3.5L (272.991)	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLK 350 4MATIC	11-15	V6	3.5L (272.971)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP							
GLS 63 AMG	17-19	V8	5.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLS 350d	17	V6	3.5	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
GLS 450	17-19	V6	3.0	722.5	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV							
GLS 550	17-19	V8	5.5L	722.5	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV							
Metros	16-19	L4	2.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
ML 250	15	L4	2.1L	722.908	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
ML 320	00-03	V6	3.2L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV							
ML 320 CDI/Bluetec	07-10	V6	3.0L	722.7	9.5/9	N/A	MB Sheet 236.14				DVI, MLV							
	03-10	V6	3.7L	722.7	9.5/9	N/A	MB Sheet 236.14				DVI, MLV							
ML 350	11-13	V6	3.7L	722.7	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
	14-15	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
ML 400	15	V6	3.0L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV							
ML 430	01	V8	4.3L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV							
ML 450 (HYBRID)	10	V6	3.5L (272.973)	2 MODE HYBRID	13/12.3	11.5/10.9	DEXRON VI				SYN DM, D6, MV							
ML 450	11-13			722.55	12.9/12.25	N/A	MB Sheet 236.14				DVI, MLV							
ML 500	02-08	V8	5.0L	722.6	9.5/9	N/A	MB Sheet 236.14				DVI, MLV							
ML 55	96-00	ALL	N/A	722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV							
ML 55 AMG	00-03	V8	5.4L	722.6	9/8.5	N/A	MB Sheet 236.14				DVI, MLV							
	08-10	V8	5.5L (273.963)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV							
ML 550	11-13	V8	4.7L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
	14-15	V8	4.6L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
	07-10	V8	6.3L (156.980)	722.9	9.7/9.2	N/A	MB 001 989 68 03-10				DVI, MLV							
ML 63 AMG	11	V8	6.2L	722.907	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
	12-13	V8	6.2L	722.931	7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP							
	14-15	V8	6.2L	722.9	9.5/9.0	N/A	MB Sheet 236.15				LG 6, DHP							
R 320 CDI	07-10	V6	3.0L	722.7	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV							
R 350	06-10	V6	3.5L	722.6	9.5/9	N/A	MB Sheet 236.14				DVI, MLV							
	11-13	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							
R 350 4MATIC	09-12	V6	3.5L (272.967)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV							
	09-12	V6	3.0L (642.870)	722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV							
R 500	06-08	V8	5.0L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV							
R 550	08	V8	5.5L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV							
R 63 AMG	07	V8	6.3L	722.9	9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV							
S	03-07	ALL	N/A	All 7-Speed	9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV							
S 350	94-95	ALL	N/A	722.4	7.7/7.3	6.5/6.2	DEXRON III				DM, DIV							
S 350 BLUE TECH	03-07	ALL	N/A	All 5-Speed	9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV							
S 400 HYBRID	12-13	V6	3.0L (642.870)	722.9	10.2/9.7	N/A	MB Sheet 236.15				LG 6, DHP							
S 400	10-12	V6	3.5L	N/A	N/A	N/A	MB 001 989 68 03-10				SYN DM, D6, MV							
	11-13	V6	3.5L	722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP							

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

M

MERCDES BENZ cont. Model		Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
S 420	96-00	ALL	N/A		722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 420 SL	96-00	ALL	N/A		722.6	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 430	98-99	ALL	N/A		722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	00-07	ALL	N/A	All 5-Speed		9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04	ALL	N/A	All 7-Speed		9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
S 500	96-00	ALL	N/A		722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
	00-07	ALL	N/A	All 5-Speed		9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04	ALL	N/A	All 7-Speed		9.1/8.6	N/A	Shell 3403-M 115				SYN DM, MV						
S 500 SL	96-04	ALL	N/A		722.6	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 55	98-04	ALL	N/A		722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
S 55 AMG	01-03	ALL	N/A	All 5-Speed		9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	04-06	ALL	N/A	All 7-Speed		9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV						
	03-06	ALL	N/A	All 5-Speed		9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
	03-06	ALL	N/A	All 7-Speed		9.6/9.1	N/A	Fuchs ATF 3353				SYN DM, MV						
S 550	07-10	V8, V12	5.5L (273.971) (275.953)		722.9, 722.6	10.3/9.8	N/A	MB Sheet 236.14				DVI, MLV						
	11-17	V8	5.5, 4.7	All 7-Speed		9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
S 550e	11-17	V8	5.5, 4.7	All 9-Speed		10.6/10	N/A	MB Sheet 236.17				LG 8, MULV						
	16-17	V6	3.0	All 7-Speed		9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	96-00	ALL	N/A		722.4	9.9/9.4	N/A	MB 001 989 21 03 10				DVI, MLV						
S 600	01-10	ALL	N/A	All 5-Speed		9.6/9.1	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	5.5L (273.971) (275.953)	All 5-Speed		8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	15-17	V12	5.5L (273.971) (275.953)	All 7-Speed		9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
SL	98-04	ALL	N/A		722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	07-10	V8	6.2L		722.9	9.2/8.75	N/A	MB Sheet 236.14				DVI, MLV						
S 63 AMG	11-17	V8	5.5L		722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	11-19	V8	4.0L		722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
S 65 / S 65 AMG	03-05	ALL	N/A	All 5-Speed		9.6/9.1	N/A	Shell 3403-M 115				SYN DM, MV						
	03-05	ALL	N/A	All 7-Speed		9.6/9.1	N/A	Fuchs ATF 3353				DVI, MLV						
S 65 AMG	06-10	V12	6.8L	All 5-Speed		9.2/8.7	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	6.0L	All 5-Speed		8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	11-14	V12	6.0L	All 7-Speed		7.5/7.1	N/A	MB Sheet 236.15				LG 6, DHP						
	15-17	V12	6.0L	All 7-Speed		9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
	11-19	V8	4.0L		722.9	8.2/7.8	N/A	MB Sheet 236.15				LG 6, DHP						
SL 450	17-19	V6	3.0L		725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
SL 500	01-07	ALL	N/A		722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
S L 55 AMG	04-07	ALL	N/A	All 5-Speed		9.5/9	N/A	Shell 3403-M 115				SYN DM, MV						
	04-07	ALL	N/A	All 7-Speed		9.5/9	N/A	Fuchs ATF 3353				SYN DM, MV						
	09-11	V8	5.5L		722.9, 722.6	9.5/9, 7.7/7.3	N/A	MB 001 989 68 03-10				DVI, MLV						
SL 550	13-16	V8	4.7L		722.9	9.5/9.0	N/A	MB Sheet 236.15										
	17-20	V8	4.7L		725.0	10.6/10.0	N/A	MB Sheet 236.17				LG 8, MULV						
SL 600	01-07	ALL	N/A		722.6	9.6/9.1	N/A	MB 001 989 21 03 10				DVI, MLV						
	09-11	V8	5.5L		722.9, 722.6	9.5/9, 7.7/7.3	N/A	MB 001 989 68 03-10				DVI, MLV						
SL 63 AMG	09-12	V12	6.3L (156.984)		722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						
	11-19	V8	5.5L		722.9	7.9/7.5	N/A	MB 001 989 68 03-10				LG 6, DHP						
SL 65 AMG	11-18	V12	6.0L		722.9	9.5/9.0	N/A	MB Sheet 236.15				LG 6, DHP						
SLC 300	17-20	L4	2.0L		725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
SLC 43 AMG	17-20	V6	3.0L		725.0	10.5/10	N/A	MB Sheet 236.17				LG 8, MULV						
SLK 230	00-04	I4	N/A	All 5-Speed		8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
	09-10	V6	3.0L (272.942)		722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
SLK 300	11	V6	3.0L (272.942)		722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
SLK 32 AMG	02-04	V6	N/A		722.9	8.5/8	N/A	MB Sheet 236.17				LG 8, MULV						
SLK 320	01-06	V6	3.2L		722.9	8.5/8	N/A	MB Sheet 236.14				DVI, MLV						
SLK 350	05-10	V6	3.5L (272.969)		722.9	9.5/9	N/A	MB Sheet 236.14				DVI, MLV						
SLK 55 AMG	11-16	V6	3.5L (272.969)		722.9	9.5/9	N/A	MB Sheet 236.15				LG 6, DHP						
SLS AMG	09-12	V8	6.3L		722.9	9.5/9	N/A	MB 001 989 68 03-10				DVI, MLV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)


OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)


OPTION 3 (whole fluid option)


Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sprinter 2500/3500	10-16	L4	2.1L		722.9	10.6/10	N/A	MB Sheet 236.14			DVI, MLV						
	10-16	V6	3.5L		W5A380	7.5/7.1	5.8/5.5	MB Sheet 236.15			LG 6, DHP						
MERCURY																	
Cougar, XR-7	99-02	L4	2.0L	CD4E	9/8.5	4/3.8	MERCON				DM, MV						
	99-02	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON				DM, MV						
Grand Marquis	96-05	V8	4.6L	AOD-E, 4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	06	V8	4.6L	AOD-E, AODEW	13.9/13.2	5/4.7	MERCON V				*DM						
	07-08	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5	MERCON V				*DM						
	09-11	V8	4.6L	4R70E/4R75E	13.9/13.2	5.4/5	MERCON LV				DVI						
Marauder	03-04	V8	4.6L	4R70W	12.7/12.1	5/4.7	MERCON V				*DM						
Mariner	05-08	L4, V6	2.3, 3.0L	CD4E	9/8.5, 10.1/9.6	3.9/3.7	MERCON V				*DM						
	09-12	L4, V6	2.5, 3.0L	6F35	9/8.5	N/A	MERCON LV				DVI						
Mariner Hybrid	05-08	L4	2.3L	ECVT "PSE" (HYBRID)	5.3/5	N/A	MERCON LV				DVI						
	09-12	L4	2.5L	ECVT "PSE" (HYBRID)	5.3/5	N/A	MERCON LV				DVI						
Milan	06-08	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
	06-09	L4, V6	2.3, 3.0, 3.5L	FNR5	7/6.7	N/A	Mazda ATF M-V				*DM, DVI, MV						
	06-12	L4, V6	2.5, 3.0, 3.5L	AW21	7.4/7	4/3.7	Motorcraft XT-8-QAW				*DM, MV						
	10-12	L4, V6	2.5, 3.0, 3.5L	6F35	9/8.5	N/A	MERCON LV				DVI						
	10-12	L4	2.5L	ECVT "PSE" (HYBRID)	4.3/4	N/A	MERCON LV				DVI						
Montego	05-07	V6	3.0L	CVT	10/9.5	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	05-07	V6	3.0L	AF21	7.4/7	N/A	Motorcraft XT-8-QAW				*DM, MV						
Monterey	03-07	V6	4.2L	CVT	10/9.6	N/A	Motorcraft XT-7-QCFT (CVT)				LUBEGARD CVT						
	04-07	V6	4.2L	AX4N, AX4S	13.7/13	N/A	MERCON V				*DM						
	97-01	V8	5.0L	4R70W	13.9/13.2	5/4.7	MERCON V				*DM						
	99-01	V6	4.0L	5R55-E	10/9.5	4/3.8	MERCON V				*DM						
Mountaineer	02-05	V6, V8	4.0, 4.6L	5R55W, 5R55	12.7/12.1	N/A	MERCON V				*DM						
	04-10	V6, V8	4.0, 4.6L	5R55S	12.4/11.7	N/A	MERCON V				*DM						
	06-08	V8	4.0, 4.6L	6R60	11/10.5	5/4.7	MERCON SP				DVI, LG6						
	09-10	V6, V8	4.0, 4.6L	6R80	13/12.3	3.5/3.3	MERCON LV				DVI						
Mystique	95-00	L4	2.0L	CD4E	9/8.5	4/3.8	MERCON				DM, MV						
	95-00	V6	2.5L	CD4E	10.3/9.7	4/3.8	MERCON				DM, MV						
Sable	98-01	V6	3.0, 3.8L	AX4S	12.3/11.6	N/A	MERCON V				*DM						
	98-07	V6	3.0L	AX4N, AX4S	13.4/12.7	N/A	MERCON V				*DM						
	08-09	V6	3.0L	6F50	10/9.5	N/A	MERCON LV				DVI						
Tracer	90-97	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	6.7/6.3	N/A	MERCON				DM, MV						
	98-02	L4	1.8, 1.9, 2.0L	F4A-EL, 4EAT-F	5.7/5.4	N/A	MERCON				DM, MV						
Villager	93-02	V6	3.0L	4F20-E, RE4FO4A, V	8.7/8.2	N/A	MERCON				DM, MV						
Zephyr	06	V6	3.0L	AW6A-EL	N/A	7.4/7	Motorcraft XT-8-QAW				*DM, MV						
MINI COOPER																	
Mystique	02-08	L4	1.6L	ZF CFT23	N/A	5.3/5	Esso CVT-EZL 799				LUBEGARD CVT						
	05-08	L4	1.6L	6 Speed	N/A	4.2/4	Mini 83 22 0 402 413				*DM, MV						
Cooper (R56)	07-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	08-11	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Clubman (R55)	16-20	L4	1.6L (N12)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	16-20	L4	1.6L (N12)	GA8F22AW	7.4/7.0	N/A	Mini 83 22 0 402 413				*DM, MV						
Cooper Conv (R57)	09-11	L4	1.6L (N12) (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Cooper S (R56)	07-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Cooper S Clubman (R55)	08-16	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						
Cooper S Conv (R57)	09-11	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
Mini Cooper Countryman	11-15	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

- | | | | |
|------|------------------|-----|--|
| DM | DEXRON®/MERCON® | LG6 | Lifeguard® 6 |
| DVI | DEXRON® VI | LG8 | Lifeguard® 8 |
| DULV | Dexron Ultra LV | DHP | Dexron® HP |
| MV | MERCON® V | * | Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures. |
| MLV | MERCON® LV | SYN | The use of a synthetic base fluid is required. |
| MULV | MERCON® Ultra LV | | |



OEM ATF and Conversion Chart

M
N

MINI COOPER cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Mini Cooper	05-16	L4	1.6L (N14)	GA6F21WA	6.4/6	4.7/4.5	Mini 83 22 0 402 413				*DM, MV						
	14-16	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-17	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						
Mini Cooper Paceman	13-16	L4	1.6L (N14)	GA6F21FT/ GA6F21AW	5.8/5	N/A	BMW ATF6				DVI, MLV						
	16-20	L4	1.6L (N14)	GA8F22AW	7.4/7	N/A	BMW ATF6				DVI, MLV						

MITSUBISHI

Eclipse	99-02	L4, V6	2.4L, 3.0L	F4A42, F4A51	8.2/7.8, 9/8.5	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	06-12	L4	2.4L (4G69)	F4A4B	8.1/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Eclipse Cross	18-20	L4	1.5L	CVT	7.8/7.4	N/A	CVTF J-4				LUBEGARD CVT						
Eclipse Spider	07-12	V6	3.8L (6G75)	F5A5A	8.9/8.4	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Endeavor	05-11	V6	3.8L (6G75)	F4A5A, W4A5A	8.9/8.4	N/A	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Evolution VIII	03-06	L-4	N/A	F4A42	8.2/7.8	5.4/5.1	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	99-03	L4	2.4L	F4A41, F4A42	8.2/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Galant	99-03	V6	3.8L	F4A41, F4A42	9.8/5	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	04-12	L4	2.4L (4G69)	F4A4B	8.1/7.7	N/A	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
i-Miev	04-12	V6	3.8L (6G75)	F5A5A, A5HF1	8.9/8.4	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	16-17	L4	2.0, 2.4L	F1E1A	N/A	.79/.75	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Lancer	02-07	L4	2.0, 2.4L	F4A41, F4A42	8.1/7.7	5.4/5.1	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	08-11	L4	2.0 (4B11), 2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
	08-15	L4		W6DGA DCT	8/7.8	5.8/5.5	Dia Queen SSTF-1				LUBEGARD DCTF						
	12-17	L4		CVT	7.5/7.1	N/A	CVTF J-4				LUBEGARD CVT						
Lancer Sport Back	09-11	L4	2.4L (4B12)	FICJA (CVT)	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
Mirage	98-02	L4	1.5, 1.8L	F4A41, F4A42	8.2/7.8	3.7/3.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Mirage, Mirage G4	14-17	L4	1.5L	CVT	7.4/7	2.6/2.5	CVTF J-4				LUBEGARD CVT						
	18-20	L4	1.2L	CVT	7.4/7	2.6/2.5	CVTF J-4				LUBEGARD CVT						
Montero	01-07	V6	3.5, 3.8L	V5A51	9.8/9.3	2.1/2	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	94-00	V6	3.0, 3.5L	AW30-40LE, A340F	8/7.6	2/1.9	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Montero Sport	99-05	V6	3.0, 3.5L	R4A51, V4A51	10.2/ 9.6	2/1.9	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
	03-08	L4, V6	2.4, 3.0L	W4A42, AW6AJA	8.6/8.1	5.8/5.5	Mitsubishi Dia Queen SP III				*DM, DVI, MV						
Outlander	07-15	V6	3.0L (6B31)	F6AJA, W6AJA	8.7/8.2	N/A	Mitsubishi Dia Queen J-3				DM, DVI						
	07-12	L4	2.4L (4B12)	CVT	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
	12-17	L4	2.4L (4B12)	CVT	7.3/6.9	N/A	CVTF J-4				LUBEGARD CVT						
Outlander, Outlander Sport	16-20	L4, V6	2.0L, 2.4L	CVT	7.5/7.1	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
	16-20	L4, V6	2.0L, 2.4L	W6AJA	8.7/8.2	N/A	Mitsubishi Dia Queen CVTF-J1				LUBEGARD CVT						
Raider	05-07	V6, V8	3.7, 4.7L	42RLE, 545RFE	14/13.5	6.5/6.2- 5.5/5.2	Mopar ATF+4				*DM, DVI, MV						
	07-08	V6	3.7L	42RLE	8.7/8.3	4/3.8	Mopar ATF+4				*DM, DVI, MV						

NISSAN

200SX	95-02	L4	1.6, 2.0L	RL4F03A, RE4F03A	7.3/6.9	N/A	Nissan Matic-D				*DM, DVI, MV						
240SX	89-02	L4	2.4L	RE4R01A	8.5/8	N/A	Nissan Matic-D				*DM, DVI, MV						
350Z	03-09	V6	3.5L (VQ35DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-S				DVI, MLV						
370Z	09-20	V6	3.7L (VQ37VHR)	RE7R01A	9.7/9.2	N/A	Nissan Matic-S				DVI, MLV						
Altima	93-04	L4, V6	2.4, 3.5L	RE4F04A/V	9.8/9.2	N/A	Nissan Matic-D				*DM, DVI, MV						
	05-08	V6	3.5L	RE5F22A	7.7/7.3	N/A	Nissan Matic-K				DVI, MLV						
	07-12	V6	3.5L (VQ35DE)	RE0F09B (CVT)	10.7/10.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	09-12	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Altima Coupe	13-17	L4	2.5L (QR25DE)	RE0F10A (CVT)	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Altima Sedan	13-17	L4	2.5L (QR25DE)	RE0F10D (CVT)	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
	13-18	V6	3.5L (VQ35DE)	RE0F10E, RE0F10H	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF
- Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF
- Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Altima	19-20	L4	2.0L, 2.5L	REOF10D, REOF10H	8.7/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
Altima Hybrid	09-11	L4	2.5L (QR25DE)	REOF01H (HYBRID)	4.3/4.1	N/A	Nissan Matic-W				DVI, MLV						
	05-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-W				DVI, MLV						
Armada	09-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-20	V8	5.6L	RE7R01A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.0L Diesel	RE7R01A	14.8/14	N/A	Nissan Matic-K				DVI, MLV						
Cube	09-14	L4	1.8L (MR18DE)	REOF08B (CVT)	7.8/7.4	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	98-04	L4, V6	2.4, 3.3, 3.4L	RL4R01A	8.3/7.9	N/A	Nissan Matic-D				*DM, DVI, MV						
Frontier	05-08	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-19	L4, V6	2.4 (QR25DE), 4.0L (VQ40DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-S				DVI, MLV						
GTR	09-20	V6	3.8L (VQ38DE)	GR6Z30A	10.2/9.7	N/A	Nissan "R35" 999MP-GTRTOOP	USE	OEM	FLUID	Use OEM Fluid						
Juke	11-14	L4	1.6L (MR16DDT)	REOF08B (CVT)	8.6/8.2, 9.1/8.6	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	15-17	L4	1.6L (MR16DDT)	REOF10B	9.1/8.6	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Juke Nismo RS	15-17	L4	1.6L (MR16DDT)	REOF10D	8.4/7.9	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Leaf	11-17	NA	Electric	RE1F61B	1.5/1.4	N/A	Nissan Matic-S				DVI, MLV						
	95-05	V6	3.0, 3.5L DOHC	RE4F04A	10/9.5	N/A	Nissan Matic-D				*DM, DVI, MV						
Maxima	04-07	V6	3.5L	RE5F22A	7.7/7.3	N/A	Nissan Matic-K				DVI, MLV						
	08-14	V6	3.5L (VQ35DE)	REOF09B (CVT)	10.7QT, 10.2L, 9.1Q	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	16-20	V6	3.5L (VQ35DE)	REOF09B (CVT)	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Murano	03-15	V6	3.5L (VQ35DE)	REOF09B (CVT)	10.7/10.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
NV	11-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
NV 200	13-20	L4	2.0L	REOF10D, REOF10A	8.6/8.2	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
NV 1500-3500	12-20	V6, V8	4.0, 5.6L	RE5R05A	11.6/11.2	N/A	Nissan Matic-S				DVI, MLV						
	90-02	L4	2.4L	RL4R01A	8.3/7.9	N/A	Nissan Matic-D				*DM, DVI, MV						
	90-02	V6	3.0, 3.3L	RE4R01A	8.9/8.4	N/A	Nissan Matic-D				*DM, DVI, MV						
Pathfinder	96-04	V6	3.0, 3.5L	RL4R01A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	05-07	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	08-12	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	RE5R05A	10.9/10.4, 11.2/10.6	N/A	Nissan Matic-S				DM, DVI						
	13-20	V6, V8	4.0 (VQ40DE), 5.6L (VK56DE)	REOF10E, REOF10J	9.3/8.8	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
Pathfinder Armada	04-06	V8	5.6L	RE5R05A	11.2/10.6	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	93-03	V6	3.0, 3.5L	RE4F04A	10/9.5	N/A	DEXRON III				DM, DVI						
Quest	04-10	V6	3.5L (VQ35DE)	RE5F22A	7.8/7.4	N/A	Nissan Matic-K				DVI, MLV						
	11-14	V6	3.5L (VQ35DE)	REOF010	8.6/8.2	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	15-17	V6	3.5L (VQ35DE)	REOF09B (CVT)	9.3/8.8	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
Rogue	09-10	L4	2.5L (QR25DE)	REOF10A (CVT) AWD	7.7/7.3	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	09-10	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	9.1/8.6	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
	11-13	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	7.9/7.5, 9/8.5	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Rogue Sport	14-17	L4	2.5L (QR25DE)	REOF10A (CVT) 2WD	8.4/7.9	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT Fluid						
	17-20	L4	2.0L	REOF10A (CVT) 2WD	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
	91-04	L4	1.6, 1.8L	RE4F03A	7.3/7	N/A	Nissan Matic-D				*DM, DVI, MV						
Sentra	91-92	L4	2.0L	RL4F03A	7.3/6.9	N/A	DEXRON III				DM, DVI						
	93-06	L4	1.6, 1.8, 2.0L	RE4F03A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	07-12	L4	2.0 (MR20DE), 2.5L (QR25DE)	REOF10A (CVT)	7.7/7.3, 7.9/7.5	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	MLUV	MERCON® Ultra LV
SYN		SYN	The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

M
O
P

NISSAN cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sentra	13-19	L4	1.8L, 1.6L	REOF10D, REOF11A	7.8/7.4	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
SE-R	03-07	L4	2.5L	RL4F03A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
	04-10	V8	5.6L (VK56DE)	RE5R05A	11.2/10.6	N/A	Nissan Matic-S				DVI, MLV						
Titan	11-15	V8	5.6L (VK56DE)	RE5R05A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.6L (VK56DE)	RE7R01A	10.6/10	N/A	Nissan Matic-S				DVI, MLV						
	16-19	V8	5.0L Diesel	RE7R01A	14.8/14	N/A	Nissan Matic-K				DVI, MLV						
	07-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF08B (CVT)	7.8/7.4	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Versa	09-10	L4	1.8 (MR18DE), 1.6L (HR16DE)	RE4F03B	8.3/7.9	N/A	Nissan Matic-S				DVI, MLV						
	11-13	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF08B (CVT)	7.3/6.9	N/A	Nissan CVT NS-2 (VTF)				LUBEGARD CVT						
Versa, Versa Note	14-20	L4	1.8 (MR18DE), 1.6L (HR16DE)	REOF11A	7.3/6.9	N/A	Nissan CVT NS-3 (VTF)				LUBEGARD CVT						
	98-04	L4, V6	2.4, 3.3, 3.4L	RE4R01A	9/8.5	N/A	Nissan Matic-D				*DM, DVI, MV						
Xterra	05-08	V6	3.4, 4.0L	RE5R05A	10.9/10.3	N/A	Nissan Matic-J				SYN DM, DVI, MV						
	09-17	V6	4.0L (VQ40DE)	RE5R05A	10.9/10.3	N/A	Nissan Matic-S				DVI, MLV						

OLDSMOBILE

88 Royal	98-00	V6	3.8, 3.8L SC	AT65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Alero	99-03	L4, V6	2.2, 2.4, 3.4L	AT40-E, AT45-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
Aurora	95-03	V8	4.0L	AT80-E	15/14.2	11/10.4	DEXRON III				DM, DVI						
Bravada	92-03	L6	4.2, V6 4.3L	4L60-E	11/10.4	5/4.7	DEXRON III				DM, DVI						
Intrigue	98-02	V6	3.5, 3.8L	AT65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Silhouette	00-03	V6	3.4L	AT65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						

PLYMOUTH

Breeze	95-00	L4	2.0, 2.4L	41TE	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Neon	95-01	L4, V6	2.0, 2.5L	31TH	9.1/8.6	4/3.8	Mopar ATF+4				*DM, MV						
Prowler	97-01	V6	3.5L	42LE	9.9/9.4	4.4/4.2	Mopar ATF+4				*DM, MV						

PONTIAC

Aztec	01-05	V6	3.4L	AT65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						
Bonneville	95-05	V6	3.8L SC	AT60-E, AT65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
Firebird	97-02	V6	3.4, 3.8L	4L60-E	8.8/8.3	5/4.7	DEXRON III				DM, DVI						
Firefly	97-02	V8	5.7L	4L60-E	10.8/10.2	5/4.7	DEXRON III				DM, DVI						
G3	07-09	L4	1.6L (LXT) (LXV)	A81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
G5	07-09	L4	2.0 (LSJ), 2.2 (L61), 2.4L (LE5)	AT40-E, AT45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	05-07	L4, V6	2.4, 3.5, 3.9L	AT45-E, AT65-E	13.3/13	7.4/7	DEXRON VI				MLV						
G6	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	AT65-E (M15), 4T45 (MN5)	13.4/12.7, 9.5/9	7.7/7.4, 6.9/6.5	DEXRON VI				MLV						
	07-09	L4, V6	2.4, 3.5, 3.6, 3.9L	6T70 (MH2), 6T40 (MH8)	9.5/8.4, 8.5/8	6.3/5.5, 5.3/5	DEXRON VI				MLV						
G8	08-09	V6, V8	3.6 (LY7), 6.0 (L76), 6.2L (LS3)	5L40-E (M82), 6L80 (MYC)	9.4/8.9, 10/9.5	7.4/7, 6.5/6.2	DEXRON VI				MLV						
Grand Am	99-04	L4, V6	2.2, 2.4, 3.4L	AT40-E, AT45-E	9.5/9	6.9/6.5	DEXRON III				DM, DVI						
Grand Prix	96-05	V6	3.1, 3.4, 3.8, 3.8L/SC	AT60-E, AT65-E	13.4/12.7	7.4/7	DEXRON III				DM, DVI						
GTO	06-08	V6, V8	3.8, 5.3, 5.7L	AT65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
Matiz	04-06	V8	5.7L	4L60-E	11.4/10.8	5.3/5	DEXRON II				DM, DVI						
	08-09	L4	1.0 (LMT), 1.2L (LMU)	JF405E (MFL)	6.2/5.8	N/A	JWS 3314				DVI						
	99-05	V6	3.4L	AT65-E	10/9.5	7.4/7	DEXRON III				DM, DVI						
Montana	05-06	V6	3.5 (LX9), 3.9L (LZD)	AT65-E (M15) (M76)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
	07-09	V6	3.9L (LZ9) (LGD)	AT65-E (M15)	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Montana SVX	06-07	V6	3.5, 3.9L	AT65-E	10.4/9.9	7.8/7.4	DEXRON VI				MLV						
Solstice	05-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
Sunfire	95-01	L4	2.2L	3T40	9.8/5	4/3.8	DEXRON III				DM, DVI						
	95-03	L4	2.2, 2.3, 2.4L	4T40-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
Sunrunner	94-02	N/A	N/A	THM3L30	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
	05-09	V6	3.4 (LNJ), 3.6L (LY7)	AF 33-5 (M98)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
Torrent	08-09	L4, V6	2.4 (LAF), 3.0L (LF1)	6T70 (MH4) (MHZ)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)


OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)


OPTION 3 (whole fluid option)


Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Vibe	03-09	L4	1.8 (LAY), 2.4L (LAX)	A245-E (MVA), A246-E (MVB)	7.7/7.3	3.2/3	GM 88900925				*DM, MV						
Wave	07-09	L4	1.6L (LXT) (LXV)	A 81-40LE (MLQ)	6.2/5.8	2.2/2.1	GM 88900925				*DM, MV						
PORSCHE																	
911	99-05	B6	3.6L	A50 Tiptronic	10/9.5	4.8/4.5	Esso Type LT 71141				SYN DM, MV						
	06-07	B6	3.6L	A50 Tiptronic	9.5/9	4.8/4.5	Porsche 000 043 304 00				SYN DM, MV						
	08-09	H6	3.6, 3.8L	Tiptronic	9.5/9	3.7/3.5	JWS 3309				*DM, MV						
	09-16	H6	3.6, 3.8L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3										
	09-16	H6	3.6, 3.8L	PDK (Gear)	3.0/2.9	N/A	Mobilube PTX 75W-90	USE	OEM		FLUID						
	97-08	B4	2.5, 2.7, 3.2L	A50 Tiptronic	9.5/9	3.7/3.5	Esso Type LT 71141				SYN DM, MV						
Boxter, Boxter S	09-12	H6	2.9, 3.4L	Tiptronic	9.5/9	3.7/3.5	JWS 3309				*DM, MV						
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5	Pentosin FFL 3										
	13-20	H6	2.9, 3.4L	PDK (Clutch)	5.6/5.3	N/A	Pentosin FFL 3										
	09-20	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobilube PTX 75W-90	USE	OEM		FLUID						
Cayenne	03-10	V8	4.5L	A48, A48.2, A48.5	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6	Toyota Type T-IV				*DM, MV						
	08-12	V6, V8	3.6, 4.8L	TIPTRONIC	9.5/9.0	3.7/3.5	JWS 3309				*DM, MV						
	11-12	V6, V8	3.6, 4.8L	09D	10.6/10.0	N/A	G 055 540 A2				SYN DVI, DHP						
	13-16	V6, V8	3.6, 4.8L	OC8	10/9.5	N/A	Porsche 958 300 540 0				*DM, MV						
Cayman	06-07	B6	2.6, 3.3L	A50 Tiptronic	9.5/9	3.7/3.5	Esso Type LT 71141				SYN DM, MV						
	09-12	H6	2.9, 3.4L	Tiptronic	9.6/9 OR 8.5/8	3.7/3.5	JWS 3309				*DM, MV						
	09-12	H6	2.9, 3.4L	7DT 45 PDK (Clutch)	9.5/9	3.7/3.5	Pentosin FFL 3										
	09-16	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobilube PTX 75W-90	USE	OEM		FLUID						
Macan	13-16	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3										
	17-20	H6	2.9, 3.4L	PDK (Clutch)	5.5/5.2	N/A	Pentosin FFL 3										
Panamera	15-20	H6	2.9, 3.4L	PDK (Gear)	3.0/2.9	N/A	Mobilube PTX 75W-90	USE	OEM		FLUID						
	15-20	H6	2.9, 3.4L	PDK (Clutch)	7.4/7.1	6.9/6.5	Pentosin FFL 3										
Panamera Hybrid	10-20	V6, V8	3.6, 4.8L	PDK	8/7.6 (2WD), 9.5/9 (AWD)	N/A	Pentosin FFL 3										
Panamera Hybrid	12-16	V6, V8	3.6, 4.8L	Tiptronic	N/A	N/A	Porsche 958 300 540 0				*DM, MV						
RAM - SEE DODGE																	
SAAB																	
9-2	05-07	B4	2.5L B4	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI						
	98-02	L4	2.0L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI						
9-3	03-06	L4	2.0L	FA57, FA55 (AW 50-55)	7.6/7.2	3.4/3.2	Saab 40-93-160-393				*DM, MV						
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	AF40	7.6/7.2	N/A	Saab 93 165 147				SYN DM, DVI, MV						
	06-12	L4, V6	2.0 (B207R), 2.8L (B284R)	FA57	7.4/7	3.1/2.9	Saab 40-93-160-393				*DM, MV						
	98-01	L4, V6	2.3, 3.0L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI						
9-5	02-04	L4	2.3L	FA57	7.6/7.2	N/A	Saab 40-93-160-393				*DM, MV						
	02-05	L4, V6	2.3, 3.0L	FA55 (AW 50-55)	7.6/7.2	3.4/3.2	Saab 40-93-160-393				*DM, MV						
9-7X	06-11	L4, V6	2.3, 3.0L	FA57	7.4/7	3.1/2.9	Saab 40-93-160-393				*DM, MV						
	05-06	L6, V8	4.2 (LL8), 5.3L (LT6)	4L60-E	11/10.6	5/4.7	DEXRON VI				MLV						
Astra	07-09	L6, V8	4.2 (LL8), 5.3 (LT6), 6.0L (LS2)	4L60-E, 4L70E	11/10.6	5/4.7	DEXRON VI				MLV						
	08-09	L4, V6	2.4, 3.5L	4T45-E, 6T70	12.9/12.2	7/6.6, 6.3/6	DEXRON VI				MLV						
Aura	07-10	L4, V6	2.4, 3.5L	6T70 (MH2)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						
	08-09	L4, V6	2.4, 3.5, 3.6L	4T45-E BAS HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV						
Aura	08-09	L4, V6	2.4, 3.5, 3.6L	6T40 (MH8)	8.5/8	5.3/5	DEXRON VI				MLV						
	08-09	L4, V6	2.4, 3.5, 3.6L	AF17-4	7.6/7.2	4.2/4	Saturn 22689186				*DM, MV						
SATURN																	
DIRECTIONS: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.																	
IMPORTANT! OEM ATF Alternative Abbreviations and Symbols																	
DM DEXRON®/MERCON® LG6 Lifeguard® 6																	
DVI DEXRON® VI LG8 Lifeguard® 8																	
DULV Dexron Ultra LV DHP Dexron® HP																	
MV MERCON® V * Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.																	
MLV MERCON® LV MLUV MERCON® Ultra LV SYN The use of a synthetic base fluid is required.																	



OEM ATF and Conversion Chart

S

SATURN cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Ion	03-07	L4	2.2L	AF33, AF23-5	N/A	4.2/4	Saturn 22689186				*DM, MV						
	05-07	L4	2.2L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
Ion Quad Coupe	03-04	L4	2.2L	VT25-E (CVT)	8.5/8	N/A	Saturn 2268912 VTF				LUBEGARD CVT						
L-Series	00-05	L4	2.2, V6 3.0L	4T40-E, 4T45-E	12.9/12.2	6.9/6.5	DEXRON III				DM, DVI						
Outlook	07-09	V6	3.6L (LY7)	6T75 (MY9) (MH6)	9.5/7.4	6.3/6	DEXRON VI				MLV						
Relay	05-06	V6	3.5, 3.9L	4T40-E, 4T45-E, 4T65-E	13.4/12.7	7.4/7	DEXRON III, VI				DM, DVI						
S-Series	06-07	V6	3.5L	4T45-E, 4T65-E	13.4/12.7	7.4/7	DEXRON VI				MLV						
Sky	00-02	L4	1.9L	TAAT	7.4/7	4/3.8	Saturn 21005966				SYN DM, DVI, MV						
	07-09	L4	2.0 (LNF), 2.4L (LE5)	5L50-E	9.4/8.9	7.4/7	DEXRON VI				MLV						
	02-07	L4, V6	2.2, 3.0L	VT25-E (CVT)	6.9/6.5	N/A	Saturn 2268912 VTF				LUBEGARD CVT						
	04-07	V6	3.0, 3.5L	5AT	9.1/8.6	4.8/4.5	Saturn 22689186				*DM, MV						
Vue	05-07	L4	2.2L	4T45-E	12.9/12.2	6.9/6.5	DEXRON VI				MLV						
	08-09	L4	2.4L (LAT)	4T45-E HYBRID	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-09	L4	2.4L (LE9)	4T45-E (MN5)	9.5/9	6.9/6.5	DEXRON VI				MLV						
	08-09	V6	3.5 (LZ4), 3.6L (LCS) (LY7)	6T70 (MH2) (MH4)	9.5/7.4	6.3/5.5	DEXRON VI				MLV						

SCION

FRS	13-16	B4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
iA	16	L4	1.5L	CW6A-EL	7.6/7.2	3.2/3	Type WS				DVI, MLV						
iQ	12-15	L4	1.3L (1NR-FE)	K41B	6.7/6.3	.8/.4	Toyota CVT Fluid TC				LUBEGARD CVT						
iM	16	L4	1.8L (2ZR)	K313 CVT	7.9/7.5	1.3/1.2	CVT Type FE				LUBEGARD CVT						
TC	05-06	L4	2.4L	U340-E	N/A	3.1/2.9	Toyota Type T-IV				*DM, MV						
	07-10	L4	2.4L (2AZ)	U241-E	8.2/7.8	3.1/2.9	Toyota Type WS				DVI, MLV						
	11-16	L4	2.5L (2AR-FE)	U760	6.9/6.5	2.9/2.7	Toyota Type WS				DVI, MLV						
XA	04-06	L4	1.5L (1NZ)	U241-E	8.2/7.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
XB	04-07	L4	1.5L	U250-E	9.1/8.6	3.7/3.5	Toyota Type T-IV				*DM, MV						
XD	08-15	L4	2.4L (2AZ)	U241-E, U250-E	8.2/7.8	3.1/2.9	Toyota Type WS				DVI, MLV						
	08-14	L4	1.8L (2ZR)	U341-E	6.9/6.5	3.1/2.9	Toyota Type WS				DVI, MLV						

SMART

Fortwo	08-12	L3	1.0L	5-Speed	N/A	2.4/2.3	MB BOT328	USE	OEM	FLUID	SYN 75W-90						
	13-17	L3	1.0L	5-Speed	N/A	2.4/2.3	MB BOT328	USE	OEM	FLUID	SYN 75W-90						

SUBARU

Ascent	19-20	B4	2.4L	CVT	12.7/12.0	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
Baja	03-06	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI						
BRZ	13-20	B4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
Crosstrek	13-14	H4	2.5L (H4SO)	CVT	13.1/12.4	N/A	Subaru CVTF				LUBEGARD CVT						
	13-17	H4	2.5L (H4SO)	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	18-20	H4	2.0L, 2.5L	CVT	11.2/10.4		Subaru CVTF for Linetronic II				LUBEGARD CVT						
Forester	98-02	B4	2.5L	4EAT	10/9.5	N/A	DEXRON III				DM, DVI						
	01-05	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
	05-12	H4	2.5L (H4SO) (H4DOTC)	5EAT	10/1.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	06-07	H4	2.5L	5EAT	10/1.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	9.8/9.3	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	11-12	H4	2.5L (H4SO)	CVT	13.2/12.5	N/A	Subaru CVTF				LUBEGARD CVT						
	13-14	H4	2.5L	5EAT	9.8/9.3	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	13-16	H4	2.5L	CVT	13.1/12.4	N/A	Subaru CVTF				LUBEGARD CVT						
	17-20	H4	2.5L	CVT	13.1/12.4	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						
Impreza	99-08	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III, VI				DM, DVI						
	06-10	H4	2.5L (H4SO) (H4DOTC)	4EAT	10, 9.5	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	11-14	H4	2.5L	CVT	13.2/12.5	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	12-14	H4	2.5L	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	15-16	H4	2.5L	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						
	17-20	H4, H6	2.5L, 3.6L	CVT	11.6/11.0	N/A	Subaru CVTF for Linetronic II				LUBEGARD CVT						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF
- Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF
- Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



S

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Legacy	95-04	B4	2.0, 2.2, 2.5L	4EAT	8.3/7.9	2.6/2.5	DEXRON III				DM, DVI						
	97-04	B4	2.5L	N/A	10/9.5	N/A	DEXRON III				DM, DVI						
	03-08	B4	2.5L	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
	05-08	H4	2.5L (H4SO) (H4DOTC)	4EAT	10/9.5	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	05-09	H4, H6	2.5 (H4DOTC) 3.0L (H6DOHC)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	09	H4	2.5L (H4SO)	4EAT	10/9.5	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	10-12	H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A	Subaru SOA868V9245QT				LUBEGARD CVT						
	10-14	H6	3.6L (H6DO)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	15-17	H4	2.5L	CVT	12/11.4	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	15-17	H6	3.6L	CVT	13.4/12.7	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.4L	CVT	12.3/11.6	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.5L	CVT	12.6/11.9	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
Outback	00-05	B4	2.5L	4EAT	10/9.5	N/A	DEXRON III				DM, DVI						
	01-10	B4	2.5L B4	4EAT	9.8/9.3	N/A	DEXRON III				DM, DVI						
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	05-09	H4, H6	2.5 (H4DOTC), 3.0L (H6DOHC)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	10-14	H4	2.5L (H4SO)	ECVT	13.2/12.5	N/A	Subaru CVT SOA868V9245QT				LUBEGARD CVT						
	10-14	H6	3.6L (H6DO)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	15-17	H4	2.5L	CVT	12/11.4	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
	15-17	H6	3.6L	CVT	13.4/12.7	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.4L	CVT	12.6/11.9	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
	18-20	H4	2.5L	CVT	12.4/11.7	N/A	Subaru CVTF for Linetronic				LUBEGARD CVT						
Tribeca B9	06-07	H6	3.0L (EZ30)	5EAT	10/1.9.6	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
WRX	08-12	H6	3.6L (EZ36)	5EAT	10/4.9.8	N/A	Idemitsu ATF HP				SYN DM, DVI, MV						
	03-07	B4	2.5L Turbo	4EAT	10/9.5	N/A	DEXRON III, VI				DM, DVI						
	15-20	H4	2.5L Turbo	CVT	13.1/12.4	N/A	Subaru High Torque CVT Oil				LUBEGARD CVT						
SUZUKI																	
Aerio	02-07	L4	2.3L	AW60-40LE	N/A	N/A	DEXRON III, VI				DM, DVI						
Esteem	05-07	L4	2.3L	AW50-42LE	7.3/6.9	4.2/4	Esso Type LT 71141				SYN DM, MV						
Equator	95-02	L4	1.6L	AW60-40LE	N/A	N/A	DEXRON III				DM, DVI						
Forenza	09-12	L4, V6	2.5 (QR25DE), 4.0L (VQ40DE)	JR507E, RESRO5A	10.8/10.3	N/A	Suzuki Matic-S				DVI, MLV						
Grand Vitara	04-08	L4	2.0L	ZF 4HP16	7.3/6.9	4.2/4	Esso Type LT 71141				SYN DM, MV						
	99-05	L4, V6	1.6, 2.0, 2.5L	A44DE	7.8/7.4	3/2.8	DEXRON III				DM, DVI						
	06-09	V6	2.7L (H27A)	A750E/F	10.5/9.9	2.7/2.5	Suzuki 3317				SYN DM, MV						
	09-12	L4, V6	2.4 (J24B), 3.2L (N32A)	6T70/6T75 (6 SPEED)	7.4/7, 9.5/9	4.2/4, 6.3/6	DEXRON VI				MLV						
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	4AT	7.7/7.3	2.7/2.5	Suzuki 3317				SYN DM, MV						
	10	L4, V6	2.4 (J24B), 3.2L (N32A)	5AT	10.7/10.2	3.2/3	Suzuki 3317				SYN DM, MV						
Kizashi	10-12	L4	2.4 (J24B)	CVT	8.9/8.3	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
Reno	05-07	L4	N/A	ZF 4HP	7.8/7.4	4.2/4	Esso Type LT 71141				SYN DM, MV						
Sidekick 2DR	89-02	L4	1.6L	3L30, TH180	5.4/5.1	3/2.8	DEXRON III				DM, DVI						
Sidekick 4DR	92-02	L4	1.6, L4 1.8L	03-72LE (A44DE)	6.7/6.3	2.7/2.6	DEXRON III				DM, DVI						
Swift	89-02	L4	1.3L	MX17	N/A	1.7/8	DEXRON III				DM, DVI						
SX4	07-09	L4	2.0L (J20A)	81-40-LE	7.7/7.3	4.8/4.5	DEXRON VI				MLV						
	07-10	L4	2.0L (J20B)	CVT	9.9/9.4	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
	11-12	L4	2.0L (J20B)	CVT	8.5/8	N/A	Suzuki CVT GREEN 1				LUBEGARD CVT						
Verona	03	L6	2.5L	N/A	N/A	N/A	DEXRON III				DM, DVI						
Vitara	04-07	V6	2.5, 2.7L	ZF 4HP16	7.8/7.4	4.2/4	Esso Type LT 71141				SYN DM, MV						
XL7	99-07	L4, V6	2.3, 2.5L	A44DE	7.5/7.1	2.6/2.5	DEXRON III, VI				DM, DVI						
	05-06	V6	2.7L	A44DE	10.8/10.3	3.2/3	DEXRON III, VI				DM, DVI						
	07-08	V6	3.6L (LY7)	AF 33-5 (M09) (M45)	8.2/7.8	4.3/4	GM 88900925				*DM, MV						
	09	V6	3.6L (LY7)	6T70	8.5/8	5.5/5	DEXRON VI				MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM DEXRON®/MERCON®
DVI DEXRON® VI
DULV Dexron Ultra LV
MV MERCON® V
MLV MERCON® LV
MULV MERCON® Ultra LV

LG6 Lifeguard® 6
LG8 Lifeguard® 8
DHP Dexron® HP
***** Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
SYN The use of a synthetic base fluid is required.



OEM ATF and Conversion Chart

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)



OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)



OPTION 3 (whole fluid option)



T

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
TOYOTA																	
86	17	H4	2.0L	TX6A	7.9/2.1	2.1/2	Type WS				DVI, MLV						
	96-02	V6, V8	4.0, 4.7L	A340-E/F	7.6/7.2, 10.5/9.8	1.7/1.6, 2.1/2	Toyota Type T-IV				*DM, MV						
4-Runner	03-05	V6, V8	4.0, 4.7L	A340F	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	04-10	V6, V8	4.0 (1GR), 4.7L (2UZ) (2TR)	A750-E/F	10.9/10.4	3.2/3	Toyota Type WS				DVI, MLV						
	10-20	V6	4.0 (1GR), 4.7L (2UZ) (2TR)	A750-E/F	11.3/10.7	1.8/1.7	Toyota Type WS				DVI, MLV						
	99-02	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI						
	03-07	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
Avalon	05-08	V6	3.0L	U151-E	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
	08-18	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	UA80E	7.9/7.5	3.2/3.0	Toyota Type WS				DVI, MLV						
Avalon Hybrid	13-17	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	CVT P710	N/A	4.1/3.9	Toyota Type WS				DVI, MLV						
Avanza	07-10	L4	1.5 (3SZ), 1.3L (K3)	A4Q	4.9/4.6	1.6/1.5	DEXRON VI				MLV						
	86-02	L4	1.8, 2.0, 2.2L	A140-E, L	5.9/5.6	2.6/2.5	DEXRON III				DM, DVI						
	99-02	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI						
	02-04	L4	2.4L	U241-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	02-07	V6	3.0L	U140-E	9.7/9.2	4.3/4.1	Toyota Type T-IV				*DM, MV						
	03-07	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
	04-06	V6	3.3L (3MZ)	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV						
	05-09	L4	2.4L (2AZ)	U250-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	06	V6	3.0L (1MZ)	U151-E	8.7/8.2	3.4/3.2	Toyota Type T-IV				*DM, MV						
	07-10	L4, V6	2.4 (2AZ), 3.3 (3MZ), 3.5L (2GR)	U660-E	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	10-12	L4, V6	2.5 (2AR), 3.5L (2GR)	U760-E	6.9/6.5	3.4/3.2	Toyota Type WS				DVI, MLV						
	12-18	L4, V6	2.5, 3.5L	U660-E, U660F	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV						
	19-20	L4, V6	2.5, 3.5L	UB80E	7.7/7.3	3.4/3.2	Toyota Type WS				DVI, MLV						
Camry Hybrid	07-11	L4	2.4L (2AZ)	P311 HYBRID	4.3/4.1	N/A	Toyota Type WS				DVI, MLV						
	12-18	L4	2.4L	P311 HYBRID	4.3/4.1	N/A	Toyota Type WS				DVI, MLV						
Celica	00-05	L4	1.8L	U240-E, U341-E	8.8/7.6, 7.3/6.9	4.2/4, 3.1/2.9	Toyota Type T-IV				*DM, MV						
Celica GT	00-05	L4	2.2L	U341-E	7.3/6.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
Celica GTS	00-05	L4	2.4L	U240-E	7.3/6.8	3.1/2.9	Toyota Type T-IV				*DM, MV						
C-HR	18-20	L4	2.0L	CVYK114	7.6/7.2	2.1/2.0	CVT Type FE				LUBEGARD CVT						
	84-01	L4	1.6, 1.8L	A131L	6.2/5.9	2.5/2.4	DEXRON III										
	93-05	L4	1.6, 1.8L	A245-E	8/7.6	3.3/3.1	Toyota Type T-IV										
	05-08	L4	1.8L (2ZR) (1ZZ)	U341-E	6.9/6.5	3/2.9	Toyota Type T-IV										
	09-16	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9	Toyota Type WS										
	09-16	L4	2.4L (2AZ)	U250-E	8.6/8.1	3.7/3.5	Toyota Type WS										
	14-18	L4	1.8L	K313	7.9/7.5	1.3/1.2	CVT type FE				LUBEGARD CVT						
	19-20	L4	1.8L, 2.0L	K313	9.0/8.5	2.1/2.0	CVT type FE				LUBEGARD CVT						
Corolla, Corolla iM	17-18	L4	1.8L	K313	7.9/7.5	1.3/1.2	CVT type FE				LUBEGARD CVT						
Echo	00-03	L4	1.5L	U340-E, U341-E	8.5/8	3.1/2.9	Toyota Type T-IV										
	03-07	L4	1.5L	U340-E, U341-E	7.2/6.8	3.1/2.9	Toyota Type T-IV										
FJ Cruiser	07-14	V6	4.0L (1GR)	A750-E/F	10.9/10.4	3.2/2.6	Toyota Type WS										
Hiace	06-10	L4	2.7 (2TR), 2.5 (1KD) (2KD), 3.0L (5L)	A343-E, A340-E	8.8/8.3	2.9/2.7	Toyota Type T-IV										
	01-04	L4, V6	2.4, 3.3L	U140F	8.8/8.3	3.5/3.3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	01-04	V6	3.0L	U140-E, U140F	9.5/9	4.1/3.9	Toyota Type T-IV				TOYOTA TYPE T-IV						
	02-07	L4	2.4L (2AZ)	U241-E, U140- E/F	8.7/8.2	3.7/3.5	Toyota Type T-IV				TOYOTA TYPE T-IV						
	04-08	V6	3.3 (3MZ), 3.5L (2GR)	U151-F/E	9.5/9	4.1/3.9	Toyota Type T-IV				TOYOTA TYPE T-IV						
	08-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E, U151F	9.5/9	4.1/3.9	Toyota Type WS				TOYOTA TYPE WS						
	09-10	L4	2.7L (1AR)	U760E	6.9/6.5	3/2.9	Toyota Type WS				TOYOTA TYPE WS						
	09-20	V6	2.7, 3.5L	U760	8.0/7.6	3.2/3.0	Toyota Type WS				TOYOTA TYPE WS						
	06-10	V6	3.3L (3MZ)	P310 HYBRID	4.4/4.2	3.7/3.5	Toyota Type WS				TOYOTA TYPE WS						
	11-19	V6	3.3L (3MZ)	P310 HYBRID	4.9/4.6	N/A	Toyota Type WS				TOYOTA TYPE WS						
Highlander Hybrid	20	L4	2.5L	P310 HYBRID	N/A	4.6/4.4	Toyota Type WS				TOYOTA TYPE WS						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Hilux	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A750-E/F	10.9/10.4	3.2/3	Toyota Type WS				TOYOTA TYPE WS						
	04-10	L4, L6	2.0, 2.7, 2.5, 3.0, 4.0L	A343-E, A340-F	8.8/8.3	2.9/2.7	Toyota Type T-IV				TOYOTA TYPE T-IV						
Land Cruiser	98-00	V8	4.7L	A343F	12.3/11.7	3.7/3.5	DEXRON III				DEXRON III						
	01-02	V8	4.7L	A343F	12.3/11.7	2.1/2	DEXRON III				DEXRON III						
	03	V8	4.7L	A750F	5.7/5.4	3.2/3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	04-11	V8	4.7 (2UZ), 5.7L (3UR)	A750F/E	10.9/10.4	3.2/3	Toyota Type WS				TOYOTA TYPE WS						
	08-15	V8	5.7L (3UR)	AB60-E/F	12.6/11.9	2.1/2.1	Toyota Type WS				TOYOTA TYPE WS						
	16-20	V8	5.7L (3UR)	AE80F	10.7/10.1	2.9/2.7	Toyota Type WS				TOYOTA TYPE WS						
Matrix	03-05	L4	1.8L	U341-E	2.2/2.1	N/A	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-05	L4	1.8L	A246-E	7.7/7.3	3.2/3	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-05	L4	1.8L HO	U240-E	7.1/6.8	3.5/3.1	Toyota Type T-IV				TOYOTA TYPE T-IV						
	03-08	L4	1.8L	MU4, MU5	7.6/7.2	3.3/3.1	Toyota Type T-IV				TOYOTA TYPE T-IV						
Mirai	09-10	L4	2.4L (2AZ)	U140F	8.6/8.1	4.1/3.9	Toyota Type WS				TOYOTA TYPE WS						
	09-12	L4	2.4L (2AZ)	U250-E	7.9/7.5	3.7/3.5	Toyota Type WS				TOYOTA TYPE WS						
	09-12	L4	1.8L (2ZR)	U341-E	6.9/6.5	3/2.9	Toyota Type WS				TOYOTA TYPE WS						
Pickup, Tacoma	16-17		Electric motor	Q410	N/A	4.4/4.2	Toyota Type WS				DVI, MLV						
	89-02	L4	2.4L	A340-E	7.6/7.2	2/1.9	DEXRON III				DM, DVI						
	89-02	V6	3.0, 3.4L	A340-E	7.6/7.2	2/1.9	DEXRON III				DM, DVI						
	95-04	L4	2.7L	A43D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI						
	95-04	V6	3.4L	A340F	10.5/9.8	2.1/2	DEXRON III				DM, DVI						
	04	V8	4.7L	A340F	10.7/10.1	2.1/2	DEXRON III				DM, DVI						
Prius	04-05	L4	2.4L	A44D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI						
	05-07	V6	3.4L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-07	V8	4.7L	A750-E/F	5.5/5.3	3.2/3	Toyota Type WS				DVI, MLV						
Prius Parallel Hybrid	01-03	L4	1.5L (1NZ)	P111 HYBRID	4.9/4.6	N/A	Toyota Type T-IV				*DM, MV						
	04-09	L4	1.5 (1NZ), 1.8L (2ZR)	P112 HYBRID	3.5/3.3	N/A	Toyota Type WS				DVI, MLV						
	10-17	L4	1.8L	P410/P510	6.8/6.4	3.6/3.4	Toyota Type WS				DVI, MLV						
RAV4	16-20	L4	1.8L	P610	N/A	3.8/3.6	Toyota Type WS				DVI, MLV						
	10-12	L4	1.8L (2ZR)	P410 HYBRID	3.6/3.4	N/A	Toyota Type WS				DVI, MLV						
	01-05	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5	Toyota Type T-IV				*DM, MV						
RAV4 Hybrid	01-05	L4	2.4L	U241-E	9.1/8.6	3.7/3.5	Toyota Type T-IV				*DM, MV						
	06-07	L4	2.0L	U140-E/F	8.8/8.3	3.7/3.5	Toyota Type WS				DVI, MLV						
	06-08	L4	2.0, 2.4L	U140F, U241-E	8.6/8.1	3.7/3.5	Toyota Type WS				DVI, MLV						
RAV4 Hybrid	06-11	V6	3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
	06-11	L4	2.5L (2AR)	U140F	8.6/8.1	4.1/3.9	Toyota Type WS				DVI, MLV						
	09-11	L4	2.5L (2AR)	U241-E	8.7/8.2	3.7/3.5	Toyota Type WS				DVI, MLV						
Sequoia	13-18	L4	2.5L (2AR)	U660, U760	6.9/6.5	2.9/2.7	Toyota Type WS				DVI, MLV						
	19-20	L4	2.5L	UB80, UB80E	7.8/7.4	3.4/3.3	Toyota Type WS				DVI, MLV						
	16-17	L4	2.5L (2AR)	P314	4.0/3.8	N/A	Toyota Type WS				DVI, MLV						
Rush	16-17	L4	2.5L (2AR)	Q211	1.9/1.8	N/A	Toyota Type WS				DVI, MLV						
	09-10	L4	1.5L (3SV)	A4Q	4.9/4.6	1.6/1.5	DEXRON VI				MLV						
Sequoia	00-04	V6	3.4L	A340-E	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V6	3.4L	A340F	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V8	4.7L	A340F	10.5/9.8	2.1/2	DEXRON III, VI				DM, DVI						
	00-04	V8	4.7L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-09	V6, V8	3.4, 4.7L (2UZ)	A750-E, A750F	10.9/10.4	3.2/3	Toyota Type WS				DVI, MLV						
	11-20	V8	5.7L (3UR)	AB60-E/F	11.6/11	2.2/2	Toyota Type WS				DVI, MLV						
Sienna	10-20	V8	4.6L (1UR)	A760-E/F	11.6/11	2.2/2	Toyota Type WS				DVI, MLV						
	98-00	V6	3.0L	A540-E/F	8.5/8	3.7/3.5	DEXRON III				DM, DVI						
	01-03	V6	3.0L	A541-E	8.5/8	5/4.7	Toyota Type T-IV				*DM, MV						
	04-06	V6	3.3L	U151-E/F	9.5/9	3.8/3.6	Toyota Type T-IV				*DM, MV						
	07-10	V6	3.3 (3MZ), 3.5L (2GR)	U151-E/F	9.3/8.8	3.7/3.5	Toyota Type WS				DVI, MLV						
Sienna	09-12	L4, V6	3.5 (2GR), 2.7L (1AR)	U760-E	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

IMPORTANT! OEM ATF Alternative Abbreviations and Symbols

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

T
V

TOYOTA cont.

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Sienna	11-16	L4, V6	3.5 (2GR), 2.7L (1AR)	U660-E/F	6.9/6.5, 7.1/6.7	3/2.8	Toyota Type WS				DVI, MLV						
	17-20	V6	3.5L (2GR)	UA80E, U80F	8/7.6	3.2/3	Toyota Type WS				DVI, MLV						
	98-01	L4	2.2L	A140-E/L	N/A	2.6/2.5	DEXRON III				DM, DVI						
	98-01	V6	3.0L	A140-E	8.5/8	3.7/3.5	DEXRON III				DM, DVI						
	98-03	V6	3.0L	A541-E	8.5/8	5/4.7	DEXRON III				DM, DVI						
	02-03	V6	3.0L	A541-E	8.2/7.8	5/4.7	Toyota Type T-IV				*DM, MV						
	02-05	L4	2.4L	U241-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	04-06	V6	3.3L	U151-E	9.3/8.8	3.7/3.5	Toyota Type T-IV				*DM, MV						
	06	V6	3.0L	U250-E	8.7/8.2	3.7/3.5	Toyota Type T-IV				*DM, MV						
	07-08	L4	2.4L	U250-E	8.5/8	3.7/3.5	Toyota Type WS				DVI, MLV						
	07-08	V6	3.3L	U660-E	6.9/6.5	3/2.8	Toyota Type WS				DVI, MLV						
Supra	20	L4, V6	2.0L, 3.0L	8HP51	N/A	9.6/9.1	Lifeguard 8				MULV						
	95-00	L4	2.4L	A43D	6.9/6.5	2.5/2.4	DEXRON III				DM, DVI						
	95-02	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6	Toyota Type T-IV				*DM, MV						
	97-04	L4, V6	2.4, 3.0, 3.4L	A340F	10.7/10.1	2.1/2	DEXRON III				DM, DVI						
	03-07	L4, V6	2.4, 3.0, 3.4L	A340-E	7.6/7.2	1.7/1.6	Toyota Type T-IV				*DM, MV						
	05-08	L4, V6	2.4, 3.0, 3.4L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-08	V6	3.4L	A750-E, A750F	11.5/10.9	3.3/3	Toyota Type WS				DVI, MLV						
	05-15	V6	4.0L (1GR)	A750-E/F	11.5/10.9	3.3/3	Toyota Type WS				DVI, MLV						
	06-15	L4	2.7L (2TR)	A340-E/F	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
	16-20	L4, V6	2.7, 3.5L	AC60E, AC60F	10.5/9.9	3.3/3.1	Toyota Type WS				DVI, MLV						
	00-04	V6	3.4L	A340-E	10.7/10.1	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V8	4.7L	A340-E	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	00-04	V8	4.7L	A340F	13/12.3	2.1/2	Toyota Type T-IV				*DM, MV						
	05-08	V6, V8	3.4, 4.7L	A750-E, A750F	11.5/10.9	3.2/3	Toyota Type WS				DVI, MLV						
	09-10	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A750-E, A750F	11.6/11	2.1/2	Toyota Type WS				DVI, MLV						
	11-17	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	A760-E, A760F	11.6/11, 12.3/11.6	3.2/3	Toyota Type WS				DVI, MLV						
	11-20	V6, V8	4.0 (1GR), 4.6 (1UR), 5.7L (3UR)	AB60-E/F	11.3/10.7	3.2/3	Toyota Type WS				DVI, MLV						
Venza	09-10	L4, V6	2.7 (2TR), 3.5L (2GR)	U660-E	6.9/6.5	3/2.9	Toyota Type WS				DVI, MLV						
	09-12	L4, V6	2.7 (2TR), 3.5L (2GR)	U760-E/F	6.9/6.5	3/2.9	Toyota Type WS				DVI, MLV						
Yaris	06-08	L4	1.5L (1NZ)	U340-E, U341-E	7.2/6.8	3/2.9	Toyota Type WS				DVI, MLV						
	09-20	L4	1.5L (1NZ)	U340-E, U341-E	6.8/6.4	3/2.9	Toyota Type WS				DVI, MLV						
Yaris iA	17-18	L4	1.5L (1NZ)	CW6A-EL	7.6/7.2	3.2/3	Toyota Type WS				DVI, MLV						

OPTION 1 (when using the OEM recommended ATF)

- Synthetic ATF Protectant (60902)
- Platinum High-Performance ATF Protectant (63010)
- CVT Recharge & Protect (67010)


OPTION 2 (as an OEM fluid alternative)

- HFM ATF Supplement (61910)
- MV ATF Supplement (62005)
- Platinum High-Performance ATF Protectant (63010)


OPTION 3 (whole fluid option)

- LUBEGARD CVT FLUID
- LUBEGARD DCT FLUID
- LUBEGARD ATF


VOLKSWAGEN

Arteon	19-20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV						
Atlas	19-20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV						
Atlas Cross Sport	20	L4	2.0L	09P	7.4/7.0	N/A	G 055 540 A2				DVI, MLV						
	09-10	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.6/7.2	5.5/5.2	G 055 025 A2				*DM, MV						
	09-12	L4, V6	2.0 (CBFA), 2.0 (CCTAO), 3.6L (BLV)	09M	7.4/7	N/A	G 055 025 A2				*DM, MV						
	10-12	L4	2.0 (CBFA), 3.6L (BLV)	DSG, O2E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	11-12	L4, V6	2.0 (CBFA), 2.0 (CCTA), 3.6L (BLV)	09G	7.5/7	N/A	G 055 540 A2				SYN DVI, DHP						
Eos	07-14	L4, V6	2.0 (CCTA) (CBFA), 3.2L (CBRA)	DSG, O2E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	15-16	L4, V6	2.0, 3.6L	O2E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Golf	04-07	L4	1.8, 1.8L TDI	09A	7.4/7	N/A	G 052 990 A2				SYN DVI, DHP						
e-Golf	15-17	e-drive	Electric motor	OMD	1.0/1.0	0.8/0.8	G 052 527 A2 (MTF)	USE	OEM	FLUID	LUBEGARD DCTF						
	18-20	e-drive	Electric motor	OMD	0.8/0.8	0.8/0.8	G 052 527 A2 (MTF)	USE	OEM	FLUID	LUBEGARD DCTF						
Golf City	07-10	L4	2.0L (BEV)	09G	7.4/7	N/A	G 055 025 A2				SYN DVI, DHP						
	95-02	L4, V6	1.8, 1.9, 2.0, 2.8L	01M	5.6/5.3	3.2/3	Esso Type LT 71141				*DM, MV						
	06-10	L4	2.0 (CBFA) (BEV), 2.5L (CBTA)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	10-14	L4	2.0L (CBFA) (CJAA) (CCTA)	DSG, O2E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	10-14	L5	2.5L (CBUA)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	15-17	L4	1.8L	09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
Golf, GTI	15-20	L4	1.8L	O2E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						

Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF
Golf R, GTI	18-20	L4	2.0L	0GC	7.3/6.9	6.3/6.0	G 055 529 A2				LUBEGARD DCTF						
	95-05	L4, V6	1.8, 1.9, 2.8, 2.9L	01M	5.6/5.3	3.2/3	Esso Type LT 71141				SYN DM, MV						
	01-07	V6	2.8, 3.0L	09A	7.4/7	N/A	G 052 990 A2				SYN DVI, DHP						
Jetta & Jetta Sportwagen	04-08	L4, L5	2.5, 1.9L TDI	09G	6.8/6.4	4.8/4.5	G 055 025 A2				*DM, MV						
	08-10	L4	2.0L (CBEA) (CCTA) (CBFA)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
	08-10	L5	2.5L (CBTA) (CBAU)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
Jetta & Jetta Sportwagen	08-14	L4, L5	2.0L (CCTA) (CBEA) (CBFA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	10-11	L4	2.0L (CJAA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Jetta & Jetta Sportwagen	11-14	L4, L5	2.5L (CBAU), 2.0L TDI	09G (GEN 1)	7.4/7	N/A	G 055 025 A2				*DM, MV						
	11-14	L4, L5	2.5L (CBAU), 2.0L TDI	09G (GEN 2)	6.4/6.1	N/A	G 055 540 A2				SYN DVI, DHP						
Jetta	15-17	L4	1.8L	09G	7.4/7	N/A	G 055 540 A2				LUBEGARD DCTF						
Jetta City	15-17	L4	1.8L	02E, 09D	7.3/6.9	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
New Beetle	18-20	L4	2.0L	0GC	7.3/6.9	6.3/6.0	G 055 529 A2				LUBEGARD DCTF						
	08-10	L4	2.0L (BEV)	09G	7.4/7	N/A	G 052 025 A2				SYN DM, DVI, MV						
New Beetle	98-05	L4	1.8, 2.0L	096/01M	5.6/5.3	3.2/3	Esso Type LT 71141				SYN DM, MV						
	04-08	L5	2.5, 1.9L TDI	09G	7.5/7	4.8/4.5	G 055 025 A2				*DM, MV						
New Beetle	08-10	L5	2.5 (BPR), 2.5L (BPS)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
	12-19	L5	2.5L (BPS)	09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
	12-16	L4	2.0 TSI, 2.0 TDI	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Passat, Passat CC	98-05	L4, V6	1.8, 2.0, 2.8L	01V	9.9/5	3.5/3.3	Esso Type LT 71141				SYN DM, MV						
	02-05	V8	4.0L	01V	9.9/9	3.2/2.7	Esso Type LT 71141				SYN DM, MV						
Passat, Passat CC	06-09	L4, V6	2.0L (CCTA) (BPY)	09G, 09M	7.5/7	5.5/5.2	G 055 025 A2				*DM, MV						
	09	L4, V6	3.6L (BLV)	09M, 09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
Passat, Passat CC	09	L4	2.0L (CCTA) (CBFA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
	12-14	L4	2.0L (CCTA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Phaeton	12-17	V6	3.6L (BLV)	09M, 09G	7.4/7	N/A	G 055 540 A2				SYN DVI, DHP						
Phaeton	15-20	L4	2.0L (CCTA)	02E, 09D	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Rabbit, Rabbit GTI	04-06	V8	N/A	09L	10.4/9.8	N/A	Esso Type LT 71141				SYN DM, MV						
Rabbit, Rabbit GTI	06	L4	2.0L	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
Rabbit, Rabbit GTI	08-10	L4	2.0, 2.5L (CBTA) (CBAU)	09G	7.4/7	N/A	G 055 025 A2				*DM, MV						
Routan	08-10	L4	2.0L (CBFA) (CCTA) (BPY)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Routan	08-10	V6	3.2L (BUB) (CBRA)	DSG, 02E	7.6/7.2	5.5/5.2	G 052 182 A2 (DSG)				LUBEGARD DCTF						
Tiguan	09-12	V6	3.8 (CGUA), 4.0L (CGVA)	62TE (LGG1)	9/8.5	5.5/5.2	VW GUS 000162				*DM, DVI, MV						
Tiguan	08-15	L4	2.0L (CCTA)	09M	7.4/7	N/A	G 055 025 A2				*DM, MV						
Tiguan	16-17	L4	2.0L	OC8 (8 SPEED)	11/10.4	N/A	G 055 540 A2				SYN DVI, DHP						
Touareg	18-20	L4	2.0L	09S	6.7/6.3	N/A	G 053 001 A2				*DM, MV						
Touareg	18-20	L4	2.0L	09P	7.4/7.0	N/A	Toyota T-IV				*DM, MV						
Touareg	04-07	V6/8/10	3.2, 4.2, 5.0L	ZF 6HP26A	9.5/9, 10.6/10.1	9/8.5, 10.1/9.6	Toyota Type T-IV				*DM, MV						
Touareg 2	10	V6	3.0 (CAT), 3.6L (BHK)	09D	12.7/12	N/A	G 055 025 A2				*DM, MV						
Touareg 2	07-10	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	09D	12.7/12	N/A	G 055 025 A2				*DM, MV						
C70, S70, V70	11-17	V6, V8	3.0, 3.6 (BHK), 4.2 (BAR), 5.0L	OC8 (8 SPEED)	11/10.4, 13.5/12.8	N/A	G 055 540 A2				SYN DVI, DHP						
VOLVO																	
40 Series	00-07	L4	1.9L	AW50-42LE	8/7.6	3.2/3	DEXRON III, VI				DM, DVI						
60 Series	01-07	L4	2.3, 2.4L	AW50-55	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						
70 Series	98-01	L4, L5	2.3, 2.4L	AW50-42LE	8/7.6	3.2/3	DEXRON III				DM, DVI						
70 Series	01-07	L4, L5	2.3, 2.4L	AW50-55	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						
80 Series	99-01	L6	2.5, 2.9L	AW50-42LE, 4T65-E	8/7.6	3.2/3	DEXRON III				DM, DVI						
90 Series	98-02	L6	3.0L	AW30/AW 34	8.4/8	3.2/3	DEXRON III				DM, DVI						
C30	08-10	L5	2.5L	AW55-50SN, AW55-51, AW50/51'	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV						
C70, S70, V70	98-05	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV						

Directions: Add 1 oz. LUBEGARD® per quart of ATF. With transmission running at operating temperature, shift into park, then check fluid level. Add additional fluid as required. DO NOT OVERFILL. Use this chart only as a reference. Always check the manufacturer owner's manual and dipstick for required volume and fluid type. No part of this chart can be used without the express written permission from ILI. All trademarks are owned by their respective companies. If the vehicle is under warranty, be sure to use fluid that is the same color that the OEM uses.

**IMPORTANT!
OEM ATF
Alternative
Abbreviations
and Symbols**

DM	DEXRON®/MERCON®	LG6	Lifeguard® 6
DVI	DEXRON® VI	LG8	Lifeguard® 8
DULV	Dexron Ultra LV	DHP	Dexron® HP
MV	MERCON® V	*	Use a synthetic base fluid if the vehicle is subject to severe duty or operates in extreme temperatures.
MLV	MERCON® LV	SYN	The use of a synthetic base fluid is required.
MULV	MERCON® Ultra LV		



OEM ATF and Conversion Chart

V

OPTION 1 (when using the OEM recommended ATF)										OPTION 2 (as an OEM fluid alternative)				OPTION 3 (whole fluid option)										
										Synthetic ATF Protectant (60902) or Platinum High-Performance ATF Protectant (63010) or CVT Recharge & Protect (67010)					HFM ATF Supplement (61910) or Platinum High-Performance ATF Protectant (63010)									
Model	Year	Engine Type	Engine Displacement	Trans Type	Total Fill Qt/Liter	Service Fill Qt/Liter	OEM Fluid Type	60902	63010	67010	Base Fluid	61910	62005	63010	68112 CVT	56032 DCT	69032 ATF							
C70	05-10	L5	2.5L	AW55-50SN	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV													
	10-13	L5	2.5L	AW55-50, AW55-51, AW50/51	8.1/7.7	N/A	Volvo 1161540-8				*DM, MV													
S40, V40, V50	99-08	L4	2.3, 2.4, 2.5L	AW42AED, AW50-42	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV													
S40	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50, AW55-51SN	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV													
S60, S70, S80	01-07	L4	2.3, 2.4, 2.5L	AW55-50	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV													
S60, S60R	04-05	L5	2.5L	AW55-50	7.6/7.2	N/A	Volvo 1161540-8				*DM, MV													
S60R	07-08	L5	2.5L	TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
	01-03	L5	2.3, 2.4L	AW55-50SN	7.9/7.5	3.2/3	Volvo 1161540-8				*DM, MV													
	05-09	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV													
S60	11-14	L5	2.5L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31256774				SYN DVI, DHP													
	12-14	L5	2.5L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	15-18	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
S80 Series	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	99-04	L5	2.4, 2.5L	AW50-42LE	8/7.6	3.2/3	Volvo 1161540-8				*DM, MV													
	99-02	L5	2.5L	4T65-E	7.9/7.5	N/A	DEXRON III				DM, DVI													
	99-04	L5	2.5L	AW50-42LE	7.9/7.5	N/A	Volvo 1161540-8				*DM, MV													
	04-06	L5	2.5L	AW55-50	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV													
	07	L5	2.5L	AW55-51	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
S80	07-09	L6, V8	3.0, 4.4L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
	10	L6, V8	3.0, 4.4L	AW TF80SC (GEN II)	5.8/5	N/A	Volvo 1161540-8				*DM, MV													
	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31256774				SYN DVI, DHP													
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
S90	15-16	L4, V6	2.0, 3.0, 3.7L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	17-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
V50	05-11	L5	2.4, 2.5L	AW55-50SN, AW55-50	8.2/7.7	3.2/3	Volvo 1161540-8				*DM, MV													
V60	15-18	L4, V6	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
V60, CC	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
V70 R	06-07	L5	2.5L	TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
V70	08-10	L6	3.2L	AW TF80SC	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV													
V90, CC	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
XC40	19-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	10	L6	3.2L	AW TF80SC	5.8/5.5	N/A	Volvo 1161540-8				*DM, MV													
XC60	11-14	L6	3.2L	AW TF80SC (GEN II)	7.4/7.1	N/A	Volvo 31256774				SYN DVI, DHP													
	15-17	L4	2.0, 2.5, 3.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
XC70	03-07	L5	2.5L	AW55-50	7.9/7.5	N/A	Volvo 1161540-8				*DM, MV													
	08-10	L6	3.0, 3.2L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
	11-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	5.8/5.5	N/A	Volvo 31256774				SYN DVI, DHP													
	12-14	L6	3.0, 3.2L	AW TF80SC (GEN II)	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
	15-17	L4	2.0, 3.0, 3.2L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													
XC90	04-05	L6	2.9L	4T65-EV	12.5/11.9	N/A	DEXRON III				DM, DVI													
	06-07	L5	2.5L	AW55-50	7.5/7.1	N/A	Volvo 1161540-8				*DM, MV													
	07-10	L6, V8	3.2, 4.4L	AW TF80SC	7.1/6.7	N/A	Volvo 1161540-8				*DM, MV													
	11-14	L6, V8	3.2, 4.4L	AW TF80SC (GEN II)	7.1/6.7	N/A	Volvo 31256774				SYN DVI, DHP													
	15-17	L6, V8	3.2, 4.4L	TG81SC	7/6.6	N/A	Volvo 31256774				SYN DVI, DHP													
	18-20	L4	2.0L	TF80SC, TG81SC	7.4/7	N/A	Volvo 31256774				SYN DVI, DHP													

LUBEGARD'S NEW MOBILE APP:

So easy Shuddereman can use it.

So useful everyone
will want to use it!

Get the most up to date
charts & bulletins

Easy to use vehicle look up
helps you find products fast

Suitable for use charts
for quick product interchanges



Scan this QR
code or search
“LUBEGARD
Resources”
to download
the app now




A Get the app



INTERNATIONAL LUBRICANTS, INC.
PH WEST: 800.333.LUBE (5823)
PH EAST: 800.458.5487

The world's finest
automotive lubricants
WWW.LUBEGARD.COM



THE WORLD'S FINEST LUBRICANTS

For more information on Lubegard transmission products visit www.lubegard.com or call our toll free tech hotline at 800-333-LUBE (5823).

© 2021 ILI. All rights reserved

YOUR ROAD TO RESOURCES



LG Catalog

Lubegard
Catalog

Scan the code above to view
the latest Lubegard catalog.



ILI Social

Follow us on
Social Media

Scan this INTERACTIVE QR code
to check out our:

- YouTube page & How-to videos
- Facebook Fan page
- Twitter feed
- LUBEGARD@ WEBSITE



Our Catalog

Stellar Automotive
Group Catalog

Stellar Automotive Group
also offers a full-line of automatic
transmission parts. Scan this QR
code to see all 14,500+ parts we
have to offer!



INTERNATIONAL LUBRICANTS, INC.

WEST: PH 1-800-333-LUBE (5823) OR 206-762-5343

EAST: PH 1-800-458-5487 OR 330-769-8484

WWW.LUBEGARD.COM